

# NDepend Report

Application name: **New Project**

This report has been built on: **05/26/2009 14:21:03** in **00:09** by NDepend **v2.12.0.3027 (Pro Edition)**

To get explanations concerning these metrics, go to the [NDepend home page](#).

[Application Metrics](#)

[Assemblies Metrics](#)

[Visual NDepend View](#)

[Assemblies Abstractness vs. Instability](#)

[Assemblies Dependencies](#)

[Assemblies Dependencies Diagram](#)

[Assemblies build order](#)

[NDepend information and warnings](#)

[CQL Queries and Constraints](#)

[Types Metrics](#)

[Types Dependencies](#)

## Application Metrics

Number of IL instructions: **15484**

Number of lines of code: **2005**

Number of lines of comment: **533**

Percentage comment: **21**

Number of assemblies: **4**

Number of classes: **78**

Number of types: **87**

Number of abstract classes: **1**

Number of interfaces: **3**

Number of value types: **2**

Number of exception classes: **1**

Number of attribute classes: **0**

Number of delegate classes: **0**

Number of enumerations classes: **4**

Number of generic type definitions: **5**

Number of generic method definitions: **5**

Percentage of public types: **74.71%**

Percentage of public methods: **90.23%**

Percentage of classes with at least one public field: **0%**


Stat	# Occurrences	Avg	StdDev	Max
Properties on Interfaces	3 Interfaces	10.67	14.38	31 properties on RanchBuddy.Core.:
Methods on Interfaces	3 Interfaces	15	17.68	40 methods on RanchBuddy.Core.:
Arguments on Methods on Interfaces	45 Methods	0.2	0.4	1 arguments on PostalCodeRadiusSearch.ISe
Public Properties on Classes	78 Classes	2.19	5.51	32 public properties on RanchBuddy.Core.Servi
Public Methods on Classes	78 Classes	7.85	10.4	50 public methods on RanchBuddy.:
Arguments on Public Methods on Classes	612 Methods	0.69	1.19	RanchBuddy.Web.Controllers.AccountController.Register(String,String,String,String,String,String,String,String,String,String,String,String,String,String,String,Strin
IL Instructions in non-abstract Methods	692 Methods	22.38	33.41	RanchBuddy.Web.Controllers.AccountController.Register(String,String,String,String,String,String,String,String,String,String,String,String,String,String,String,Strin
Cyclomatic complexity on non abstract Methods	692 Methods	2.02	2.79	CC = 35 for RanchBuddy.Core.Providers.Impl.MvcSitemapProvider.GetMvcSitemapNodeFromXI

## Assemblies Metrics


Assembly	# Types	# Abstract Types	# IL instruction	# lines of code	# lines of comment	% comment	Afferent Coupling	Efferent Coupling	Relational Cohesion	Instability	Abstractness	Distance
RanchBuddy.Core v1.0.0.0	65	2	11692	1583	411	20	10	188	2.09	0.95	0.03	0.02
RanchBuddy.Web v1.0.0.0	18	1	3693	405	79	16	1	94	0.89	0.99	0.06	0.05

RanchBuddy.Web.Tests v1.0.0.0	1	0	31	7	22	75	0	4	1	1	0	0
PostalCodeRadiusSearch v1.0.0.0	3	1	68	10	21	67	0	9	1.33	1	0.33	0.33

## Visual NDepend View



## Assemblies Abstractness vs. Instability




## Assemblies Dependencies

Assembly	Depends on...	Is referenced by...
RanchBuddy.Core v1.0.0.0	<a href="#">mscorlib v2.0.0.0</a> ; <a href="#">System v2.0.0.0</a> ; <a href="#">System.Web v2.0.0.0</a> ; <a href="#">System.Data.Linq v3.5.0.0</a> ; <a href="#">System.Drawing v2.0.0.0</a> ; <a href="#">System.Web.Abstractions v3.5.0.0</a> ; <a href="#">System.Xml.Linq v3.5.0.0</a> ; <a href="#">System.Data v2.0.0.0</a> ; <a href="#">System.Configuration v2.0.0.0</a> ; <a href="#">System.Core v3.5.0.0</a> ; <a href="#">StructureMap v1.0.0.0</a> ; <a href="#">System.Web.Routing v3.5.0.0</a> ;	<a href="#">RanchBuddy.Web v1.0.0.0</a> ;
RanchBuddy.Web v1.0.0.0	<a href="#">mscorlib v2.0.0.0</a> ; <a href="#">System.Web v2.0.0.0</a> ; <a href="#">System.Core v3.5.0.0</a> ; <a href="#">System.Web.Routing v3.5.0.0</a> ; <a href="#">System.Data.Linq v3.5.0.0</a> ; <a href="#">RanchBuddy.Core v1.0.0.0</a> ; <a href="#">System.Drawing v2.0.0.0</a> ; <a href="#">System.Web.Abstractions v3.5.0.0</a> ;	<a href="#">RanchBuddy.Web.Tests v1.0.0.0</a> ;
RanchBuddy.Web.Tests v1.0.0.0	<a href="#">mscorlib v2.0.0.0</a> ; <a href="#">RanchBuddy.Web v1.0.0.0</a> ;	-
PostalCodeRadiusSearch v1.0.0.0	<a href="#">mscorlib v2.0.0.0</a> ; <a href="#">System.ServiceModel v3.0.0.0</a> ; <a href="#">System.Runtime.Serialization v3.0.0.0</a> ;	-

## Assemblies Dependencies Diagram

Blue : Assemblies of your application.

Yellow : Tiers assemblies referenced by assemblies of your application.



## Assemblies build order

RanchBuddy.Core  
 RanchBuddy.Web  
 RanchBuddy.Web.Tests  
 PostalCodeRadiusSearch

## NDepend information and warnings

05/26/2009 14:20:54 Begin analysis with NDepend v2.12.0.3027  
 05/26/2009 14:20:54 Retrieve dependencies of your application.  
 Assemblies loaded from {C:\Windows\Microsoft.NET\Framework\v2.0.50727} mscorlib.dll v2.0.0.0 System.Web.dll v2.0.0.0 System.Drawing.dll v2.0.0.0 System.Data.dll v2.0.0.0 System.dll v2.0.0.0 System.Configuration.dll v2.0.0.0  
 Assemblies loaded from {C:\Program Files\Reference Assemblies\Microsoft\Framework\v3.0} System.Runtime.Serialization.dll v3.0.0.0 System.ServiceModel.dll v3.0.0.0  
 Assemblies loaded from {C:\Program Files\Reference Assemblies\Microsoft\Framework\v3.5} System.Web.Routing.dll v3.5.0.0 System.Data.Linq.dll v3.5.0.0 System.Core.dll v3.5.0.0 System.Web.Abstractions.dll v3.5.0.0 System.Xml.Linq.dll v3.5.0.0  
 Assemblies loaded from {P:\Projects\RanchBuddy.com\trunk\source\RanchBuddy.Web\bin} RanchBuddy.Web.dll v1.0.0.0 RanchBuddy.Core.dll v1.0.0.0 StructureMap.dll v1.0.0.0  
 Assemblies loaded from {P:\Projects\RanchBuddy.com\trunk\source\RanchBuddy.Web.Tests\bin\Debug} RanchBuddy.Web.Tests.dll v1.0.0.0  
 Assemblies loaded from {P:\Projects\RanchBuddy.com\trunk\source\PostalCodeRadiusSearch\bin} PostalCodeRadiusSearch.dll v1.0.0.0  
 52 source files parsed ; all source files found ; all source files in-sync with PDB  
 0 CQL constraint has been extracted from code.  
 No dependency cycle detected in assemblies referencement graph.  
 05/26/2009 14:20:59 Analyse dependencies of your application.  
 05/26/2009 14:21:00 Building the report (standard).  
 WARNING: Can't perform build comparison: Can't find the most recent analysis for project {New Project}  
 WARNING: Can't load the assembly {System.Web.Mvc}: Can't find the .NET assembly {System.Web.Mvc} in specified dirs  
 WARNING: Can't load the assembly {Microsoft.VisualStudio.QualityTools.UnitTestingFramework}: Can't find the .NET assembly {Microsoft.VisualStudio.QualityTools.UnitTestingFramework} in specified dirs  
 WARNING: Can't load the assembly {PostalCodeIndexer}: Unexpected {System.BadImageFormatException} Message:Invalid PE file  
 WARNING: No application or tier assembly found in directory {P:\Projects\RanchBuddy.com\trunk\source\RanchBuddy.Core\bin\Debug}  
 WARNING: No application or tier assembly found in directory {P:\Projects\RanchBuddy.com\trunk\source\PostalCodeIndexer\bin\Debug}  
 WARNING: Assembly {Microsoft.VisualStudio.QualityTools.UnitTestingFramework} is referenced by {RanchBuddy.Web.Tests} but is not found.  
 WARNING: Assembly {System.Web.Mvc} is referenced by {RanchBuddy.Web.Tests} but is not found.  
 WARNING: Assembly {System.Web.Mvc} is referenced by {RanchBuddy.Web} but is not found.  
 WARNING: Assembly {System.Web.Mvc} is referenced by {RanchBuddy.Core} but is not found.

## CQL Queries and Constraints

{Code Quality} Some CQL constraints are not satisfied.  
 {Code Quality \ Type Metrics} Some CQL constraints are not satisfied.  
 {Design} Some CQL constraints are not satisfied.  
 {Design \ Performance} Some CQL constraints are not satisfied.  
 {Unused Code / Dead Code} Some CQL constraints are not satisfied.  
 {Encapsulation} Some CQL constraints are not satisfied.  
 {Encapsulation \ Methods Optimal Encapsulation} Some CQL constraints are not satisfied.  
 {Encapsulation \ Types Optimal Encapsulation} Some CQL constraints are not satisfied.  
 {Encapsulation \ Fields Optimal Encapsulation} Some CQL constraints are not satisfied.  
 {Diff / Changes / Evolution} All CQL queries compile and all CQL constraints are satisfied.  
 {Test Coverage} All CQL queries compile and all CQL constraints are satisfied.  
 {Purity / Immutability / Side-Effects} Some CQL constraints are not satisfied.  
 {Naming Conventions} Some CQL constraints are not satisfied.  
 {Naming Conventions \ Name too long} Some CQL constraints are not satisfied.  
 {.NET Framework Usage} Some CQL constraints are not satisfied.

{.NET Framework Usage \System} Some CQL constraints are not satisfied.  
{.NET Framework Usage \System.Collection} Some CQL constraints are not satisfied.  
{.NET Framework Usage \System.Runtime.InteropServices} All CQL queries compile and all CQL constraints are satisfied.  
{.NET Framework Usage \System.Threading} All CQL queries compile and all CQL constraints are satisfied.  
{.NET Framework Usage \System.Xml} All CQL queries compile and all CQL constraints are satisfied.  
{Constraints extracted from Source Code} No active CQL query compiled.

WARNING: The following CQL constraint is not satisfied. 10 methods on 1086 tested match the condition. --> Group {Code Quality}

```
// <Name>Quick summary of methods to refactor</Name>
```

```
WARN IF Count > 0 IN SELECT TOP 10 METHODS /*OUT OF "YourGeneratedCode" */ WHERE
```

```
(  NbLinesOfCode > 30 OR          // Metrics' definitions
   NbILInstructions > 200 OR      // http://www.ndepend.com/Metrics.aspx#NbLinesOfCode
   CyclomaticComplexity > 20 OR  // http://www.ndepend.com/Metrics.aspx#NbILInstructions
   ILCyclomaticComplexity > 50 OR // http://www.ndepend.com/Metrics.aspx#CC
   ILNestingDepth > 4 OR        // http://www.ndepend.com/Metrics.aspx#ILNestingDepth
   NbParameters > 5 OR          // http://www.ndepend.com/Metrics.aspx#NbParameters
   NbVariables > 8 OR           // http://www.ndepend.com/Metrics.aspx#NbVariables
   NbOverloads > 6 )           // http://www.ndepend.com/Metrics.aspx#NbOverloads

AND

// Here are some ways to avoid taking account of generated methods.
!( NameIs "InitializeComponent()" OR
  // NDepend.CQL.GeneratedAttribute is defined in the redistributable assembly $NDependInstallDir$\Lib\NDepend.CQL.dll
  // You can define your own attribute to mark "Generated".
  HasAttribute "OPTIONAL:NDepend.CQL.GeneratedAttribute")
```

methods	# lines of code (LOC)	# IL instructions	Cyclomatic Complexity (CC)	IL Cyclomatic Complexity (ILCC)	IL Nesting Depth	# Parameters	# Variables	# Overloads	Full Name
MoveNext()	15	244	11	35	1	0	5	1	RanchBuddy.C
GenerateImage()	27	233	2	2	1	0	15	1	RanchBuddy.C
Resize(HttpPostedFileBase,String,String,String,List<ImageService+FileSizeAndIdentifier>)	20	190	3	14	3	5	10	1	RanchBuddy.C
Encrypt(String,String,String)	14	73	2	2	1	3	9	4	RanchBuddy.C
Decrypt(String,String,String)	14	73	2	2	1	3	9	4	RanchBuddy.C
SendContactUsEmail(String,String,String,String,String,String)	9	88	1	1	0	6	3	1	RanchBuddy.C
SaveAccount(Account)	20	159	4	6	2	1	10	1	RanchBuddy.C
GetCompanyAccountTypes(Int32)	10	114	2	4	2	1	9	1	RanchBuddy.C
GetCompanies(Int32,Int32,Int32,Int32)	13	175	2	5	2	4	12	1	RanchBuddy.C
GetCompanyById(Int32)	10	91	2	4	2	1	9	1	RanchBuddy.C
Sum:	152	1440	31	75	15	24	91	16	
Average:	15.2	144	3.1	7.5	1.5	2.4	9.1	1.6	
Minimum:	9	73	1	1	0	0	3	1	
Maximum:	27	244	11	35	3	6	15	4	
Standard deviation:	5.3442	61.766	2.7368	9.8209	0.8062258	2.01	3.1448	1.2	
Variance:	28.56	3815	7.49	96.45	0.65	4.04	9.89	1.44	

WARNING: The following CQL constraint is not satisfied. 3 methods on 1086 tested match the condition. --> Group {Code Quality}

```
// <Name>Methods too big (NbLinesOfCode)</Name>
WARN IF Count > 0 IN SELECT TOP 10 METHODS WHERE NbLinesOfCode > 30 ORDER BY NbLinesOfCode DESC
// METHODS WHERE NbLinesOfCode > 30 are extremely complex and
// should be split in smaller methods
// (except if they are automatically generated by a tool).
// See the definition of the NbLinesOfCode metric here http://www.ndepend.com/Metrics.aspx#NbLinesOfCode
```

methods	# lines of code (LOC)	Full Name
Register(String,String,String,String,String,String,String,String,String,String,String,String,String,String,String)	61	RanchBuddy.Web.Controllers.AccountController.Register(Stri
GetMvcSiteMapNodeFromXMLElement(XMLElement)	46	RanchBuddy.Core.Providers.Impl.MvcSitemapProvider.GetMv
GetSecondaryNavNodesForCurrentNode()	34	RanchBuddy.Web.Services.Navigation.GetSecondaryNavNode
Sum:	141	
Average:	47	
Minimum:	34	
Maximum:	61	
Standard deviation:	11.045	
Variance:	122	

WARNING: The following CQL constraint is not satisfied. 5 methods on 1086 tested match the condition. --> Group {Code Quality}

```
// <Name>Methods too big (NbILInstructions)</Name>
WARN IF Count > 0 IN SELECT TOP 10 METHODS WHERE NbILInstructions > 200 ORDER BY NbILInstructions DESC
// METHODS WHERE NbILInstructions > 200 are extremely complex and
// should be split in smaller methods
// (except if they are automatically generated by a tool).
// See the definition of the NbILInstructions metric here http://www.ndepend.com/Metrics.aspx#NbILInstructions
```

methods	# IL instructions	Full Name
Register(String,String,String,String,String,String,String,String,String,String,String,String,String,String,String,String,String)	377	RanchBuddy.Web.Controllers.AccountController.Register
GetMvcSiteMapNodeFromXMLElement(XMLElement)	339	RanchBuddy.Core.Providers.Impl.MvcSitemapProvider.GetMvcSiteMapNodeFromXMLElement(XMLElement)
MoveNext()	244	RanchBuddy.Core.Domain.Account+<GetRuleViolations>
GenerateImage()	233	RanchBuddy.Core.Services.Impl.Captcha.GenerateImage
GetSecondaryNavNodesForCurrentNode()	207	RanchBuddy.Web.Services.Navigation.GetSecondaryNavNodesForCurrentNode()
Sum:	1400	
Average:	280	
Minimum:	207	
Maximum:	377	
Standard deviation:	65.915	
Variance:	4344.8	

WARNING: The following CQL constraint is not satisfied. 1 methods on 1086 tested match the condition. --> Group {Code Quality}

```
// <Name>Methods too complex (CyclomaticComplexity)</Name>
WARN IF Count > 0 IN SELECT TOP 10 METHODS WHERE CyclomaticComplexity > 20 ORDER BY CyclomaticComplexity DESC
// METHODS WHERE CyclomaticComplexity > 15 are hard to understand and maintain.
// METHODS WHERE CyclomaticComplexity > 30 are extremely complex and should be split
// in smaller methods (except if they are automatically generated by a tool).
// See the definition of the CyclomaticComplexity metric here http://www.ndepend.com/Metrics.aspx#CC
```

methods	Cyclomatic Complexity (CC)	Full Name
GetMvcSiteMapNodeFromXMLElement(XMLElement)	23	RanchBuddy.Core.Providers.Impl.MvcSitemapProvider.GetMvcSiteMapNodeFromXMLElement(XMLElement)
Sum:	23	
Average:	23	
Minimum:	23	
Maximum:	23	
Standard deviation:	0	
Variance:	0	

WARNING: The following CQL constraint is not satisfied. 1 methods on 1086 tested match the condition. --> Group {Code Quality}

```
// <Name>Methods too complex (ILNestingDepth)</Name>
WARN IF Count > 0 IN SELECT TOP 10 METHODS WHERE ILNestingDepth > 4 ORDER BY ILNestingDepth DESC
// METHODS WHERE ILNestingDepth > 4 are hard to understand and maintain.
// METHODS WHERE ILNestingDepth > 8 is higher than 8 are extremely complex and should be split in smaller methods
// (except if they are automatically generated by a tool).
// See the definition of the NbILInstructions metric here http://www.NDepend.com/Metrics.aspx#ILNestingDepth
```

methods	IL Nesting Depth	Full Name
GetMvcSiteMapNodeFromXMLElement(XMLElement)	5	RanchBuddy.Core.Providers.Impl.MvcSitemapProvider.GetMvcSiteMapNodeFromXMLElement(XMLElement)
Sum:	5	
Average:	5	
Minimum:	5	
Maximum:	5	
Standard deviation:	0	
Variance:	0	

WARNING: The following CQL constraint is not satisfied. 10 methods on 1086 tested match the condition. --> Group {Code Quality}

```
// <Name>Methods poorly commented (PercentageComment)</Name>
WARN IF Count > 0 IN SELECT TOP 10 METHODS WHERE PercentageComment < 20 AND NbLinesOfCode > 10 ORDER BY PercentageComment ASC
// METHODS WHERE %Comment < 20 and that have at least 10 lines of code should be more commented.
// See the definition of the PercentageComment metric here http://www.ndepend.com/Metrics.aspx#PercentageComment
```

methods	Percentage Comment	# lines of code (LOC)	Full Name
SaveAccount(Account)	0	20	RanchBuddy.Core.DataAccess.Impl.AccountRepository.SaveAccount(Account)
DeleteAccount(Account)	0	13	RanchBuddy.Core.DataAccess.Impl.AccountRepository.DeleteAccount(Account)
Register(Account)	0	13	RanchBuddy.Core.Services.Impl.AccountService.Register(Account)
KeyExists(Guid)	0	11	RanchBuddy.Core.DataAccess.Impl.AccountRepository.KeyExists(Guid)
GetCompanies(Int32,Int32,Int32,Int32)	0	13	RanchBuddy.Core.DataAccess.Impl.CompanyRepository.GetCompanies(Int32,Int32,Int32,Int32)
Create(FormCollection)	0	12	RanchBuddy.Web.Controllers.CompanyController.Create(FormCollection)
Edit(Int32,FormCollection,String)	0	11	RanchBuddy.Web.Controllers.CompanyController.Edit(Int32,FormCollection,String)
SaveCompany(Company)	0	16	RanchBuddy.Core.DataAccess.Impl.CompanyRepository.SaveCompany(Company)
Page_Load(Object,EventArgs)	0	11	RanchBuddy.Web.Captcha.Page_Load(Object,EventArgs)
ChangePassword(Account,String,String,String)	0	11	RanchBuddy.Core.Services.Impl.AccountService.ChangePassword(Account,String,String,String)
Sum:	0	131	
Average:	0	13.1	
Minimum:	0	11	
Maximum:	0	20	
Standard deviation:	0	2.7368	
Variance:	0	7.49	



WARNING: The following CQL constraint is not satisfied. 4 methods on 1086 tested match the condition. --> Group {Code Quality}

```
// <Name>Methods with too many parameters (NbParameters)</Name>
WARN IF Count > 0 IN SELECT TOP 10 METHODS WHERE NbParameters > 5 ORDER BY NbParameters DESC
// METHODS WHERE NbParameters > 5 might be painful to call and might degrade performance.
// You should prefer using additional properties/fields to the declaring type to handle
// numerous states. Another alternative is to provide a class or structure dedicated to
// handle arguments passing (for example see the class System.Diagnostics.ProcessStartInfo
// and the method System.Diagnostics.Process.Start(ProcessStartInfo))
// See the definition of the NbParameters metric here http://www.ndepend.com/Metrics.aspx#NbParameters
```

methods	# Parameters	Full Name
Register(String,String,String,String,String,String,String,String,String,String,String,String,String,String,String,String,String,String)	18	RanchBuddy.Web.Controllers.AccountController.Registe
ContactUs(String,String,String,String,String,String)	6	RanchBuddy.Web.Controllers.HomeController.ContactU
SendContactUsEmail(String,String,String,String,String,String)	6	RanchBuddy.Core.Services.Impl.EmailService.SendCont
TextBoxExWithHelp(HtmlHelper,String,String,Page,Int32,Int32)	6	RanchBuddy.Web.Services.Extensions.TextBoxExWithHe
Sum:	36	
Average:	9	
Minimum:	6	
Maximum:	18	
Standard deviation:	5.1962	
Variance:	27	

WARNING: The following CQL constraint is not satisfied. 9 types on 310 tested match the condition. --> Group {Code Quality \ Type Metrics}

```
// <Name>Types with too many methods</Name>
WARN IF Count > 0 IN SELECT TOP 10 TYPES WHERE NbMethods > 20 ORDER BY NbMethods DESC
// TYPES WHERE NbMethods > 20 might be hard to understand and maintain
// but there might be cases where it is relevant to have a high value for NbMethods.
// For example, the System.Windows.Forms.DataGridView standard class has more than 1000 methods.
// See the definition of the NbMethods metric here http://www.ndepend.com/Metrics.aspx#NbMethods
```

types	# Methods	Full Name
Account	55	RanchBuddy.Core.Domain.Account
Company	50	RanchBuddy.Core.Domain.Company
WebContext	47	RanchBuddy.Core.Services.Impl.WebContext
IWebContext	40	RanchBuddy.Core.Services.IWebContext
PostalCode	39	RanchBuddy.Core.Domain.PostalCode
CompanyAccount	30	RanchBuddy.Core.Domain.CompanyAccount
ConfigurationService	27	RanchBuddy.Core.Services.Impl.ConfigurationService
HelpMessage	22	RanchBuddy.Core.Domain.HelpMessage
CompanyAccountType	22	RanchBuddy.Core.Domain.CompanyAccountType
Sum:	332	
Average:	36.889	
Minimum:	22	
Maximum:	55	
Standard deviation:	11.571	
Variance:	133.88	

WARNING: The following CQL constraint is not satisfied. 2 types on 310 tested match the condition. --> Group {Code Quality \ Type Metrics}

```
// <Name>Types with too many fields</Name>
WARN IF Count > 0 IN SELECT TOP 10 TYPES WHERE NbFields > 20 AND !IsEnumeration ORDER BY NbFields DESC
// TYPES WHERE NbFields > 20 AND !IsEnumeration might be hard to understand and maintain
// but there might be cases where it is relevant to have a high value for NbFields.
// For example, the System.Windows.Forms.Control standard class has more than 200 fields.
// The value of the metric NbFields might be a better indicator of complex type.
// See the definition of the NbFields metric here http://www.ndepend.com/Metrics.aspx#NbFields
```

types	# Fields	Full Name
Account	24	RanchBuddy.Core.Domain.Account
Company	23	RanchBuddy.Core.Domain.Company
Sum:	47	
Average:	23.5	
Minimum:	23	
Maximum:	24	
Standard deviation:	0.5	
Variance:	0.25	

WARNING: The following CQL constraint is not satisfied. 4 types on 310 tested match the condition. --> Group {Code Quality \ Type Metrics}

```
// <Name>Types with poor cohesion (LCOM)</Name>
WARN IF Count > 0 IN SELECT TOP 10 TYPES WHERE LCOM > 0.8 AND NbFields > 10 AND NbMethods >10 ORDER BY LCOM DESC
// TYPES WHERE LCOM > 0.8 AND NbFields > 10 AND NbMethods >10 might be problematic.
// However, it is very hard to avoid such non-cohesive types. The LCOMHS metric
// is often considered as more efficient to detect non-cohesive types.
// See the definition of the LCOM metric here http://www.ndepend.com/Metrics.aspx#LCOM
```

types	Lack of Cohesion Of Methods (LCOM)	# Fields	# Methods	Full Name
Account	0.9612648	24	55	RanchBuddy.Core.Domain.Account
Company	0.9572727	23	50	RanchBuddy.Core.Domain.Company
PostalCode	0.948718	19	39	RanchBuddy.Core.Domain.PostalCode
CompanyAccount	0.9051282	14	30	RanchBuddy.Core.Domain.CompanyAccount
Sum:	3.7724	80	174	
Average:	0.943096	20	43.5	
Minimum:	0.9051282	14	30	
Maximum:	0.9612648	24	55	
Standard deviation:	0.02238151	3.937	9.7082	
Variance:	0.0005009321	15.5	94.25	

WARNING: The following CQL constraint is not satisfied. 3 types on 310 tested match the condition. --> Group {Code Quality \ Type Metrics}

```
// <Name>Types with poor cohesion (LCOMHS)</Name>
WARN IF Count > 0 IN SELECT TOP 10 TYPES WHERE LCOMHS > 0.95 AND NbFields > 10 AND NbMethods >10 ORDER BY LCOMHS DESC
// TYPES WHERE LCOMHS > 1.0 AND NbFields > 10 AND NbMethods >10 should be avoided.
// Note that this constraint is stronger than the constraint
// TYPES WHERE LCOM > 0.8 AND NbFields > 10 AND NbMethods >10.
// See the definition of the LCOMHS metric here http://www.ndepend.com/Metrics.aspx#LCOMHS
```

types	LCOM Henderson-Sellers (LCOMHS)	# Fields	# Methods	Full Name
Account	0.979066	24	55	RanchBuddy.Core.Domain.Account
Company	0.9768089	23	50	RanchBuddy.Core.Domain.Company
PostalCode	0.9736842	19	39	RanchBuddy.Core.Domain.PostalCode
Sum:	2.9296	66	144	
Average:	0.9765198	22	48	
Minimum:	0.9736842	19	39	
Maximum:	0.979066	24	55	
Standard deviation:	0.002188568	2.1602	6.6833	
Variance:	4.789828E-06	4.6667	44.667	

WARNING: The following CQL constraint is not satisfied. 1 assemblies on 18 tested match the condition. --> Group {Design}

```
// <Name>Assembly should not contain namespaces dependency cycles</Name>
WARN IF Count > 0 IN SELECT TOP 10 ASSEMBLIES WHERE ContainsNamespaceDependencyCycle
// Dependency cycles between namespaces must be avoided
// in order to have a leveled and comprehensive design.
// More info available on the screencast 'Reduce the complexity' http://s3.amazonaws.com/NDependOnlineDemos/NDependReducingComplexity\_viewlet.swf.html
// You can also read this article http://www.theserverside.net/tt/articles/showarticle.tss?id=ControllingDependencies
```

assemblies	# lines of code (LOC)	Full Name
RanchBuddy.Core	1583	RanchBuddy.Core
Sum:	1583	
Average:	1583	
Minimum:	1583	
Maximum:	1583	
Standard deviation:	0	
Variance:	0	

WARNING: The following CQL constraint is not satisfied. 10 types on 310 tested match the condition. --> Group {Design}

```
// <Name>A stateless type might be turned into a static type</Name>
WARN IF Count > 0 IN SELECT TOP 10 TYPES WHERE
  SizeOfInst ==0 AND
  NbInterfacesImplemented == 0 AND // To be accurate, this constraint doesn't take
                                     // account of types that implement some interfaces.
  !IsStatic AND
  !IsGeneric AND
  !IsInterface
// It indicates stateless types that might eventually be turned into static classes.
// See the definition of the SizeOfInst metric here http://www.ndepend.com/Metrics.aspx#SizeOfInst
```

types	Size of instance	# interfaces implemented	Full Name
ConfigurationService	0	0	RanchBuddy.Core.Services.Impl.ConfigurationService
CompanyTypeService	0	0	RanchBuddy.Core.Services.Impl.CompanyTypeService
ImageService	0	0	RanchBuddy.Core.Services.Impl.ImageService
ValidationService	0	0	RanchBuddy.Core.Services.Impl.ValidationService
CompanyService	0	0	RanchBuddy.Core.Services.Impl.CompanyService
CompanyAccountTypeService	0	0	RanchBuddy.Core.Services.Impl.CompanyAccountTypeService
Cryptography	0	0	RanchBuddy.Core.Services.Impl.Cryptography
WebCookie	0	0	RanchBuddy.Core.Services.Impl.WebCookie
LoggingService	0	0	RanchBuddy.Core.Services.Impl.LoggingService
HelpMessageService	0	0	RanchBuddy.Core.Services.Impl.HelpMessageService
Sum:	0	0	
Average:	0	0	



Minimum:	0	0
Maximum:	0	0
Standard deviation:	0	0
Variance:	0	0

WARNING: The following CQL constraint is not satisfied. 10 types on 310 tested match the condition. --> Group {Design}

```
// <Name>Class with no descendant should be sealed if possible</Name>
WARN IF Count > 0 IN SELECT TOP 10 TYPES WHERE
  IsClass AND
  NbChildren == 0 AND
  !IsSealed AND
  !IsStatic
  // AND !IsPublic : You might want to add this condition if you are developing a framework
  //                with classes that are intended to be sub-classed by your clients.
ORDER BY NbLinesOfCode
```

types	# Children	# lines of code (LOC)	Full Name
RepositoryStatus	0	0	RanchBuddy.Core.DataAccess.Impl.RepositoryStatus
ValidationException	0	1	RanchBuddy.Core.Domain.ValidationException
MvcSitemapProvider+MvcSiteMapNode	0	2	RanchBuddy.Core.Providers.Impl.MvcSitemapProvider+MvcSiteMapNode
_Default	0	3	RanchBuddy.Web._Default
MyViewPage	0	3	RanchBuddy.Web.Services.MyViewPage
MyViewPage<T>	0	3	RanchBuddy.Web.Services.MyViewPage<T>
Connection	0	4	RanchBuddy.Core.DataAccess.Impl.Connection
Service1	0	4	PostalCodeRadiusSearch.Service1
ZipCodesByRadiusResult	0	4	RanchBuddy.Core.Domain.ZipCodesByRadiusResult
MvcApplication	0	4	RanchBuddy.Web.MvcApplication
Sum:	0	28	
Average:	0	2.8	
Minimum:	0	0	
Maximum:	0	4	
Standard deviation:	0	1.3267	
Variance:	0	1.76	

WARNING: The following CQL constraint is not satisfied. 10 types on 310 tested match the condition. --> Group {Design}

```
// <Name>Classes that are candidate to be turned into Structures</Name>
WARN IF Count > 0 IN SELECT TOP 10 TYPES WHERE
  IsClass AND
  SizeOfInst <= 16 AND // Structure instance must not be too big, else it degrades performance.
  NbChildren == 0 AND // Must not have children
  DepthOfInheritance == 1 // Must derive directly from System.Object
  // AND IsSealed : You might want to add this condition to restreint the set.
  // AND IsImmutable : Structures should be immutable type.
  // AND !IsPublic : You might want to add this condition if you are developing a framework
  //                with classes that are intended to be sub-classed by your clients.
```

types	Size of instance	# Children	Depth of inheritance	Full Name
ZipCodesByRadiusResult	4	0	1	RanchBuddy.Core.Domain.ZipCodesByRadiusResult
RuleViolation	8	0	1	RanchBuddy.Core.Domain.RuleViolation
ConfigurationService	0	0	1	RanchBuddy.Core.Services.Impl.ConfigurationService
CompanyTypeService	0	0	1	RanchBuddy.Core.Services.Impl.CompanyTypeService
Cache	12	0	1	RanchBuddy.Core.Services.Impl.Cache
WebContext	0	0	1	RanchBuddy.Core.Services.Impl.WebContext
ImageService	0	0	1	RanchBuddy.Core.Services.Impl.ImageService
ValidationService	0	0	1	RanchBuddy.Core.Services.Impl.ValidationService
CompanyService	0	0	1	RanchBuddy.Core.Services.Impl.CompanyService
CompanyAccountTypeService	0	0	1	RanchBuddy.Core.Services.Impl.CompanyAccountTypeService
Sum:	24	0	10	
Average:	2.4	0	1	
Minimum:	0	0	1	
Maximum:	12	0	1	
Standard deviation:	4.0792	0	0	
Variance:	16.64	0	0	

WARNING: The following CQL constraint is not satisfied. 8 namespaces on 52 tested match the condition. --> Group {Design}

```
// <Name>Avoid namespaces with few types</Name>
WARN IF Count > 0 IN SELECT TOP 10 NAMESPACES WHERE NbTypes < 5 ORDER BY NbTypes ASC

// Make sure that there is a logical organization to each of your namespaces,
// and that there is a valid reason for putting types in a sparsely populated
// namespace. Namespaces should contain types that are used together in most
// scenarios. When their applications are mutually exclusive, types should be
// located in separate namespaces
```

namespaces	# Types	Full Name
------------	---------	-----------

RanchBuddy.Core.Services	1	RanchBuddy.Core.Services
RanchBuddy.Web.Tests.Controllers	1	RanchBuddy.Web.Tests.Controllers
RanchBuddy.Core.Properties	1	RanchBuddy.Core.Properties
RanchBuddy.Core.Attributes	1	RanchBuddy.Core.Attributes
RanchBuddy.Core.Providers.Impl	2	RanchBuddy.Core.Providers.Impl
PostalCodeRadiusSearch	3	PostalCodeRadiusSearch
RanchBuddy.Web	3	RanchBuddy.Web
	4	
Sum:	16	
Average:	2	
Minimum:	1	
Maximum:	4	
Standard deviation:	1.118	
Variance:	1.25	

WARNING: The following CQL constraint is not satisfied. 5 types on 310 tested match the condition. --> Group {Design}

```
// <Name>Nested types should not be visible</Name>
WARN IF Count > 0 IN SELECT TOP 10 TYPES WHERE IsNested AND !IsPrivate AND !IsInFrameworkAssembly

// A nested type is a type declared within the scope of another type.
// Nested types are useful for encapsulating private implementation details of the containing type.
// Used for this purpose, nested types should not be externally visible. Do not use externally
// visible nested types for logical grouping or to avoid name collisions; instead, use namespaces.
```

types	# lines of code (LOC)	Full Name
ConfigurationService+MasterTemplateTypes	N/A	RanchBuddy.Core.Services.Impl.ConfigurationService+MasterTemplateTypes
ConfigurationService+ThemeTypes	N/A	RanchBuddy.Core.Services.Impl.ConfigurationService+ThemeTypes
ImageService+FileSizeAndIdentifier	0	RanchBuddy.Core.Services.Impl.ImageService+FileSizeAndIdentifier
Status+StatusTypes	N/A	RanchBuddy.Core.Services.Impl.Status+StatusTypes
MvcSitemapProvider+MvcSiteMapNode	2	RanchBuddy.Core.Providers.Impl.MvcSitemapProvider+MvcSiteMapNode
Sum:	2	
Average:	0.4	
Minimum:	0	
Maximum:	2	
Standard deviation:	0.8	
Variance:	0.64	

WARNING: The following CQL constraint is not satisfied. 1 namespaces on 52 tested match the condition. --> Group {Design}

```
// <Name>Declare types in namespaces</Name>
WARN IF Count > 0 IN SELECT NAMESPACES WHERE NameIs "" AND !IsInFrameworkAssembly

// Types are declared within namespaces to prevent name collisions, and as a way of organizing related types
// in an object hierarchy. Types outside any named namespace are in a global namespace that cannot be referenced in code.
// If an anonymous namespace can be found, it means that it contains types outside of namespaces.
```

namespaces	# lines of code (LOC)	Full Name
	0	
Sum:	0	
Average:	0	
Minimum:	0	
Maximum:	0	
Standard deviation:	0	
Variance:	0	

WARNING: The following CQL constraint is not satisfied. 3 assemblies on 18 tested match the condition. --> Group {Design}

```
// <Name>Assemblies with poor cohesion (RelationalCohesion)</Name>
WARN IF Count > 0 IN SELECT TOP 10 ASSEMBLIES WHERE RelationalCohesion < 1.5 OR RelationalCohesion > 4.0

// As classes inside an assembly should be strongly related,
// the cohesion should be high. On the other hand, a value which is too high may
// indicate over-coupling. A good range for RelationalCohesion is 1.5 to 4.0.
// See the definition of the RelationalCohesion metric here http://www.ndepend.com/Metrics.aspx#RelationalCohesion
```

assemblies	Relational cohesion	Full Name
RanchBuddy.Web	0.8888889	RanchBuddy.Web
RanchBuddy.Web.Tests	1	RanchBuddy.Web.Tests
PostalCodeRadiusSearch	1.3333	PostalCodeRadiusSearch
Sum:	3.2222	
Average:	1.0741	
Minimum:	0.8888889	
Maximum:	1.3333	
Standard deviation:	0.1888523	

Variance:	0.03566518
-----------	------------

WARNING: The following CQL constraint is not satisfied. 8 types on 310 tested match the condition. --> Group {Design \ Performance}

```
// <Name>Instances size shouldn't be too big (SizeOfInst)</Name>
WARN IF Count > 0 IN SELECT TOP 10 TYPES WHERE SizeOfInst > 64 ORDER BY SizeOfInst DESC
// TYPES WHERE SizeOfInst > 64 might degrade performance (depending on the number of
// instances created at runtime) and might be hard to maintain.
// However it is not a rule since sometime there is no alternative
// (the size of instances of the System.Net.NetworkInformation.SystemIcmpV6Statistics
// standard class is 2064 bytes).
// See the definition of the SizeOfInst metric here http://www.ndepend.com/Metrics.aspx#SizeOfInst
```

types	Size of instance	Full Name
Captcha	366	RanchBuddy.Web.Captcha
_Default	358	RanchBuddy.Web._Default
MvcApplication	105	RanchBuddy.Web.MvcApplication
Account	104	RanchBuddy.Core.Domain.Account
Company	99	RanchBuddy.Core.Domain.Company
MvcSitemapProvider	76	RanchBuddy.Core.Providers.Impl.MvcSitemapProvider
PostalCode	71	RanchBuddy.Core.Domain.PostalCode
MvcSitemapProvider+MvcSiteMapNode	68	RanchBuddy.Core.Providers.Impl.MvcSitemapProvider+MvcSiteMapNode
Sum:	1247	
Average:	155.88	
Minimum:	68	
Maximum:	366	
Standard deviation:	119.81	
Variance:	14353.4	

WARNING: The following CQL constraint is not satisfied. 19 types on 310 tested match the condition. --> Group {Design \ Performance}

```
// <Name>Boxing/unboxing should be avoided (Type)</Name>
WARN IF Percentage > 5 IN SELECT TYPES WHERE IsUsingBoxing OR IsUsingUnboxing
// Thanks to generics, boxing and unboxing should be rare.
```

types	# lines of code (LOC)	Full Name
Sum:	555	
Average:	29.211	
Minimum:	0	
Maximum:	141	
Standard deviation:	40.305	
Variance:	1624.5	

WARNING: The following CQL constraint is not satisfied. 10 methods on 737 tested match the condition. --> Group {Unused Code / Dead Code}

```
// <Name>Potentially unused methods</Name>
WARN IF Count > 0 IN SELECT TOP 10 METHODS WHERE
MethodCa == 0 AND // Ca=0 -> No Afferent Coupling -> The method is not used in the context of this application.
!IsPublic AND // Public methods might be used by client applications of your assemblies.
!IsEntryPoint AND // Main() method is not used by-design.
!IsExplicitInterfaceImpl AND // The IL code never explicitly calls explicit interface methods implementation.
!IsClassConstructor AND // The IL code never explicitly calls class constructors.
!IsFinalizer // The IL code never explicitly calls finalizers.
```

methods	Afferent coupling at method level (MethodCa)	Full Name
MoveNext()	0	RanchBuddy.Core.Domain.Account+<GetRuleViolations>d__2.MoveNext()
SetDimensions(Int32,Int32)	0	RanchBuddy.Core.Services.Impl.Captcha.SetDimensions(Int32,Int32)
SetFamilyName(String)	0	RanchBuddy.Core.Services.Impl.Captcha.SetFamilyName(String)
UpdateInSession(String,Object)	0	RanchBuddy.Core.Services.Impl.WebContext.UpdateInSession(String,Object)
VerifyMD5Hash(String,String)	0	RanchBuddy.Core.Services.Impl.Cryptography.VerifyMD5Hash(String,String)
SetCookie(String,Int32)	0	RanchBuddy.Core.Services.Impl.WebCookie.SetCookie(String,Int32)
GetRootNodeCore()	0	RanchBuddy.Core.Providers.Impl.MvcSitemapProvider.GetRootNodeCore()
Clear()	0	RanchBuddy.Core.Providers.Impl.MvcSitemapProvider.Clear()
Page_Load(Object,EventArgs)	0	RanchBuddy.Web.Captcha.Page_Load(Object,EventArgs)
Application_Start()	0	RanchBuddy.Web.MvcApplication.Application_Start()
Sum:	0	
Average:	0	
Minimum:	0	
Maximum:	0	
Standard deviation:	0	
Variance:	0	

WARNING: The following CQL constraint is not satisfied. 1 fields on 212 tested match the condition. --> Group {Unused Code / Dead Code}

```
// <Name>Potentially unused fields</Name>
WARN IF Count > 0 IN SELECT TOP 10 FIELDS WHERE
```

```
FieldCa == 0 AND // Ca=0 -> No Afferent Coupling -> The field is not used in the context of this application.
!IsPublic AND // Although not recommended, public fields might be used by client applications of your assemblies.
!IsLiteral AND // The IL code never explicitly uses literal fields.
!IsEnumValue AND // The IL code never explicitly uses enumeration value.
!NameIs "value_" // Field named 'value_' are relative to enumerations and the IL code never explicitly uses them.
```

fields	Afferent coupling at field level (FieldCa)	Full Name
form1	0	RanchBuddy.Web.Captcha.form1
Sum:	0	
Average:	0	
Minimum:	0	
Maximum:	0	
Standard deviation:	0	
Variance:	0	

WARNING: The following CQL constraint is not satisfied. 1 fields on 224 tested match the condition. --> Group {Encapsulation}

```
// <Name>Fields should be declared as private</Name>
WARN IF Count > 0 IN SELECT TOP 10 FIELDS WHERE
!IsPrivate AND
// These conditions filter cases where fields doesn't represent state that should be encapsulated.
!IsInFrameworkAssembly AND
!IsGeneratedByCompiler AND
!IsSpecialName AND
!IsInitOnly AND
!IsLiteral AND
!IsEnumValue
```

fields	Size of instance	Full Name
form1	4	RanchBuddy.Web.Captcha.form1
Sum:	4	
Average:	4	
Minimum:	4	
Maximum:	4	
Standard deviation:	0	
Variance:	0	

WARNING: The following CQL constraint is not satisfied. 10 methods on 1086 tested match the condition. --> Group {Encapsulation \ Methods Optimal Encapsulation}

```
// <Name>Methods that could be declared as 'internal' in C#, 'Friend' in VB.NET</Name>
WARN IF Count > 0 IN SELECT TOP 10 METHODS WHERE CouldBeInternal
```

methods	# lines of code (LOC)	Full Name
.ctor(String)	1	RanchBuddy.Core.Domain.ValidationException..ctor(String)
get_Username()	1	RanchBuddy.Core.Domain.Account.get_Username()
get_Password()	1	RanchBuddy.Core.Domain.Account.get_Password()
get_TermID()	1	RanchBuddy.Core.Domain.Account.get_TermID()
get_Birthdate()	1	RanchBuddy.Core.Domain.Account.get_Birthdate()
get_CompanyAccounts()	1	RanchBuddy.Core.Domain.Account.get_CompanyAccounts()
get_Accounts()	1	RanchBuddy.Core.Domain.RanchBuddyDataContext.get_Accounts()
get_Companies()	1	RanchBuddy.Core.Domain.RanchBuddyDataContext.get_Companies()
get_CompanyTypes()	1	RanchBuddy.Core.Domain.RanchBuddyDataContext.get_CompanyTypes()
get_Terms()	1	RanchBuddy.Core.Domain.RanchBuddyDataContext.get_Terms()
Sum:	10	
Average:	1	
Minimum:	1	
Maximum:	1	
Standard deviation:	0	
Variance:	0	

WARNING: The following CQL constraint is not satisfied. 10 methods on 1086 tested match the condition. --> Group {Encapsulation \ Methods Optimal Encapsulation}

```
// <Name>Methods that could be declared as 'private' in C#, 'Private' in VB.NET</Name>
WARN IF Count > 0 IN SELECT TOP 10 METHODS WHERE CouldBePrivate
```

methods	# lines of code (LOC)	Full Name
set_AccountID(Int32)	4	RanchBuddy.Core.Domain.Account.set_AccountID(Int32)
get_Timestamp()	1	RanchBuddy.Core.Domain.Account.get_Timestamp()
set_Timestamp(Binary)	4	RanchBuddy.Core.Domain.Account.set_Timestamp(Binary)
get_CreateDate()	1	RanchBuddy.Core.Domain.Account.get_CreateDate()
get_UpdateDate()	1	RanchBuddy.Core.Domain.Account.get_UpdateDate()
get_SecretQuestion()	1	RanchBuddy.Core.Domain.Account.get_SecretQuestion()
get_SecretAnswer()	1	RanchBuddy.Core.Domain.Account.get_SecretAnswer()
get_FirstName()	1	RanchBuddy.Core.Domain.Account.get_FirstName()
get_LastName()	1	RanchBuddy.Core.Domain.Account.get_LastName()

get_HomePhone()	1	RanchBuddy.Core.Domain.Account.get_HomePhone()
Sum:	16	
Average:	1.6	
Minimum:	1	
Maximum:	4	
Standard deviation:	1.2	
Variance:	1.44	

WARNING: The following CQL constraint is not satisfied. 10 types on 310 tested match the condition. --> Group {Encapsulation \ Types Optimal Encapsulation}

```
// <Name>Types that could be declared as internal</Name>
WARN IF Count > 0 IN SELECT TOP 10 TYPES WHERE CouldBeInternal
```

types	# lines of code (LOC)	Full Name
IValidate	N/A	RanchBuddy.Core.Domain.IValidate
ValidationException	1	RanchBuddy.Core.Domain.ValidationException
RanchBuddyDataContext	17	RanchBuddy.Core.Domain.RanchBuddyDataContext
CompanyAccount	94	RanchBuddy.Core.Domain.CompanyAccount
HelpMessageType	33	RanchBuddy.Core.Domain.HelpMessageType
PostalCode	58	RanchBuddy.Core.Domain.PostalCode
ZipCodesByRadiusResult	4	RanchBuddy.Core.Domain.ZipCodesByRadiusResult
IWebContext	N/A	RanchBuddy.Core.Services.IWebContext
CompanyTypeService	7	RanchBuddy.Core.Services.Impl.CompanyTypeService
Cache	24	RanchBuddy.Core.Services.Impl.Cache
Sum:	238	
Average:	23.8	
Minimum:	0	
Maximum:	94	
Standard deviation:	29.25	
Variance:	855.56	

WARNING: The following CQL constraint is not satisfied. 1 types on 310 tested match the condition. --> Group {Encapsulation \ Types Optimal Encapsulation}

```
// <Name>Types that could be declared as 'private' in C#, 'Private' in VB.NET</Name>
WARN IF Count > 0 IN SELECT TOP 10 TYPES WHERE CouldBePrivate
```

types	# lines of code (LOC)	Full Name
ImageService+FileSizeAndIdentifier	0	RanchBuddy.Core.Services.Impl.ImageService+FileSizeAndIdentifier
Sum:	0	
Average:	0	
Minimum:	0	
Maximum:	0	
Standard deviation:	0	
Variance:	0	

WARNING: The following CQL constraint is not satisfied. 1 fields on 224 tested match the condition. --> Group {Encapsulation \ Fields Optimal Encapsulation}

```
// <Name>Fields that could be declared as 'private' in C#, 'Private' in VB.NET</Name>
WARN IF Count > 0 IN SELECT TOP 10 FIELDS WHERE CouldBePrivate
```

fields	Size of instance	Full Name
form1	4	RanchBuddy.Web.Captcha.form1
Sum:	4	
Average:	4	
Minimum:	4	
Maximum:	4	
Standard deviation:	0	
Variance:	0	

WARNING: The following CQL constraint is not satisfied. 30 fields on 224 tested match the condition. --> Group {Purity / Immutability / Side-Effects}

```
// <Name>Fields should be marked as ReadOnly when possible</Name>
WARN IF Count > 0 IN SELECT FIELDS WHERE IsImmutable AND !IsInitOnly
```

```
// A field that matches the condition IsImmutable is a field that is assigned only by constructors of its class.
// For an instance field, this means its value will remain constant throught the lifetime of the object.
// For a static field, this means its value will remain constant throught the lifetime of the program.
// In both cases, such field can safely be marked with the C# readonly keyword (ReadOnly in VB.NET).

// The condition IsInitOnly matches fields that are marked with the C# readonly keyword (ReadOnly in VB.NET).
```

fields	Size of instance	Full Name
--------	------------------	-----------

Sum:	100
Average:	3.3333
Minimum:	0
Maximum:	8
Standard deviation:	2.7487
Variance:	7.5556

**WARNING:** The following CQL constraint is not satisfied. 2 types on 310 tested match the condition. --> Group {Purity / Immutability / Side-Effects}

```
// <Name>Structures should be immutable</Name>
WARN IF Count > 0 IN SELECT TYPES WHERE IsStructure AND !IsImmutable AND !IsInFrameworkAssembly

// It is deemed as a good practice to make your structure immutable.
// An object is immutable if its state doesn't change once the object has been created.
// Consequently, a structure is immutable if its instances are immutable.
// Immutable types naturally simplify code by limiting side-effects.
// See some explanations on immutability and how NDepend supports it here:
// http://codebetter.com/blogs/patricksmacchia/archive/2008/01/13/immutable-types-understand-them-and-use-them.aspx
```

types	# lines of code (LOC)	Full Name
Sum:	0	
Average:	0	
Minimum:	0	
Maximum:	0	
Standard deviation:	0	
Variance:	0	

**WARNING:** The following CQL constraint is not satisfied. 10 fields on 224 tested match the condition. --> Group {Naming Conventions}

```
// <Name>Instance fields should be prefixed with a 'm_'</Name>
WARN IF Count > 0 IN SELECT TOP 10 FIELDS WHERE
!NameLike "^m_" AND
!IsStatic AND
!IsLiteral AND
!IsGeneratedByCompiler AND
!IsSpecialName AND
!IsEventDelegateObject

// This naming convention provokes debate.
// Don't hesitate to customize the regex of NameLike to your preference.
```

fields	Size of instance	Full Name
_AccountID	4	RanchBuddy.Core.Domain.Account._AccountID
_Timestamp	4	RanchBuddy.Core.Domain.Account._Timestamp
_CreateDate	8	RanchBuddy.Core.Domain.Account._CreateDate
_UpdateDate	8	RanchBuddy.Core.Domain.Account._UpdateDate
_Username	4	RanchBuddy.Core.Domain.Account._Username
_Password	4	RanchBuddy.Core.Domain.Account._Password
_SecretQuestion	4	RanchBuddy.Core.Domain.Account._SecretQuestion
_SecretAnswer	4	RanchBuddy.Core.Domain.Account._SecretAnswer
_FirstName	4	RanchBuddy.Core.Domain.Account._FirstName
_LastName	4	RanchBuddy.Core.Domain.Account._LastName
Sum:	48	
Average:	4.8	
Minimum:	4	
Maximum:	8	
Standard deviation:	1.6	
Variance:	2.56	

**WARNING:** The following CQL constraint is not satisfied. 10 fields on 224 tested match the condition. --> Group {Naming Conventions}

```
// <Name>Static fields should be prefixed with a 's_'</Name>
WARN IF Count > 0 IN SELECT TOP 10 FIELDS WHERE
!NameLike "^s_" AND
IsStatic AND
!IsLiteral AND
!IsGeneratedByCompiler AND
!IsSpecialName AND
!IsEventDelegateObject

// This naming convention provokes debate.
// Don't hesitate to customize the regex of NameLike to your preference.
```

fields	Size of instance	Full Name
emptyChangingEventArgs	0	RanchBuddy.Core.Domain.Account.emptyChangingEventArgs
mappingSource	0	RanchBuddy.Core.Domain.RanchBuddyDataContext.mappingSource
emptyChangingEventArgs	0	RanchBuddy.Core.Domain.Company.emptyChangingEventArgs
emptyChangingEventArgs	0	RanchBuddy.Core.Domain.CompanyType.emptyChangingEventArgs
emptyChangingEventArgs	0	RanchBuddy.Core.Domain.Term.emptyChangingEventArgs
emptyChangingEventArgs	0	RanchBuddy.Core.Domain.CompanyAccountType.emptyChangingEventArgs



emptyChangingEventArgs	0	RanchBuddy.Core.Domain.CompanyAccount.emptyChangingEventArgs
emptyChangingEventArgs	0	RanchBuddy.Core.Domain.HelpMessage.emptyChangingEventArgs
emptyChangingEventArgs	0	RanchBuddy.Core.Domain.HelpMessageType.emptyChangingEventArgs
defaultInstance	0	RanchBuddy.Core.Properties.Settings.defaultInstance
Sum:	0	
Average:	0	
Minimum:	0	
Maximum:	0	
Standard deviation:	0	
Variance:	0	

WARNING: The following CQL constraint is not satisfied. 1 types on 310 tested match the condition. --> Group {Naming Conventions}

```
// <Name>Types name should begin with an Upper character</Name>
WARN IF Count > 0 IN SELECT TOP 10 TYPES WHERE
!NameLike "[A-Z]" AND // The name of a type should begin with an Upper letter.
!IsGeneratedByCompiler AND // Except if it is generated by compiler or ...
!IsInFrameworkAssembly // ... if it is declared in a framework assembly.
```

types	# lines of code (LOC)	Full Name
_Default	3	RanchBuddy.Web._Default
Sum:	3	
Average:	3	
Minimum:	3	
Maximum:	3	
Standard deviation:	0	
Variance:	0	

WARNING: The following CQL constraint is not satisfied. 8 methods on 1086 tested match the condition. --> Group {Naming Conventions}

```
// <Name>Methods name should begin with an Upper character</Name>
WARN IF Count > 0 IN SELECT TOP 10 METHODS WHERE
!NameLike "[A-Z]" AND
!(IsClassConstructor OR IsConstructor OR
IsPropertyGetter OR IsPropertySetter OR
IsIndexerGetter OR IsIndexerSetter OR
IsEventAdder OR IsEventRemover OR
IsOperator) AND !IsGeneratedByCompiler AND !IsInFrameworkAssembly
// The name of a regular method should begin with an Upper letter.
```

methods	# lines of code (LOC)	Full Name
attach_CompanyAccounts(CompanyAccount)	2	RanchBuddy.Core.Domain.Account.attach_CompanyAccounts(CompanyAccount)
detach_CompanyAccounts(CompanyAccount)	2	RanchBuddy.Core.Domain.Account.detach_CompanyAccounts(CompanyAccount)
attach_CompanyAccounts(CompanyAccount)	2	RanchBuddy.Core.Domain.Company.attach_CompanyAccounts(CompanyAccount)
detach_CompanyAccounts(CompanyAccount)	2	RanchBuddy.Core.Domain.Company.detach_CompanyAccounts(CompanyAccount)
attach_CompanyAccounts(CompanyAccount)	2	RanchBuddy.Core.Domain.CompanyAccountType.attach_CompanyAccounts(CompanyAccount)
detach_CompanyAccounts(CompanyAccount)	2	RanchBuddy.Core.Domain.CompanyAccountType.detach_CompanyAccounts(CompanyAccount)
attach_HelpMessages(HelpMessage)	2	RanchBuddy.Core.Domain.HelpMessageType.attach_HelpMessages(HelpMessage)
detach_HelpMessages(HelpMessage)	2	RanchBuddy.Core.Domain.HelpMessageType.detach_HelpMessages(HelpMessage)
Sum:	16	
Average:	2	
Minimum:	2	
Maximum:	2	
Standard deviation:	0	
Variance:	0	

WARNING: The following CQL constraint is not satisfied. 2 methods on 1086 tested match the condition. --> Group {Naming Conventions \ Name too long}

```
// <Name>Avoid methods with name too long</Name>
WARN IF Count > 0 IN SELECT TOP 10 METHODS
WHERE NameLike "[^\\<\(|}{35,}).*$" AND
!IsExplicitInterfaceImpl AND !IsInFrameworkAssembly
// The regex matches methods with name longer than 35 characters.
// Method Name doesn't contain the type and namespace prefix, FullName does.
// The regex computes the method name length from the beginning until the first open parenthesis or first lower than (for generic methods).
// Explicit Interface Implementation methods are discarded because their names are prefixed with the interface name.
```

methods	# lines of code (LOC)	Full Name
GetRegexUsernameComplexityValidation()	4	RanchBuddy.Core.Services.Impl.ConfigurationService.GetRegexUsernameComplexityValidation()
GetRegexPasswordComplexityValidation()	4	RanchBuddy.Core.Services.Impl.ConfigurationService.GetRegexPasswordComplexityValidation()
Sum:	8	
Average:	4	
Minimum:	4	
Maximum:	4	
Standard deviation:	0	
Variance:	0	

WARNING: The following CQL constraint is not satisfied. 4 assemblies on 18 tested match the condition. --> Group {\.NET Framework Usage \ System}

```
// <Name>Mark assemblies with CLSCompliant</Name>
WARN IF Count > 0 IN SELECT ASSEMBLIES WHERE
!HasAttribute "OPTIONAL:System.CLSCompliantAttribute" AND
!IsFrameworkAssembly

// The Common Language Specification (CLS) defines naming restrictions, data types,
// and rules to which assemblies must conform if they are to be used across programming languages.
// Good design dictates that all assemblies explicitly indicate CLS compliance with
// CLSCompliantAttribute. If the attribute is not present on an assembly, the assembly is not compliant.
```

assemblies	# lines of code (LOC)	Full Name
Sum:	2005	
Average:	501.25	
Minimum:	7	
Maximum:	1583	
Standard deviation:	645.19	
Variance:	416264.2	

WARNING: The following CQL constraint is not satisfied. 3 methods on 1086 tested match the condition. --> Group {\.NET Framework Usage \ System}

```
// <Name>Do not raise too general exception types</Name>
WARN IF Count > 0 IN SELECT METHODS WHERE
// The following exception types are too general to provide sufficient information to the user:
( ( DepthOfCreateA "OPTIONAL:System.Exception" == 1 OR
  DepthOfCreateA "OPTIONAL:System.ApplicationException" == 1 OR
  DepthOfCreateA "OPTIONAL:System.SystemException" == 1 )
// Test for non-constructor, else this constraint would warn
// on ctor of classes that derive from these exception types.
AND !IsConstructor )
```

methods	DepthOfCreateA "OPTIONAL:System.Exception"	DepthOfCreateA "OPTIONAL:System.ApplicationException"	DepthOfCreateA "OPTIONAL:System.SystemException"	Full Name
Sum:	3	0	0	
Average:	1	0	0	
Minimum:	1	0	0	
Maximum:	1	0	0	
Standard deviation:	0	0	0	
Variance:	0	0	0	

WARNING: The following CQL constraint is not satisfied. 3 methods on 1086 tested match the condition. --> Group {\.NET Framework Usage \ System.Collection}

```
// <Name>Don't use .NET 1.x Hashtable and ArrayList</Name>
WARN IF Count > 0 IN SELECT TOP 10 METHODS WHERE

// Prefer using the class System.Collections.Generic.Dictionary<K,V> over System.Collections.Hashtable.
CreateA "OPTIONAL:System.Collections.Hashtable" OR

// Prefer using the class System.Collections.Generic.List<T> over System.Collections.ArrayList.
CreateA "OPTIONAL:System.Collections.ArrayList"

// You can be forced to use Hashtable or ArrayList
// because if you are using tier code that requires working with these classes
// or because you are coding with .NET 1.x.
```

methods	DepthOfCreateA "OPTIONAL:System.Collections.Hashtable"	DepthOfCreateA "OPTIONAL:System.Collections.ArrayList"	Full Name
Sum:	0	1	
Average:	0	0.333333	
Minimum:	0	0	
Maximum:	0	1	
Standard deviation:	0	0.4714045	
Variance:	0	0.222222	

## Types Metrics

[rank: TypeRank \(based on Google PageRank algo\)](#)

[lcom/lcom HS: Lack of Cohesion Of Methods of a class \(HS means Henderson-Sellers formula\)](#)

[CC: Cyclomatic Complexity computed on source code](#)

[ILCC: Cyclomatic Complexity computed on IL code](#)

[Ca: Afferent Coupling](#)

[Ce: Efferent Coupling](#)

[ABC: Association Between Classes](#)

[NOC: Number Of Children](#)

[DIT: Depth in Inheritance Tree](#)

A pink cell means that its value belongs to the 15% highest values for its metric

Type	rank	# ILInst	# lines	# lines of comment	% comment	lcom	lcom(HS)	CC	ILCC	Ca	Ce	ABC	# Instance	# Static Methods	# Prop	# Fld	NOC	DIT	Namespace
------	------	-------------	------------	-----------------------	--------------	------	----------	----	------	----	----	-----	---------------	---------------------	-----------	----------	-----	-----	-----------

			of code										Methods						
Account	3.96	813	116	0	0	0.96	0.98	73	90	14	30	22	54	1	22	24	0	1	RanchBuddy.Core.Domain
ConfigurationService	3.6	575	96	0	0	0	0	52	55	13	13	12	1	26	1	0	0	1	RanchBuddy.Core.Services.Impl
Status	2.33	78	11	0	0	0.73	0.8	9	11	9	8	5	11	0	1	4	1	1	RanchBuddy.Core.Services.Impl
RuleViolation	2.04	44	5	0	0	0.67	0.8	2	6	7	4	1	6	0	2	2	0	1	RanchBuddy.Core.Domain
Status+StatusTypes	1.72	-	-	0	-	-	-	-	-	9	4	0	-	-	-	-	-	-	RanchBuddy.Core.Services.Impl
Company	1.45	733	108	0	0	0.96	0.98	67	77	6	24	17	49	1	20	23	0	1	RanchBuddy.Core.Domain
ConfigurationService+ThemeTypes	1.25	-	-	0	-	-	-	-	-	3	4	0	-	-	-	-	-	-	RanchBuddy.Core.Services.Impl
HelpMessage	1.24	365	52	0	0	0.88	0.93	31	41	5	22	21	21	1	7	10	0	1	RanchBuddy.Core.Domain
RanchBuddyDataContext	1.19	134	17	0	0	0	0	16	16	8	30	8	15	1	9	1	0	2	RanchBuddy.Core.Domain
RepositoryStatus	1.15	3	0	0	-	0	0	0	1	8	3	1	1	0	0	0	0	2	RanchBuddy.Core.DataAccess.Im
ConfigurationService+MasterTemplateTypes	1.12	-	-	0	-	-	-	-	-	2	4	0	-	-	-	-	-	-	RanchBuddy.Core.Services.Impl
HelpMessageService	1.09	88	15	0	0	0	0	5	8	6	8	9	1	2	0	0	0	1	RanchBuddy.Core.Services.Impl
CompositeType	1.07	34	6	0	0	0.4	0.5	5	5	2	6	1	5	0	2	2	0	1	PostalCodeRadiusSearch
WebContext	1.07	904	141	2	1.4	0	0	88	116	6	20	30	47	0	32	0	0	1	RanchBuddy.Core.Services.Impl
HomeController	0.94	190	25	0	0	0	0	15	19	3	11	11	11	0	0	0	0	0	RanchBuddy.Web.Controllers
Cache	0.92	167	24	0	0	0.59	0.65	15	19	2	19	24	11	0	0	2	0	1	RanchBuddy.Core.Services.Impl
LoggingType	0.83	-	-	0	-	-	-	-	-	3	4	0	-	-	-	-	-	-	RanchBuddy.Core.Services.Impl
MyViewPageHelper	0.82	22	4	0	0	0	0	2	4	2	6	3	1	1	0	0	0	1	RanchBuddy.Web.Services
CompanyAccountType	0.81	299	38	0	0	0.89	0.93	25	35	5	23	17	21	1	6	9	0	1	RanchBuddy.Core.Domain
HelpMessageRepository	0.8	147	8	0	0	0	0	3	8	2	30	21	1	2	0	0	0	1	RanchBuddy.Core.DataAccess.Im
CompanyAccount	0.76	587	94	0	0	0.91	0.94	51	61	4	23	22	29	1	11	14	0	1	RanchBuddy.Core.Domain
CompanyType	0.75	213	26	0	0	0.85	0.91	18	26	4	17	13	15	1	4	7	0	1	RanchBuddy.Core.Domain
Connection	0.74	18	4	0	0	0	0	1	2	7	7	4	2	0	0	0	0	1	RanchBuddy.Core.DataAccess.Im
IWebContext	0.67	-	-	0	-	-	-	-	-	2	9	0	40	0	31	0	-	-	RanchBuddy.Core.Services
Extensions	0.62	648	44	10	18.52	0	0	18	24	3	27	24	0	14	0	0	0	1	RanchBuddy.Web.Services
Cryptography	0.59	485	82	125	60.39	0	0	16	20	3	28	36	1	11	0	0	0	1	RanchBuddy.Core.Services.Impl
CompanyTypeRepository	0.54	112	8	0	0	0	0	2	7	2	33	22	3	0	0	0	0	1	RanchBuddy.Core.DataAccess.Im
EmailService	0.52	208	31	0	0	0	0	7	8	2	14	26	1	5	0	0	0	1	RanchBuddy.Core.Services.Impl
AccountRepository	0.51	627	64	20	23.81	0	0	16	30	3	50	52	8	0	0	1	0	1	RanchBuddy.Core.DataAccess.Im
MvcSitemapProvider+MvcSiteMapNode	0.48	92	2	3	60	0.88	0.94	1	17	3	7	1	17	0	8	8	0	2	RanchBuddy.Core.Providers.Impl
IService1	0.48	-	-	1	-	-	-	-	-	1	5	0	2	0	0	0	-	-	PostalCodeRadiusSearch
CompanyRepository	0.45	467	50	0	0	0	0	10	21	2	49	54	5	1	0	1	0	1	RanchBuddy.Core.DataAccess.Im
Term	0.45	195	26	0	0	0.85	0.91	18	22	3	16	11	15	1	4	7	0	1	RanchBuddy.Core.Domain
HelpMessageType	0.43	254	33	0	0	0.88	0.92	22	30	2	23	17	19	1	5	8	0	1	RanchBuddy.Core.Domain
CompanyAccountTypeRepository	0.42	117	10	0	0	0	0	2	5	1	39	29	2	0	0	0	0	1	RanchBuddy.Core.DataAccess.Im
ValidationException	0.41	7	1	0	0	0	0	1	1	2	4	1	1	0	0	0	0	2	RanchBuddy.Core.Domain
<>f__AnonymousType2<<controller>j__TPar, <action>j__TPar,<id>j__TPar>	0.39	137	0	-	-	0.29	0.33	-	9	1	11	8	7	0	3	3	0	1	
<>f__AnonymousType3<<controller>j__TPar, <action>j__TPar,<companyName>j__TPar>	0.39	137	0	-	-	0.29	0.33	-	9	1	11	8	7	0	3	3	0	1	
PostalCode	0.35	451	58	0	0	0.95	0.97	58	62	2	11	6	39	0	19	19	0	1	RanchBuddy.Core.Domain
IValidate	0.35	-	-	0	-	-	-	-	-	1	4	0	3	0	1	0	-	-	RanchBuddy.Core.Domain
Account+<GetRuleViolations>d__2	0.35	310	15	-	-	0.75	0.86	-	46	1	22	26	8	0	0	6	0	1	RanchBuddy.Core.Domain
ValidationService	0.34	41	6	0	0	0	0	4	5	2	6	8	1	4	0	0	0	1	RanchBuddy.Core.Services.Impl
ZipCodesByRadiusResult	0.33	29	4	0	0	0.33	0.5	4	4	2	5	2	3	0	1	1	0	1	RanchBuddy.Core.Domain
MustBeLoggedInAttribute	0.32	54	9	0	0	0.33	0.5	5	6	3	8	4	2	1	0	1	0	0	RanchBuddy.Core.Attributes
WebCookie	0.32	199	28	0	0	0	0	15	17	1	14	19	11	0	2	0	0	1	RanchBuddy.Core.Services.Impl
Captcha	0.31	410	56	56	50	0.76	0.81	24	25	1	33	44	16	0	5	6	0	1	RanchBuddy.Core.Services.Impl
MapPoint	0.29	20	0	0	-	0.5	0.67	0	4	2	5	0	4	0	2	2	-	-	RanchBuddy.Core.DataAccess.Im
ImageService+FileSizeAndIdentifier	0.28	20	0	0	-	0.5	0.67	0	4	1	6	0	4	0	2	2	-	-	RanchBuddy.Core.Services.Impl
SmartController	0.27	55	9	0	0	0	0	3	4	2	11	5	4	0	0	0	2	0	RanchBuddy.Web.Controllers
Settings	0.27	23	3	0	0	0	0	3	4	1	12	2	2	2	2	1	0	3	RanchBuddy.Core.Properties
HelpMessageRepository+<>c__DisplayClass0	0.26	3	0	-	-	1	0	-	1	1	4	1	1	0	0	1	0	1	RanchBuddy.Core.DataAccess.Im
HelpMessageRepository+<>c__DisplayClass2	0.26	3	0	-	-	1	0	-	1	1	4	1	1	0	0	1	0	1	RanchBuddy.Core.DataAccess.Im
CompanyTypeRepository+ <>c__DisplayClass0	0.24	3	0	-	-	1	0	-	1	1	4	1	1	0	0	1	0	1	RanchBuddy.Core.DataAccess.Im
PostalCodeRepository+<>c__DisplayClass0	0.23	3	0	-	-	1	0	-	1	1	4	1	1	0	0	1	0	1	RanchBuddy.Core.DataAccess.Im
CompanyAccountTypeRepository+ <>c__DisplayClass0	0.22	3	0	-	-	1	0	-	1	1	4	1	1	0	0	1	0	1	RanchBuddy.Core.DataAccess.Im
AccountService	0.21	450	82	2	2.38	0.67	0.73	23	27	1	16	34	11	0	0	3	0	1	RanchBuddy.Core.Services.Impl
TermsRepository	0.21	52	4	0	0	0	0	1	4	1	24	13	1	1	0	0	0	1	RanchBuddy.Core.DataAccess.Im
CompanyRepository+<>c__DisplayClass4	0.21	3	0	-	-	1	0	-	1	1	4	1	1	0	0	1	0	1	RanchBuddy.Core.DataAccess.Im
CompanyRepository+<>c__DisplayClass6	0.21	3	0	-	-	1	0	-	1	1	4	1	1	0	0	1	0	1	RanchBuddy.Core.DataAccess.Im
CompanyRepository+<>c__DisplayClass2	0.21	3	0	-	-	1	0	-	1	1	5	1	1	0	0	1	0	1	RanchBuddy.Core.DataAccess.Im

AccountRepository+<c__DisplayClassa	0.21	3	0	-	-	1	0	-	1	1	4	1	1	0	0	1	0	1	RanchBuddy.Core.DataAccess.Im
AccountRepository+<c__DisplayClass0	0.21	3	0	-	-	1	0	-	1	1	4	1	1	0	0	1	0	1	RanchBuddy.Core.DataAccess.Im
AccountRepository+<c__DisplayClass2	0.21	3	0	-	-	1	0	-	1	1	4	1	1	0	0	1	0	1	RanchBuddy.Core.DataAccess.Im
AccountRepository+<c__DisplayClass8	0.21	3	0	-	-	1	0	-	1	1	4	1	1	0	0	1	0	1	RanchBuddy.Core.DataAccess.Im
LoggingService	0.21	173	10	2	16.67	0	0	6	7	1	14	19	1	3	0	0	0	1	RanchBuddy.Core.Services.Impl
AccountRepository+<c__DisplayClass4	0.21	3	0	-	-	1	0	-	1	1	4	1	1	0	0	1	0	1	RanchBuddy.Core.DataAccess.Im
AccountRepository+<c__DisplayClass6	0.21	3	0	-	-	1	0	-	1	1	4	1	1	0	0	1	0	1	RanchBuddy.Core.DataAccess.Im
<>f__AnonymousType0<<url>j__TPar>	0.21	67	0	-	-	0	0	-	7	1	11	8	5	0	1	1	0	1	
CompanyService	0.21	84	17	0	0	0	0	6	9	1	11	10	4	0	0	0	0	1	RanchBuddy.Core.Services.Impl
CompanyController+<c__DisplayClass2	0.21	3	0	-	-	1	0	-	1	1	4	1	1	0	0	1	0	1	RanchBuddy.Web.Controllers
PostalCodeRepository	0.21	83	6	0	0	0	0	1	4	1	32	23	2	0	0	0	0	1	RanchBuddy.Core.DataAccess.Im
CompanyAccountTypeService	0.21	29	5	0	0	0	0	2	3	1	10	7	2	0	0	0	0	1	RanchBuddy.Core.Services.Impl
CompanyController+<c__DisplayClass0	0.21	3	0	-	-	1	0	-	1	1	4	1	1	0	0	1	0	1	RanchBuddy.Web.Controllers
<>f__AnonymousType1<<id>j__TPar>	0.21	67	0	-	-	0	0	-	7	1	11	8	5	0	1	1	0	1	
MyViewPage	0.15	19	3	0	0	0	0	1	2	0	8	6	2	0	0	0	0	0	RanchBuddy.Web.Services
CompanyController	0.15	552	62	3	4.62	0	0	21	28	0	48	60	11	0	0	0	0	1	RanchBuddy.Web.Controllers
Captcha	0.15	86	18	7	28	0.67	1	4	5	0	17	21	3	0	0	2	0	4	RanchBuddy.Web
HomeControllerTest	0.15	31	7	6	46.15	0	0	2	3	0	4	4	3	0	0	0	0	1	RanchBuddy.Web.Tests.Controlle
MyViewPage<T>	0.15	19	3	0	0	0	0	1	2	0	8	6	2	0	0	0	0	0	RanchBuddy.Web.Services
Service1	0.15	34	4	0	0	0	0	3	4	0	8	6	3	0	0	0	0	1	PostalCodeRadiusSearch
Navigation	0.15	679	104	13	11.11	0	0	60	96	0	16	28	1	11	0	0	0	1	RanchBuddy.Web.Services
ImageService	0.15	330	53	2	3.64	0	0	10	23	0	21	33	1	4	0	0	0	1	RanchBuddy.Core.Services.Impl
CompanyTypeService	0.15	43	7	0	0	0	0	2	4	0	8	8	2	0	0	0	0	1	RanchBuddy.Core.Services.Impl
MvcApplication	0.15	32	4	3	42.86	0	0	2	3	0	11	4	2	1	0	0	0	2	RanchBuddy.Web
AccountController	0.15	959	126	16	11.27	0	0	38	53	0	41	72	19	0	0	0	0	1	RanchBuddy.Web.Controllers
_Default	0.15	18	3	0	0	0	0	1	2	0	9	6	2	0	0	0	0	4	RanchBuddy.Web
MvcSitemapProvider	0.15	1117	158	153	49.2	0.8	0.86	70	107	0	50	92	14	0	0	10	0	4	RanchBuddy.Core.Providers.Impl

## Types Dependencies

Type	Uses...	Is used by...
RanchBuddy.Web.Tests.Controllers.HomeControllerTest	<a href="#">System.Void</a> ; <a href="#">RanchBuddy.Web.Controllers.HomeController</a> ; <a href="#">System.String</a> ; <a href="#">System.Object</a> ;	-
RanchBuddy.Web.Services.MyViewPage	<a href="#">System.Void</a> ; <a href="#">System.EventArgs</a> ; <a href="#">System.String</a> ; <a href="#">RanchBuddy.Web.Services.MyViewPageHelper</a> ; <a href="#">System.Web.UI.Page</a> ; <a href="#">RanchBuddy.Core.Services.Impl.ConfigurationService+ThemeTypes</a> ; <a href="#">RanchBuddy.Core.Services.Impl.ConfigurationService</a> ; <a href="#">System.Object</a> ;	-
RanchBuddy.Web.Services.MyViewPage<T>	<a href="#">System.Void</a> ; <a href="#">System.EventArgs</a> ; <a href="#">System.String</a> ; <a href="#">RanchBuddy.Web.Services.MyViewPageHelper</a> ; <a href="#">System.Web.UI.Page</a> ; <a href="#">RanchBuddy.Core.Services.Impl.ConfigurationService+ThemeTypes</a> ; <a href="#">RanchBuddy.Core.Services.Impl.ConfigurationService</a> ; <a href="#">System.Object</a> ;	-
RanchBuddy.Web.Services.MyViewPageHelper	<a href="#">System.String</a> ; <a href="#">System.Boolean</a> ; <a href="#">RanchBuddy.Core.Services.Impl.ConfigurationService+MasterTemplateTypes</a> ; <a href="#">RanchBuddy.Core.Services.Impl.ConfigurationService</a> ; <a href="#">System.Void</a> ; <a href="#">System.Object</a> ;	<a href="#">RanchBuddy.Web.Services.MyViewPage</a> ; <a href="#">RanchBuddy.Web.Services.MyViewPage&lt;T&gt;</a>
RanchBuddy.Web.Captcha	<a href="#">System.Void</a> ; <a href="#">System.Object</a> ; <a href="#">System.EventArgs</a> ; <a href="#">RanchBuddy.Core.Services.Impl.WebContext</a> ; <a href="#">RanchBuddy.Core.Services.Impl.Captcha</a> ; <a href="#">System.String</a> ; <a href="#">System.Int32</a> ; <a href="#">System.Web.HttpResponse</a> ; <a href="#">System.Web.UI.Page</a> ; <a href="#">System.Drawing.Bitmap</a> ; <a href="#">System.IO.Stream</a> ; <a href="#">System.Drawing.Imaging.ImageFormat</a> ; <a href="#">System.Drawing.Image</a> ; <a href="#">System.Boolean</a> ; <a href="#">System.Random</a> ; <a href="#">System.Web.UI.HtmlControls.HtmlForm</a> ; <a href="#">System.Web.IHttpHandler</a> ;	-
RanchBuddy.Web.Controllers.SmartController	<a href="#">System.Object</a> ; <a href="#">System.Func&lt;T,TResult&gt;</a> ; <a href="#">System.Linq.Expressions.Expression&lt;TDelegate&gt;</a> ; <a href="#">System.String</a> ; <a href="#">System.RuntimeTypeHandle</a> ; <a href="#">System.Type</a> ; <a href="#">RanchBuddy.Web.Services.Extensions</a> ; <a href="#">System.Linq.Expressions.LambdaExpression</a> ; <a href="#">System.Collections.Generic.IDictionary&lt;TKey,TValue&gt;</a> ; <a href="#">System.Void</a> ; <a href="#">System.Web.Routing.RouteValueDictionary</a> ;	<a href="#">RanchBuddy.Web.Controllers.CompanyCon</a> <a href="#">RanchBuddy.Web.Controllers.AccountConti</a>
RanchBuddy.Web.Controllers.CompanyController	<a href="#">System.Int32</a> ; <a href="#">RanchBuddy.Core.Domain.CompanyAccountType</a> ; <a href="#">System.Collections.Generic.List&lt;T&gt;</a> ; <a href="#">System.String</a> ; <a href="#">System.Object</a> ; <a href="#">System.Void</a> ; <a href="#">RanchBuddy.Core.Services.Impl.CompanyAccountTypeService</a> ; <a href="#">System.Convert</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.MapPoint</a> ; <a href="#">RanchBuddy.Core.Domain.Company</a> ; <a href="#">System.Boolean</a> ; <a href="#">System.Linq.Expressions.ParameterExpression</a> ; <a href="#">System.Linq.Expressions.Expression</a> ; <a href="#">System.Array</a> ; <a href="#">RanchBuddy.Core.Services.Impl.WebContext</a> ; <a href="#">RanchBuddy.Core.Domain.Account</a> ; <a href="#">RanchBuddy.Web.Controllers.HomeController</a> ; <a href="#">System.RuntimeTypeHandle</a> ; <a href="#">System.Type</a> ; <a href="#">System.RuntimeMethodHandle</a> ; <a href="#">System.Reflection.MethodBase</a> ; <a href="#">System.Linq.Expressions.ConstantExpression</a> ; <a href="#">System.Reflection.MethodInfo</a> ; <a href="#">System.Linq.Expressions.MethodCallExpression</a> ; <a href="#">System.Func&lt;T,TResult&gt;</a> ; <a href="#">System.Linq.Expressions.Expression&lt;TDelegate&gt;</a> ;	-

	<a href="#">&lt;&gt;f__AnonymousType0&lt;&lt;url&gt;j__TPar&gt;</a> ; <a href="#">RanchBuddy.Web.Controllers.SmartController</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.PostalCodeRepository</a> ; <a href="#">RanchBuddy.Core.Services.Impl.CompanyService</a> ; <a href="#">RanchBuddy.Core.Domain.CompanyType</a> ; <a href="#">System.Nullable&lt;T&gt;</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.CompanyTypeRepository</a> ; <a href="#">RanchBuddy.Web.Controllers.CompanyController+&lt;&gt;c__DisplayClass0</a> ; <a href="#">System.RuntimeFieldHandle</a> ; <a href="#">System.Reflection.FieldInfo</a> ; <a href="#">System.Linq.Expressions.MemberExpression</a> ; <a href="#">&lt;&gt;f__AnonymousType1&lt;&lt;id&gt;j__TPar&gt;</a> ; <a href="#">RanchBuddy.Core.Attributes.MustBeLoggedInAttribute</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.RepositoryStatus</a> ; <a href="#">System.Exception</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.CompanyRepository</a> ; <a href="#">RanchBuddy.Core.Services.Impl.Status+StatusTypes</a> ; <a href="#">RanchBuddy.Core.Services.Impl.Status</a> ; <a href="#">System.Data.Linq.Binary</a> ; <a href="#">RanchBuddy.Web.Controllers.CompanyController+&lt;&gt;c__DisplayClass2</a> ; <a href="#">RanchBuddy.Web.Services.Extensions</a> ; <a href="#">System.Runtime.CompilerServices.CompilerGeneratedAttribute</a> ;	
RanchBuddy.Web.Controllers.AccountController	<a href="#">System.String</a> ; <a href="#">RanchBuddy.Core.Domain.Account</a> ; <a href="#">System.Boolean</a> ; <a href="#">System.Linq.Expressions.ParameterExpression</a> ; <a href="#">System.Array</a> ; <a href="#">System.Object</a> ; <a href="#">System.Void</a> ; <a href="#">RanchBuddy.Core.Services.Impl.AccountService</a> ; <a href="#">RanchBuddy.Core.Services.Impl.EmailService</a> ; <a href="#">System.RuntimeTypeHandle</a> ; <a href="#">System.Type</a> ; <a href="#">System.Linq.Expressions.Expression</a> ; <a href="#">System.RuntimeMethodHandle</a> ; <a href="#">System.Reflection.MethodBase</a> ; <a href="#">System.Reflection.MethodInfo</a> ; <a href="#">System.Linq.Expressions.MethodCallExpression</a> ; <a href="#">System.Func&lt;T,TResult&gt;</a> ; <a href="#">System.Linq.Expressions.Expression&lt;TDelegate&gt;</a> ; <a href="#">RanchBuddy.Web.Controllers.SmartController</a> ; <a href="#">RanchBuddy.Core.Services.Impl.WebContext</a> ; <a href="#">RanchBuddy.Core.Attributes.MustBeLoggedInAttribute</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.AccountRepository</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.RepositoryStatus</a> ; <a href="#">RanchBuddy.Core.Services.Impl.Status</a> ; <a href="#">System.Collections.Generic.List&lt;T&gt;+Enumerator</a> ; <a href="#">RanchBuddy.Core.Services.Impl.Status+StatusTypes</a> ; <a href="#">System.Collections.Generic.List&lt;T&gt;</a> ; <a href="#">System.IDisposable</a> ; <a href="#">RanchBuddy.Web.Controllers.HomeController</a> ; <a href="#">System.Guid</a> ; <a href="#">RanchBuddy.Core.Domain.Term</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.TermsRepository</a> ; <a href="#">System.Int32</a> ; <a href="#">RanchBuddy.Core.Domain.RuleViolation</a> ; <a href="#">RanchBuddy.Core.Services.Impl.HelpMessageService</a> ; <a href="#">RanchBuddy.Core.Services.Impl.ConfigurationService</a> ; <a href="#">RanchBuddy.Core.Services.Impl.ValidationService</a> ; <a href="#">RanchBuddy.Core.Services.Impl.Cryptography</a> ; <a href="#">System.Convert</a> ; <a href="#">System.Nullable&lt;T&gt;</a> ; <a href="#">System.DateTime</a> ;	-
RanchBuddy.Web.Controllers.HomeController	<a href="#">System.String</a> ; <a href="#">System.Object</a> ; <a href="#">System.Void</a> ; <a href="#">System.Boolean</a> ; <a href="#">System.Int32</a> ; <a href="#">RanchBuddy.Core.Services.Impl.WebContext</a> ; <a href="#">System.Web.HttpResponseBase</a> ; <a href="#">RanchBuddy.Core.Services.Impl.ConfigurationService</a> ; <a href="#">RanchBuddy.Core.Services.Impl.EmailService</a> ; <a href="#">RanchBuddy.Core.Domain.HelpMessage</a> ; <a href="#">RanchBuddy.Core.Services.Impl.HelpMessageService</a> ;	<a href="#">RanchBuddy.Web.Tests.Controllers.HomeC</a> <a href="#">RanchBuddy.Web.Controllers.CompanyCon</a> <a href="#">RanchBuddy.Web.Controllers.AccountConti</a>
RanchBuddy.Web.MvcApplication	<a href="#">System.Void</a> ; <a href="#">System.Web.Routing.RouteCollection</a> ; <a href="#">System.String</a> ; <a href="#">&lt;&gt;f__AnonymousType2&lt;&lt;controller&gt;j__TPar,&lt;action&gt;j__TPar,&lt;id&gt;j__TPar&gt;</a> ; <a href="#">System.Object</a> ; <a href="#">System.Web.Routing.Route</a> ; <a href="#">&lt;&gt;f__AnonymousType3&lt;&lt;controller&gt;j__TPar,&lt;action&gt;j__TPar,&lt;companyName&gt;j__TPar&gt;</a> ; <a href="#">System.Web.Routing.RouteTable</a> ; <a href="#">System.Web.HttpApplication</a> ; <a href="#">System.Web.IHttpHandler</a> ; <a href="#">System.IDisposable</a> ;	-
RanchBuddy.Web._Default	<a href="#">System.Void</a> ; <a href="#">System.Object</a> ; <a href="#">System.EventArgs</a> ; <a href="#">System.Web.IHttpHandler</a> ; <a href="#">System.Web.HttpContext</a> ; <a href="#">System.Web.HttpRequest</a> ; <a href="#">System.Web.UI.Page</a> ; <a href="#">System.String</a> ; <a href="#">System.Boolean</a> ;	-
RanchBuddy.Web.Services.Extensions	<a href="#">System.Runtime.CompilerServices.ExtensionAttribute</a> ; <a href="#">System.String</a> ; <a href="#">System.Data.Linq.Binary</a> ; <a href="#">System.Byte</a> ; <a href="#">System.Array</a> ; <a href="#">System.Int32</a> ; <a href="#">System.Boolean</a> ; <a href="#">System.Char</a> ; <a href="#">System.Convert</a> ; <a href="#">System.Type</a> ; <a href="#">System.Reflection.MemberInfo</a> ; <a href="#">System.Linq.Expressions.LambdaExpression</a> ; <a href="#">System.Linq.Expressions.Expression</a> ; <a href="#">System.Reflection.MethodInfo</a> ; <a href="#">System.Linq.Expressions.MethodCallExpression</a> ; <a href="#">RanchBuddy.Core.Providers.Impl.MvcSitemapProvider+MvcSiteMapNode</a> ; <a href="#">System.Web.SiteMapNode</a> ; <a href="#">System.Web.SiteMap</a> ; <a href="#">System.Collections.Generic.List&lt;T&gt;</a> ; <a href="#">System.Web.SiteMapNodeCollection</a> ; <a href="#">System.Collections.IEnumerator</a> ; <a href="#">System.IDisposable</a> ; <a href="#">System.Void</a> ; <a href="#">System.Object</a> ; <a href="#">System.Web.Routing.RequestContext</a> ; <a href="#">System.Web.UI.Page</a> ; <a href="#">RanchBuddy.Core.Services.Impl.ConfigurationService</a> ;	<a href="#">RanchBuddy.Web.Controllers.SmartControl</a> <a href="#">RanchBuddy.Web.Controllers.CompanyCon</a> <a href="#">RanchBuddy.Web.Services.Navigation</a> ;
RanchBuddy.Web.Services.Navigation	<a href="#">RanchBuddy.Core.Providers.Impl.MvcSitemapProvider+MvcSiteMapNode</a> ; <a href="#">System.Collections.Generic.List&lt;T&gt;</a> ; <a href="#">System.Int32</a> ; <a href="#">System.Boolean</a> ; <a href="#">System.Void</a> ; <a href="#">System.Web.SiteMapNode</a> ; <a href="#">System.Web.SiteMap</a> ; <a href="#">RanchBuddy.Web.Services.Extensions</a> ; <a href="#">System.Web.SiteMapNodeCollection</a> ; <a href="#">System.Collections.Generic.List&lt;T&gt;+Enumerator</a> ; <a href="#">System.IDisposable</a> ; <a href="#">System.String</a> ; <a href="#">RanchBuddy.Core.Services.Impl.WebContext</a> ; <a href="#">RanchBuddy.Core.Domain.Account</a> ; <a href="#">System.Collections.IEnumerator</a> ; <a href="#">System.Object</a> ;	-
<>f__AnonymousType0<<url>j__TPar>	<a href="#">System.Diagnostics.DebuggerHiddenAttribute</a> ; <a href="#">System.String</a> ; <a href="#">System.Text.StringBuilder</a> ; <a href="#">System.Void</a> ; <a href="#">System.Object</a> ; <a href="#">System.Boolean</a> ; <a href="#">System.Collections.Generic.EqualityComparer&lt;T&gt;</a> ; <a href="#">System.Int32</a> ; <a href="#">System.Runtime.CompilerServices.CompilerGeneratedAttribute</a> ; <a href="#">System.Diagnostics.DebuggerDisplayAttribute</a> ; <a href="#">System.Diagnostics.DebuggerBrowsableAttribute</a> ;	<a href="#">RanchBuddy.Web.Controllers.CompanyCon</a>

<>f__AnonymousType1<<id>j__TPar>	<a href="#">System.Diagnostics.DebuggerHiddenAttribute</a> ; <a href="#">System.String</a> ; <a href="#">System.Text.StringBuilder</a> ; <a href="#">System.Void</a> ; <a href="#">System.Object</a> ; <a href="#">System.Boolean</a> ; <a href="#">System.Collections.Generic.EqualityComparer&lt;T&gt;</a> ; <a href="#">System.Int32</a> ; <a href="#">System.Runtime.CompilerServices.CompilerGeneratedAttribute</a> ; <a href="#">System.Diagnostics.DebuggerDisplayAttribute</a> ; <a href="#">System.Diagnostics.DebuggerBrowsableAttribute</a> ;	<a href="#">RanchBuddy.Web.Controllers.CompanyCon</a>
RanchBuddy.Web.Controllers.CompanyController+<>c__DisplayClass0	<a href="#">System.Void</a> ; <a href="#">System.Object</a> ; <a href="#">System.Runtime.CompilerServices.CompilerGeneratedAttribute</a> ; <a href="#">RanchBuddy.Core.Domain.Company</a> ;	<a href="#">RanchBuddy.Web.Controllers.CompanyCon</a>
RanchBuddy.Web.Controllers.CompanyController+<>c__DisplayClass2	<a href="#">System.Void</a> ; <a href="#">System.Object</a> ; <a href="#">System.Runtime.CompilerServices.CompilerGeneratedAttribute</a> ; <a href="#">System.Int32</a> ;	<a href="#">RanchBuddy.Web.Controllers.CompanyCon</a>
<>f__AnonymousType2<<controller>j__TPar,<action>j__TPar,<id>j__TPar>	<a href="#">System.Diagnostics.DebuggerHiddenAttribute</a> ; <a href="#">System.String</a> ; <a href="#">System.Text.StringBuilder</a> ; <a href="#">System.Void</a> ; <a href="#">System.Object</a> ; <a href="#">System.Boolean</a> ; <a href="#">System.Collections.Generic.EqualityComparer&lt;T&gt;</a> ; <a href="#">System.Int32</a> ; <a href="#">System.Runtime.CompilerServices.CompilerGeneratedAttribute</a> ; <a href="#">System.Diagnostics.DebuggerDisplayAttribute</a> ; <a href="#">System.Diagnostics.DebuggerBrowsableAttribute</a> ;	<a href="#">RanchBuddy.Web.MvcApplication</a> ;
<>f__AnonymousType3<<controller>j__TPar,<action>j__TPar,<companyName>j__TPar>	<a href="#">System.Diagnostics.DebuggerHiddenAttribute</a> ; <a href="#">System.String</a> ; <a href="#">System.Text.StringBuilder</a> ; <a href="#">System.Void</a> ; <a href="#">System.Object</a> ; <a href="#">System.Boolean</a> ; <a href="#">System.Collections.Generic.EqualityComparer&lt;T&gt;</a> ; <a href="#">System.Int32</a> ; <a href="#">System.Runtime.CompilerServices.CompilerGeneratedAttribute</a> ; <a href="#">System.Diagnostics.DebuggerDisplayAttribute</a> ; <a href="#">System.Diagnostics.DebuggerBrowsableAttribute</a> ;	<a href="#">RanchBuddy.Web.MvcApplication</a> ;
PostalCodeRadiusSearch.IService1	<a href="#">System.ServiceModel.OperationContractAttribute</a> ; <a href="#">System.String</a> ; <a href="#">System.Int32</a> ; <a href="#">PostalCodeRadiusSearch.CompositeType</a> ; <a href="#">System.ServiceModel.ServiceContractAttribute</a> ;	<a href="#">PostalCodeRadiusSearch.Service1</a> ;
PostalCodeRadiusSearch.Service1	<a href="#">System.String</a> ; <a href="#">System.Int32</a> ; <a href="#">System.Object</a> ; <a href="#">PostalCodeRadiusSearch.CompositeType</a> ; <a href="#">System.Boolean</a> ; <a href="#">System.Void</a> ; <a href="#">System.ServiceModel.ServiceContractAttribute</a> ; <a href="#">PostalCodeRadiusSearch.IService1</a> ;	-
PostalCodeRadiusSearch.CompositeType	<a href="#">System.Boolean</a> ; <a href="#">System.Void</a> ; <a href="#">System.String</a> ; <a href="#">System.Object</a> ; <a href="#">System.Runtime.Serialization.DataContractAttribute</a> ; <a href="#">System.Runtime.Serialization.DataMemberAttribute</a> ;	<a href="#">PostalCodeRadiusSearch.IService1</a> ; <a href="#">Postali</a>
RanchBuddy.Core.Services.Impl.ConfigurationService	<a href="#">System.Int32</a> ; <a href="#">System.Collections.Specialized.NameValueCollection</a> ; <a href="#">System.Configuration.ConfigurationManager</a> ; <a href="#">System.String</a> ; <a href="#">System.Convert</a> ; <a href="#">System.Object</a> ; <a href="#">RanchBuddy.Core.Services.Impl.LoggingType</a> ; <a href="#">System.Boolean</a> ; <a href="#">RanchBuddy.Core.Services.Impl.ConfigurationService+ThemeTypes</a> ; <a href="#">RanchBuddy.Core.Services.Impl.ConfigurationService+MasterTemplateTypes</a> ; <a href="#">System.Configuration.ConnectionStringSettingsCollection</a> ; <a href="#">System.Configuration.ConnectionStringSettings</a> ; <a href="#">System.Void</a> ;	<a href="#">RanchBuddy.Web.Services.MyViewPage</a> ; <a href="#">RanchBuddy.Web.Services.MyViewPage&lt;T&gt;</a> ; <a href="#">RanchBuddy.Web.Services.MyViewPageHel</a> <a href="#">RanchBuddy.Web.Controllers.AccountConti</a> <a href="#">RanchBuddy.Web.Controllers.HomeControl</a> <a href="#">RanchBuddy.Web.Services.Extensions</a> ; <a href="#">RanchBuddy.Core.Services.Impl.Cache</a> ; <a href="#">RanchBuddy.Core.Services.Impl.ImageServ</a> <a href="#">RanchBuddy.Core.Services.Impl.Validation</a> <a href="#">RanchBuddy.Core.Services.Impl.LoggingSei</a> <a href="#">RanchBuddy.Core.Services.Impl.EmailServ</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Connec</a> <a href="#">RanchBuddy.Core.Domain.Account+&lt;GetRu</a>
RanchBuddy.Core.Services.Impl.ConfigurationService+MasterTemplateTypes	<a href="#">System.Enum</a> ; <a href="#">System.Int32</a> ; <a href="#">System.ValueType</a> ; <a href="#">System.Object</a> ;	<a href="#">RanchBuddy.Web.Services.MyViewPageHel</a> <a href="#">RanchBuddy.Core.Services.Impl.Configurat</a>
RanchBuddy.Core.Services.Impl.ConfigurationService+ThemeTypes	<a href="#">System.Enum</a> ; <a href="#">System.Int32</a> ; <a href="#">System.ValueType</a> ; <a href="#">System.Object</a> ;	<a href="#">RanchBuddy.Web.Services.MyViewPage</a> ; <a href="#">RanchBuddy.Web.Services.MyViewPage&lt;T&gt;</a> ; <a href="#">RanchBuddy.Core.Services.Impl.Configurat</a>
RanchBuddy.Core.Services.Impl.CompanyTypeService	<a href="#">RanchBuddy.Core.Domain.CompanyType</a> ; <a href="#">System.Int32</a> ; <a href="#">System.String</a> ; <a href="#">System.Boolean</a> ; <a href="#">System.Object</a> ; <a href="#">System.Void</a> ; <a href="#">RanchBuddy.Core.Services.Impl.Cache</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.CompanyTypeRepository</a> ;	-
RanchBuddy.Core.Services.Impl.Captcha	<a href="#">System.String</a> ; <a href="#">System.Void</a> ; <a href="#">System.Drawing.Bitmap</a> ; <a href="#">System.Boolean</a> ; <a href="#">System.Int32</a> ; <a href="#">System.Object</a> ; <a href="#">System.GC</a> ; <a href="#">System.Drawing.Image</a> ; <a href="#">System.ArgumentOutOfRangeException</a> ; <a href="#">System.Drawing.Font</a> ; <a href="#">System.Single</a> ; <a href="#">System.Drawing.FontFamily</a> ; <a href="#">System.Drawing.Graphics</a> ; <a href="#">System.Drawing.Drawing2D.HatchBrush</a> ; <a href="#">System.Drawing.Rectangle</a> ; <a href="#">System.Drawing.SizeF</a> ; <a href="#">System.Drawing.StringFormat</a> ; <a href="#">System.Drawing.Drawing2D.GraphicsPath</a> ; <a href="#">System.Drawing.PointF</a> ; <a href="#">System.Array</a> ; <a href="#">System.Drawing.Drawing2D.Matrix</a> ; <a href="#">System.Web.HttpContext</a> ; <a href="#">System.Web.HttpServerUtility</a> ; <a href="#">System.Drawing.Drawing2D.SmoothingMode</a> ; <a href="#">System.Drawing.FontStyle</a> ; <a href="#">System.Drawing.StringAlignment</a> ; <a href="#">System.Random</a> ; <a href="#">System.Drawing.RectangleF</a> ; <a href="#">System.Drawing.Drawing2D.WarpMode</a> ; <a href="#">System.Drawing.Color</a> ; <a href="#">System.Drawing.ColorTranslator</a> ; <a href="#">System.Drawing.Drawing2D.HatchStyle</a> ; <a href="#">System.Drawing.Brush</a> ;	<a href="#">RanchBuddy.Web.Captcha</a> ;
RanchBuddy.Core.Domain.IValidate	<a href="#">System.Boolean</a> ; <a href="#">RanchBuddy.Core.Domain.RuleViolation</a> ; <a href="#">System.Collections.Generic.IEnumerable&lt;T&gt;</a> ; <a href="#">System.Void</a> ;	<a href="#">RanchBuddy.Core.Domain.Account</a> ;
RanchBuddy.Core.Domain.ValidationException	<a href="#">System.Void</a> ; <a href="#">System.String</a> ; <a href="#">System.Exception</a> ; <a href="#">System.Object</a> ;	<a href="#">RanchBuddy.Core.DataAccess.Impl.Account</a> <a href="#">RanchBuddy.Core.Domain.Account</a> ;
RanchBuddy.Core.DataAccess.Impl.AccountRepository	<a href="#">RanchBuddy.Core.Domain.Account</a> ; <a href="#">System.String</a> ; <a href="#">RanchBuddy.Core.Domain.RanchBuddyDataContext</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.AccountRepository+&lt;&gt;c__DisplayClass0</a> ; <a href="#">System.Linq.Expressions.ParameterExpression</a> ; <a href="#">System.Array</a> ; <a href="#">System.Boolean</a> ; <a href="#">System.Void</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Connection</a> ; <a href="#">System.Data.Linq.Table&lt;TEntity&gt;</a> ; <a href="#">System.RuntimeTypeHandle</a> ; <a href="#">System.Type</a> ; <a href="#">System.Linq.Expressions.Expression</a> ; <a href="#">System.RuntimeMethodHandle</a> ; <a href="#">System.Reflection.MethodBase</a> ; <a href="#">System.Reflection.MethodInfo</a> ; <a href="#">System.Linq.Expressions.MemberExpression</a> ; <a href="#">System.Object</a> ; <a href="#">System.Linq.Expressions.ConstantExpression</a> ; <a href="#">System.RuntimeFieldHandle</a> ; <a href="#">System.Reflection.FieldInfo</a> ;	<a href="#">RanchBuddy.Web.Controllers.AccountConti</a> <a href="#">RanchBuddy.Core.Services.Impl.AccountSe</a> <a href="#">RanchBuddy.Core.Domain.Account+&lt;GetRu</a>



	<a href="#">System.Linq.Expressions.BinaryExpression</a> ; <a href="#">System.Func&lt;T,TResult&gt;</a> ; <a href="#">System.Linq.Expressions.Expression&lt;TDelegate&gt;</a> ; <a href="#">System.Linq.IQueryable&lt;T&gt;</a> ; <a href="#">System.Linq.Queryable</a> ; <a href="#">System.IDisposable</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.AccountRepository+&lt;&gt;c__DisplayClass2</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.AccountRepository+&lt;&gt;c__DisplayClass4</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.AccountRepository+&lt;&gt;c__DisplayClass6</a> ; <a href="#">System.Guid</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.AccountRepository+&lt;&gt;c__DisplayClass8</a> ; <a href="#">System.Linq.Expressions.UnaryExpression</a> ; <a href="#">System.Nullable&lt;T&gt;</a> ; <a href="#">System.Data.Linq.DataContext</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.RepositoryStatus</a> ; <a href="#">RanchBuddy.Core.Domain.ValidationException</a> ; <a href="#">System.Exception</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.AccountRepository+&lt;&gt;c__DisplayClassa</a> ; <a href="#">System.Int32</a> ; <a href="#">RanchBuddy.Core.Services.Impl.Status</a> ; <a href="#">RanchBuddy.Core.Services.Impl.HelpMessageService</a> ; <a href="#">RanchBuddy.Core.Services.Impl.Status+StatusTypes</a> ; <a href="#">RanchBuddy.Core.Domain.RuleViolation</a> ; <a href="#">System.Collections.Generic.IEnumerable&lt;T&gt;</a> ; <a href="#">System.Collections.Generic.List&lt;T&gt;</a> ; <a href="#">System.Linq.Enumerable</a> ; <a href="#">RanchBuddy.Core.Services.Impl.LoggingType</a> ; <a href="#">RanchBuddy.Core.Services.Impl.LoggingService</a> ; <a href="#">System.Runtime.CompilerServices.CompilerGeneratedAttribute</a> ;	
RanchBuddy.Core.Services.Impl.Cache	<a href="#">System.Object</a> ; <a href="#">System.String</a> ; <a href="#">System.Web.Caching.Cache</a> ; <a href="#">System.Collections.Generic.List&lt;T&gt;</a> ; <a href="#">System.Collections.IDictionaryEnumerator</a> ; <a href="#">System.Boolean</a> ; <a href="#">System.Void</a> ; <a href="#">System.Collections.IEnumerator</a> ; <a href="#">System.TimeSpan</a> ; <a href="#">System.DateTime</a> ; <a href="#">System.Web.Caching.CacheItemPriority</a> ; <a href="#">System.Web.Caching.CacheDependency</a> ; <a href="#">System.Web.Caching.CacheItemRemovedCallback</a> ; <a href="#">System.Collections.Generic.List&lt;T&gt;+Enumerator</a> ; <a href="#">System.IDisposable</a> ; <a href="#">System.Int32</a> ; <a href="#">RanchBuddy.Core.Services.Impl.ConfigurationService</a> ; <a href="#">System.Web.HttpContext</a> ; <a href="#">StructureMap.PluggableAttribute</a> ;	<a href="#">RanchBuddy.Core.Services.Impl.CompanyTypeRepository</a> <a href="#">RanchBuddy.Core.Services.Impl.HelpMessageService</a>
RanchBuddy.Core.DataAccess.Impl.HelpMessageRepository	<a href="#">System.String</a> ; <a href="#">System.Int32</a> ; <a href="#">RanchBuddy.Core.Domain.RanchBuddyDataContext</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.HelpMessageRepository+&lt;&gt;c__DisplayClass0</a> ; <a href="#">System.Linq.Expressions.ParameterExpression</a> ; <a href="#">System.Array</a> ; <a href="#">System.Boolean</a> ; <a href="#">System.Void</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Connection</a> ; <a href="#">RanchBuddy.Core.Domain.HelpMessage</a> ; <a href="#">System.Data.Linq.Table&lt;TEntity&gt;</a> ; <a href="#">System.RuntimeTypeHandle</a> ; <a href="#">System.Type</a> ; <a href="#">System.Linq.Expressions.Expression</a> ; <a href="#">System.RuntimeMethodHandle</a> ; <a href="#">System.Reflection.MethodBase</a> ; <a href="#">System.Reflection.MethodInfo</a> ; <a href="#">System.Linq.Expressions.MemberExpression</a> ; <a href="#">System.Object</a> ; <a href="#">System.Linq.Expressions.ConstantExpression</a> ; <a href="#">System.RuntimeFieldHandle</a> ; <a href="#">System.Reflection.FieldInfo</a> ; <a href="#">System.Linq.Expressions.BinaryExpression</a> ; <a href="#">System.Func&lt;T,TResult&gt;</a> ; <a href="#">System.Linq.Expressions.Expression&lt;TDelegate&gt;</a> ; <a href="#">System.Linq.IQueryable&lt;T&gt;</a> ; <a href="#">System.Linq.Queryable</a> ; <a href="#">System.IDisposable</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.HelpMessageRepository+&lt;&gt;c__DisplayClass2</a> ; <a href="#">System.Runtime.CompilerServices.CompilerGeneratedAttribute</a> ;	<a href="#">RanchBuddy.Core.Services.Impl.HelpMessageService</a> <a href="#">RanchBuddy.Core.Services.Impl.EmailService</a>
RanchBuddy.Core.Services.IWebContext	<a href="#">System.Int32</a> ; <a href="#">System.Void</a> ; <a href="#">System.Collections.Generic.Dictionary&lt;TKey,TValue&gt;</a> ; <a href="#">System.Web.HttpFileCollection</a> ; <a href="#">System.Boolean</a> ; <a href="#">System.String</a> ; <a href="#">System.Int64</a> ; <a href="#">RanchBuddy.Core.Domain.Account</a> ; <a href="#">StructureMap.PluginFamilyAttribute</a> ;	<a href="#">RanchBuddy.Core.Services.Impl.WebContext</a> <a href="#">RanchBuddy.Core.Attributes.MustBeLoggedIn</a>
RanchBuddy.Core.Services.Impl.WebContext	<a href="#">System.Void</a> ; <a href="#">System.String</a> ; <a href="#">System.Object</a> ; <a href="#">System.Int32</a> ; <a href="#">System.Boolean</a> ; <a href="#">System.Convert</a> ; <a href="#">System.Collections.Generic.Dictionary&lt;TKey,TValue&gt;</a> ; <a href="#">System.Collections.Generic.KeyValuePair&lt;TKey,TValue&gt;</a> ; <a href="#">System.Collections.Generic.Dictionary&lt;TKey,TValue&gt;+Enumerator</a> ; <a href="#">System.IDisposable</a> ; <a href="#">System.Web.HttpFileCollection</a> ; <a href="#">System.Web.HttpContext</a> ; <a href="#">System.Web.HttpRequest</a> ; <a href="#">System.Int64</a> ; <a href="#">System.Collections.Specialized.NameValueCollection</a> ; <a href="#">RanchBuddy.Core.Domain.Account</a> ; <a href="#">System.Web.SessionState.HttpSessionState</a> ; <a href="#">StructureMap.PluginFamilyAttribute</a> ; <a href="#">RanchBuddy.Core.Services.IWebContext</a> ; <a href="#">StructureMap.PluggableAttribute</a> ;	<a href="#">RanchBuddy.Web.Captcha</a> ; <a href="#">RanchBuddy.Web.Controllers.CompanyController</a> <a href="#">RanchBuddy.Web.Controllers.AccountController</a> <a href="#">RanchBuddy.Web.Controllers.HomeController</a> <a href="#">RanchBuddy.Web.Services.Navigation</a> ; <a href="#">RanchBuddy.Core.Services.Impl.AccountService</a>
RanchBuddy.Core.Services.Impl.ImageService	<a href="#">System.Void</a> ; <a href="#">System.Web.HttpPostedFileBase</a> ; <a href="#">System.String</a> ; <a href="#">RanchBuddy.Core.Services.Impl.ImageService+FileSizeAndIdentifier</a> ; <a href="#">System.Collections.Generic.List&lt;T&gt;</a> ; <a href="#">System.Int32</a> ; <a href="#">System.Drawing.Image</a> ; <a href="#">System.Drawing.Bitmap</a> ; <a href="#">System.Decimal</a> ; <a href="#">System.Collections.Generic.List&lt;T&gt;+Enumerator</a> ; <a href="#">System.Boolean</a> ; <a href="#">System.Array</a> ; <a href="#">System.IO.Stream</a> ; <a href="#">System.IDisposable</a> ; <a href="#">System.Drawing.Imaging.ImageFormat</a> ; <a href="#">System.IO.Directory</a> ; <a href="#">System.IO.DirectoryInfo</a> ; <a href="#">System.IO.FileInfo</a> ; <a href="#">System.IO.FileSystemInfo</a> ; <a href="#">RanchBuddy.Core.Services.Impl.ConfigurationService</a> ; <a href="#">System.Object</a> ;	-
RanchBuddy.Core.Services.Impl.ImageService+FileSizeAndIdentifier	<a href="#">System.Runtime.CompilerServices.CompilerGeneratedAttribute</a> ; <a href="#">System.Int32</a> ; <a href="#">System.Void</a> ; <a href="#">System.String</a> ; <a href="#">System.ValueType</a> ; <a href="#">System.Object</a> ;	<a href="#">RanchBuddy.Core.Services.Impl.ImageService</a>
RanchBuddy.Core.DataAccess.Impl.CompanyTypeRepository	<a href="#">RanchBuddy.Core.Domain.CompanyType</a> ; <a href="#">System.Collections.Generic.List&lt;T&gt;</a> ; <a href="#">RanchBuddy.Core.Domain.RanchBuddyDataContext</a> ; <a href="#">System.Linq.Expressions.ParameterExpression</a> ; <a href="#">System.Array</a> ; <a href="#">System.Boolean</a> ; <a href="#">System.Void</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Connection</a> ; <a href="#">System.Data.Linq.Table&lt;TEntity&gt;</a> ; <a href="#">System.RuntimeTypeHandle</a> ; <a href="#">System.Type</a> ; <a href="#">System.String</a> ; <a href="#">System.Linq.Expressions.Expression</a> ; <a href="#">System.RuntimeMethodHandle</a> ; <a href="#">System.Reflection.MethodBase</a> ; <a href="#">System.Reflection.MethodInfo</a> ; <a href="#">System.Linq.Expressions.MemberExpression</a> ; <a href="#">System.Func&lt;T,TResult&gt;</a> ; <a href="#">System.Linq.Expressions.Expression&lt;TDelegate&gt;</a> ;	<a href="#">RanchBuddy.Web.Controllers.CompanyController</a> <a href="#">RanchBuddy.Core.Services.Impl.CompanyTypeRepository</a>

	<a href="#">System.Linq.IQueryable&lt;T&gt;</a> ; <a href="#">System.Linq.IOrderedQueryable&lt;T&gt;</a> ; <a href="#">System.Linq.Queryable</a> ; <a href="#">System.Collections.Generic.IEnumerable&lt;T&gt;</a> ; <a href="#">System.Linq.Enumerable</a> ; <a href="#">System.IDisposable</a> ; <a href="#">System.Int32</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.CompanyTypeRepository</a> ; <a href="#">&lt;&gt;c__DisplayClass0</a> ; <a href="#">System.Object</a> ; <a href="#">System.Linq.Expressions.ConstantExpression</a> ; <a href="#">System.RuntimeFieldHandle</a> ; <a href="#">System.Reflection.FieldInfo</a> ; <a href="#">System.Linq.Expressions.BinaryExpression</a> ; <a href="#">System.Runtime.CompilerServices.CompilerGeneratedAttribute</a> ;	
RanchBuddy.Core.Services.Impl.ValidationService	<a href="#">System.Boolean</a> ; <a href="#">System.String</a> ; <a href="#">System.Text.RegularExpressions.Regex</a> ; <a href="#">RanchBuddy.Core.Services.Impl.ConfigurationService</a> ; <a href="#">System.Void</a> ; <a href="#">System.Object</a> ;	<a href="#">RanchBuddy.Web.Controllers.AccountCont</a> <a href="#">RanchBuddy.Core.Domain.Account+&lt;GetRu</a>
RanchBuddy.Core.Domain.Account	<a href="#">System.Boolean</a> ; <a href="#">RanchBuddy.Core.Domain.RuleViolation</a> ; <a href="#">System.Collections.Generic.IEnumerable&lt;T&gt;</a> ; <a href="#">System.Int32</a> ; <a href="#">System.Linq.Enumerable</a> ; <a href="#">RanchBuddy.Core.Domain.Account+&lt;GetRuleViolations&gt;d__2</a> ; <a href="#">System.Void</a> ; <a href="#">System.String</a> ; <a href="#">RanchBuddy.Core.Domain.ValidationException</a> ; <a href="#">System.Data.Linq.Binary</a> ; <a href="#">System.DateTime</a> ; <a href="#">System.Nullable&lt;T&gt;</a> ; <a href="#">System.Guid</a> ; <a href="#">RanchBuddy.Core.Domain.CompanyAccount</a> ; <a href="#">System.Data.Linq.EntitySet&lt;TEntity&gt;</a> ; <a href="#">System.ComponentModel.PropertyChangingEventHandler</a> ; <a href="#">System.Delegate</a> ; <a href="#">System.ComponentModel.PropertyChangedEventHandler</a> ; <a href="#">System.ComponentModel.PropertyChangingEventArgs</a> ; <a href="#">System.Object</a> ; <a href="#">System.ComponentModel.PropertyChangedEventArgs</a> ; <a href="#">System.IntPtr</a> ; <a href="#">System.Action&lt;T&gt;</a> ; <a href="#">RanchBuddy.Core.Domain.IValidate</a> ; <a href="#">System.ComponentModel.INotifyPropertyChanging</a> ; <a href="#">System.ComponentModel.INotifyPropertyChanged</a> ; <a href="#">System.Data.Linq.Mapping.TableAttribute</a> ; <a href="#">System.Data.Linq.Mapping.ColumnAttribute</a> ; <a href="#">System.Data.Linq.Mapping.AssociationAttribute</a> ; <a href="#">System.Runtime.CompilerServices.CompilerGeneratedAttribute</a> ;	<a href="#">RanchBuddy.Web.Controllers.CompanyCon</a> <a href="#">RanchBuddy.Web.Controllers.AccountCont</a> <a href="#">RanchBuddy.Web.Services.Navigation</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Account</a> <a href="#">RanchBuddy.Core.Services.IWebContext</a> ; <a href="#">RanchBuddy.Core.Services.Impl.WebConte</a> <a href="#">RanchBuddy.Core.Services.Impl.AccountSe</a> <a href="#">RanchBuddy.Core.Domain.RanchBuddyData</a> <a href="#">RanchBuddy.Core.Domain.CompanyAccount</a> <a href="#">RanchBuddy.Core.Attributes.MustBeLogge</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Account</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Account</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Account</a> <a href="#">RanchBuddy.Core.Domain.Account+&lt;GetRu</a>
RanchBuddy.Core.Services.Impl.CompanyService	<a href="#">RanchBuddy.Core.Domain.Company</a> ; <a href="#">System.Collections.Generic.List&lt;T&gt;</a> ; <a href="#">System.Int32</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.RepositoryStatus</a> ; <a href="#">System.Boolean</a> ; <a href="#">System.Void</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.CompanyRepository</a> ; <a href="#">RanchBuddy.Core.Services.Impl.Status+StatusTypes</a> ; <a href="#">RanchBuddy.Core.Services.Impl.Status</a> ; <a href="#">System.String</a> ; <a href="#">System.Object</a> ;	<a href="#">RanchBuddy.Web.Controllers.CompanyCon</a>
RanchBuddy.Core.Services.Impl.CompanyAccountTypeService	<a href="#">RanchBuddy.Core.Domain.CompanyAccountType</a> ; <a href="#">System.Collections.Generic.List&lt;T&gt;</a> ; <a href="#">System.Int32</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.RepositoryStatus</a> ; <a href="#">System.Boolean</a> ; <a href="#">System.Void</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.CompanyAccountTypeRepository</a> ; <a href="#">RanchBuddy.Core.Services.Impl.Status+StatusTypes</a> ; <a href="#">RanchBuddy.Core.Services.Impl.Status</a> ; <a href="#">System.Object</a> ;	<a href="#">RanchBuddy.Web.Controllers.CompanyCon</a>
RanchBuddy.Core.Services.Impl.Cryptography	<a href="#">System.String</a> ; <a href="#">System.Security.Cryptography.MD5</a> ; <a href="#">System.Byte</a> ; <a href="#">System.Array</a> ; <a href="#">System.Text.StringBuilder</a> ; <a href="#">System.Int32</a> ; <a href="#">System.Boolean</a> ; <a href="#">System.Text.Encoding</a> ; <a href="#">System.Security.Cryptography.HashAlgorithm</a> ; <a href="#">System.Void</a> ; <a href="#">System.Object</a> ; <a href="#">System.StringComparer</a> ; <a href="#">System.IO.MemoryStream</a> ; <a href="#">System.Security.Cryptography.Rijndael</a> ; <a href="#">System.Security.Cryptography.CryptoStream</a> ; <a href="#">System.Security.Cryptography.SymmetricAlgorithm</a> ; <a href="#">System.Security.Cryptography.ICryptoTransform</a> ; <a href="#">System.IO.Stream</a> ; <a href="#">System.Security.Cryptography.CryptoStreamMode</a> ; <a href="#">System.Security.Cryptography.PasswordDeriveBytes</a> ; <a href="#">System.RuntimeFieldHandle</a> ; <a href="#">System.Runtime.CompilerServices.RuntimeHelpers</a> ; <a href="#">System.Security.Cryptography.DeriveBytes</a> ; <a href="#">System.Convert</a> ; <a href="#">System.IO.FileStream</a> ; <a href="#">System.IO.FileMode</a> ; <a href="#">System.IO.FileAccess</a> ; <a href="#">System.Console</a> ;	<a href="#">RanchBuddy.Web.Controllers.AccountCont</a> <a href="#">RanchBuddy.Core.Services.Impl.WebCooki</a> <a href="#">RanchBuddy.Core.Services.Impl.AccountSe</a>
RanchBuddy.Core.Services.Impl.WebCookie	<a href="#">System.Void</a> ; <a href="#">System.String</a> ; <a href="#">System.DateTime</a> ; <a href="#">System.Int32</a> ; <a href="#">System.TimeSpan</a> ; <a href="#">RanchBuddy.Core.Services.Impl.Cryptography</a> ; <a href="#">System.Boolean</a> ; <a href="#">System.Web.HttpCookie</a> ; <a href="#">System.Array</a> ; <a href="#">System.Web.HttpContext</a> ; <a href="#">System.Web.HttpRequest</a> ; <a href="#">System.Web.HttpCookieCollection</a> ; <a href="#">System.Web.HttpResponse</a> ; <a href="#">System.Object</a> ;	<a href="#">RanchBuddy.Core.Services.Impl.AccountSe</a>
RanchBuddy.Core.DataAccess.Impl.TermsRepository	<a href="#">RanchBuddy.Core.Domain.Term</a> ; <a href="#">RanchBuddy.Core.Domain.RanchBuddyDataContext</a> ; <a href="#">System.Linq.Expressions.ParameterExpression</a> ; <a href="#">System.Array</a> ; <a href="#">System.Boolean</a> ; <a href="#">System.Void</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Connection</a> ; <a href="#">System.Data.Linq.Table&lt;TEntity&gt;</a> ; <a href="#">System.RuntimeTypeHandle</a> ; <a href="#">System.Type</a> ; <a href="#">System.String</a> ; <a href="#">System.Linq.Expressions.Expression</a> ; <a href="#">System.RuntimeMethodHandle</a> ; <a href="#">System.Reflection.MethodBase</a> ; <a href="#">System.Reflection.MethodInfo</a> ; <a href="#">System.Linq.Expressions.MemberExpression</a> ; <a href="#">System.Int32</a> ; <a href="#">System.Func&lt;T,TResult&gt;</a> ; <a href="#">System.Linq.Expressions.Expression&lt;TDelegate&gt;</a> ; <a href="#">System.Linq.IQueryable&lt;T&gt;</a> ; <a href="#">System.Linq.IOrderedQueryable&lt;T&gt;</a> ; <a href="#">System.Linq.Queryable</a> ; <a href="#">System.IDisposable</a> ; <a href="#">System.Object</a> ;	<a href="#">RanchBuddy.Web.Controllers.AccountCont</a>
RanchBuddy.Core.Services.Impl.LoggingService	<a href="#">System.Void</a> ; <a href="#">System.String</a> ; <a href="#">RanchBuddy.Core.Services.Impl.LoggingType</a> ; <a href="#">System.Exception</a> ; <a href="#">System.Array</a> ; <a href="#">System.Environment</a> ; <a href="#">System.Boolean</a> ; <a href="#">RanchBuddy.Core.Services.Impl.ConfigurationService</a> ; <a href="#">System.Object</a> ; <a href="#">System.DateTime</a> ; <a href="#">System.Int32</a> ; <a href="#">System.IO.Directory</a> ; <a href="#">System.IO.DirectoryInfo</a> ; <a href="#">System.IO.File</a> ;	<a href="#">RanchBuddy.Core.DataAccess.Impl.Account</a>
RanchBuddy.Core.Services.Impl.LoggingType	<a href="#">System.Enum</a> ; <a href="#">System.Int32</a> ; <a href="#">System.ValueType</a> ; <a href="#">System.Object</a> ;	<a href="#">RanchBuddy.Core.Services.Impl.Configurat</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Account</a> <a href="#">RanchBuddy.Core.Services.Impl.LoggingSei</a>
RanchBuddy.Core.Services.Impl.HelpMessageService	<a href="#">System.String</a> ; <a href="#">System.Int32</a> ; <a href="#">System.Boolean</a> ; <a href="#">System.Object</a> ; <a href="#">System.Void</a> ; <a href="#">RanchBuddy.Core.Services.Impl.Cache</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.HelpMessageRepository</a> ;	<a href="#">RanchBuddy.Web.Controllers.AccountCont</a> <a href="#">RanchBuddy.Web.Controllers.HomeControl</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Account</a>

	<a href="#">RanchBuddy.Core.Domain.HelpMessage</a> ;	<a href="#">RanchBuddy.Core.Services.Impl.EmailServ</a> <a href="#">RanchBuddy.Core.Services.Impl.AccountSe</a> <a href="#">RanchBuddy.Core.Domain.Account+&lt;GetRu</a>
RanchBuddy.Core.Services.Impl.EmailService	<a href="#">System.Void</a> ; <a href="#">System.String</a> ; <a href="#">System.Net.Mail.MailMessage</a> ; <a href="#">System.Array</a> ; <a href="#">RanchBuddy.Core.Services.Impl.ConfigurationService</a> ; <a href="#">System.DateTime</a> ; <a href="#">System.Object</a> ; <a href="#">System.Boolean</a> ; <a href="#">System.Int32</a> ; <a href="#">RanchBuddy.Core.Services.Impl.HelpMessageService</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.HelpMessageRepository</a> ; <a href="#">System.Guid</a> ; <a href="#">System.Net.Mail.MailAddressCollection</a> ; <a href="#">System.Net.Mail.SmtpClient</a> ;	<a href="#">RanchBuddy.Web.Controllers.AccountConti</a> <a href="#">RanchBuddy.Web.Controllers.HomeControl</a>
RanchBuddy.Core.Services.Impl.AccountService	<a href="#">RanchBuddy.Core.Domain.Account</a> ; <a href="#">System.String</a> ; <a href="#">System.Void</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.AccountRepository</a> ; <a href="#">System.Boolean</a> ; <a href="#">RanchBuddy.Core.Services.Impl.Cryptography</a> ; <a href="#">RanchBuddy.Core.Services.Impl.Status</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.RepositoryStatus</a> ; <a href="#">RanchBuddy.Core.Services.Impl.Status+StatusTypes</a> ; <a href="#">System.Collections.Generic.List&lt;T&gt;</a> ; <a href="#">RanchBuddy.Core.Domain.RuleViolation</a> ; <a href="#">System.Int32</a> ; <a href="#">RanchBuddy.Core.Services.Impl.HelpMessageService</a> ; <a href="#">RanchBuddy.Core.Services.Impl.WebCookie</a> ; <a href="#">RanchBuddy.Core.Services.Impl.WebContext</a> ; <a href="#">System.Object</a> ;	<a href="#">RanchBuddy.Web.Controllers.AccountConti</a>
RanchBuddy.Core.Properties.Settings	<a href="#">System.String</a> ; <a href="#">System.Object</a> ; <a href="#">System.Configuration.SettingsBase</a> ; <a href="#">System.Void</a> ; <a href="#">System.Configuration.ApplicationSettingsBase</a> ; <a href="#">System.CodeDom.Compiler.GeneratedCodeAttribute</a> ; <a href="#">System.Runtime.CompilerServices.CompilerGeneratedAttribute</a> ; <a href="#">System.Configuration.SpecialSettingAttribute</a> ; <a href="#">System.Configuration.ApplicationScopedSettingAttribute</a> ; <a href="#">System.Configuration.DefaultSettingValueAttribute</a> ; <a href="#">System.Diagnostics.DebuggerNonUserCodeAttribute</a> ; <a href="#">System.ComponentModel.INotifyPropertyChanged</a> ;	<a href="#">RanchBuddy.Core.Domain.RanchBuddyData</a>
RanchBuddy.Core.Services.Impl.Status	<a href="#">System.Object</a> ; <a href="#">System.Void</a> ; <a href="#">System.String</a> ; <a href="#">System.Collections.Generic.List&lt;T&gt;</a> ; <a href="#">System.Collections.Generic.IEnumerable&lt;T&gt;</a> ; <a href="#">RanchBuddy.Core.Domain.RuleViolation</a> ; <a href="#">System.Runtime.CompilerServices.CompilerGeneratedAttribute</a> ; <a href="#">RanchBuddy.Core.Services.Impl.Status+StatusTypes</a> ;	<a href="#">RanchBuddy.Web.Controllers.CompanyCon</a> <a href="#">RanchBuddy.Web.Controllers.AccountConti</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Accoun</a> <a href="#">RanchBuddy.Core.Services.Impl.CompanyS</a> <a href="#">RanchBuddy.Core.Services.Impl.CompanyA</a> <a href="#">RanchBuddy.Core.Services.Impl.AccountSe</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Reposit</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a>
RanchBuddy.Core.Services.Impl.Status+StatusTypes	<a href="#">System.Enum</a> ; <a href="#">System.Int32</a> ; <a href="#">System.ValueType</a> ; <a href="#">System.Object</a> ;	<a href="#">RanchBuddy.Web.Controllers.CompanyCon</a> <a href="#">RanchBuddy.Web.Controllers.AccountConti</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Accoun</a> <a href="#">RanchBuddy.Core.Services.Impl.CompanyS</a> <a href="#">RanchBuddy.Core.Services.Impl.CompanyA</a> <a href="#">RanchBuddy.Core.Services.Impl.AccountSe</a> <a href="#">RanchBuddy.Core.Services.Impl.Status</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a>
RanchBuddy.Core.Providers.Impl.MvcSitemapProvider	<a href="#">System.Web.SiteMapNode</a> ; <a href="#">System.Web.StaticSiteMapProvider</a> ; <a href="#">System.Void</a> ; <a href="#">System.String</a> ; <a href="#">System.Collections.Specialized.NameValueCollection</a> ; <a href="#">System.Boolean</a> ; <a href="#">System.Web.SiteMapProvider</a> ; <a href="#">System.Int32</a> ; <a href="#">System.Xml.Linq.XDocument</a> ; <a href="#">System.Xml.Linq.XElement</a> ; <a href="#">System.Exception</a> ; <a href="#">System.Object</a> ; <a href="#">System.DateTime</a> ; <a href="#">System.Web.HttpContext</a> ; <a href="#">System.Web.Caching.Cache</a> ; <a href="#">System.Threading.Monitor</a> ; <a href="#">System.Web.HttpServerUtility</a> ; <a href="#">System.Xml.Linq.XNamespace</a> ; <a href="#">System.Xml.Linq.XName</a> ; <a href="#">System.Xml.Linq.XContainer</a> ; <a href="#">System.Web.Caching.CacheDependency</a> ; <a href="#">System.Double</a> ; <a href="#">System.TimeSpan</a> ; <a href="#">System.Collections.Generic.IEnumerator&lt;T&gt;</a> ; <a href="#">System.Collections.Generic.IEnumerable&lt;T&gt;</a> ; <a href="#">System.Collections.IEnumerator</a> ; <a href="#">System.IDisposable</a> ; <a href="#">RanchBuddy.Core.Providers.Impl.MvcSitemapProvider+MvcSiteMapNode</a> ; <a href="#">System.Collections.ArrayList</a> ; <a href="#">System.Reflection.MethodInfo</a> ; <a href="#">System.Array</a> ; <a href="#">System.Web.IHttpHandler</a> ; <a href="#">System.Web.Routing.RequestContext</a> ; <a href="#">System.Type</a> ; <a href="#">RanchBuddy.Core.Attributes.MustBeLoggedInAttribute</a> ; <a href="#">System.RuntimeTypeHandle</a> ; <a href="#">System.Reflection.MemberInfo</a> ; <a href="#">System.Collections.ICollection</a> ; <a href="#">System.Web.HttpContextWrapper</a> ; <a href="#">System.Web.Routing.RouteData</a> ; <a href="#">System.Collections.Generic.IDictionary&lt;TKey,TValue&gt;</a> ; <a href="#">System.Web.Routing.RouteCollection</a> ; <a href="#">System.Web.Routing.RouteTable</a> ; <a href="#">System.Web.HttpContextBase</a> ; <a href="#">System.Web.Routing.RouteValueDictionary</a> ; <a href="#">System.Web.SiteMapNodeCollection</a> ; <a href="#">System.Xml.Linq.XAttribute</a> ; <a href="#">System.Web.Routing.VirtualPathData</a> ; <a href="#">System.Collections.Generic.Dictionary&lt;TKey,TValue&gt;</a> ; <a href="#">System.Web.Routing.RouteBase</a> ;	
RanchBuddy.Core.Providers.Impl.MvcSitemapProvider+MvcSiteMapNode	<a href="#">System.Runtime.CompilerServices.CompilerGeneratedAttribute</a> ; <a href="#">System.String</a> ; <a href="#">System.Void</a> ; <a href="#">System.Boolean</a> ; <a href="#">System.Web.SiteMapProvider</a> ; <a href="#">System.Web.SiteMapNode</a> ; <a href="#">System.Object</a> ;	<a href="#">RanchBuddy.Web.Services.Extensions</a> ; <a href="#">RanchBuddy.Web.Services.Navigation</a> ; <a href="#">RanchBuddy.Core.Providers.Impl.MvcSitem</a>
RanchBuddy.Core.Domain.RanchBuddyDataContext	<a href="#">RanchBuddy.Core.Domain.Account</a> ; <a href="#">System.Data.Linq.Table&lt;TEntity&gt;</a> ; <a href="#">System.Data.Linq.DataContext</a> ; <a href="#">RanchBuddy.Core.Domain.Company</a> ; <a href="#">RanchBuddy.Core.Domain.CompanyType</a> ; <a href="#">RanchBuddy.Core.Domain.Term</a> ; <a href="#">RanchBuddy.Core.Domain.CompanyAccountType</a> ; <a href="#">RanchBuddy.Core.Domain.CompanyAccount</a> ; <a href="#">RanchBuddy.Core.Domain.HelpMessage</a> ; <a href="#">RanchBuddy.Core.Domain.HelpMessageType</a> ; <a href="#">RanchBuddy.Core.Domain.PostalCode</a> ; <a href="#">System.Data.Linq.Mapping.FunctionAttribute</a> ; <a href="#">RanchBuddy.Core.Domain.ZipCodesByRadiusResult</a> ; <a href="#">System.Data.Linq.ISingleResult&lt;T&gt;</a> ; <a href="#">System.String</a> ; <a href="#">System.Data.Linq.Mapping.ParameterAttribute</a> ; <a href="#">System.Int32</a> ;	<a href="#">RanchBuddy.Core.DataAccess.Impl.Accoun</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.HelpMe</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.TermsR</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Connec</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.PostalC</a>

	<a href="#">System.Nullable&lt;T&gt;</a> ; <a href="#">System.Data.Linq.IExecuteResult</a> ; <a href="#">System.Object</a> ; <a href="#">System.Array</a> ; <a href="#">System.Reflection.MethodBase</a> ; <a href="#">System.Reflection.MethodInfo</a> ; <a href="#">System.Void</a> ; <a href="#">RanchBuddy.Core.Properties.Settings</a> ; <a href="#">System.Data.Linq.Mapping.MappingSource</a> ; <a href="#">System.Data.IDbConnection</a> ; <a href="#">System.Data.Linq.Mapping.AttributeMappingSource</a> ; <a href="#">System.Data.Linq.Mapping.DatabaseAttribute</a> ; <a href="#">System.IDisposable</a> ;	
RanchBuddy.Core.Domain.Company	<a href="#">System.Int32</a> ; <a href="#">System.Void</a> ; <a href="#">System.Boolean</a> ; <a href="#">System.String</a> ; <a href="#">System.Data.Linq.Binary</a> ; <a href="#">System.DateTime</a> ; <a href="#">System.Nullable&lt;T&gt;</a> ; <a href="#">System.Double</a> ; <a href="#">RanchBuddy.Core.Domain.CompanyAccount</a> ; <a href="#">System.Data.Linq.EntitySet&lt;TEntity&gt;</a> ; <a href="#">System.Collections.Generic.IEnumerable&lt;T&gt;</a> ; <a href="#">System.ComponentModel.PropertyChangingEventHandler</a> ; <a href="#">System.Delegate</a> ; <a href="#">System.ComponentModel.PropertyChangedEventHandler</a> ; <a href="#">System.ComponentModel.PropertyChangingEventArgs</a> ; <a href="#">System.Object</a> ; <a href="#">System.ComponentModel.PropertyChangedEventArgs</a> ; <a href="#">System.IntPtr</a> ; <a href="#">System.Action&lt;T&gt;</a> ; <a href="#">System.ComponentModel.INotifyPropertyChanging</a> ; <a href="#">System.ComponentModel.INotifyPropertyChanged</a> ; <a href="#">System.Data.Linq.Mapping.TableAttribute</a> ; <a href="#">System.Data.Linq.Mapping.ColumnAttribute</a> ; <a href="#">System.Data.Linq.Mapping.AssociationAttribute</a> ;	<a href="#">RanchBuddy.Web.Controllers.CompanyCon</a> <a href="#">RanchBuddy.Web.Controllers.CompanyCon</a> <a href="#">RanchBuddy.Core.Services.Impl.CompanyS</a> <a href="#">RanchBuddy.Core.Domain.RanchBuddyData</a> <a href="#">RanchBuddy.Core.Domain.CompanyAccoun</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a>
RanchBuddy.Core.Domain.CompanyType	<a href="#">System.Int32</a> ; <a href="#">System.Void</a> ; <a href="#">System.Boolean</a> ; <a href="#">System.String</a> ; <a href="#">System.DateTime</a> ; <a href="#">System.Nullable&lt;T&gt;</a> ; <a href="#">System.Data.Linq.Binary</a> ; <a href="#">System.ComponentModel.PropertyChangingEventHandler</a> ; <a href="#">System.Delegate</a> ; <a href="#">System.ComponentModel.PropertyChangedEventHandler</a> ; <a href="#">System.ComponentModel.PropertyChangingEventArgs</a> ; <a href="#">System.Object</a> ; <a href="#">System.ComponentModel.PropertyChangedEventArgs</a> ; <a href="#">System.ComponentModel.INotifyPropertyChanging</a> ; <a href="#">System.ComponentModel.INotifyPropertyChanged</a> ; <a href="#">System.Data.Linq.Mapping.TableAttribute</a> ; <a href="#">System.Data.Linq.Mapping.ColumnAttribute</a> ;	<a href="#">RanchBuddy.Web.Controllers.CompanyCon</a> <a href="#">RanchBuddy.Core.Services.Impl.CompanyT</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.Domain.RanchBuddyData</a>
RanchBuddy.Core.Domain.Term	<a href="#">System.Int32</a> ; <a href="#">System.Void</a> ; <a href="#">System.Boolean</a> ; <a href="#">System.String</a> ; <a href="#">System.DateTime</a> ; <a href="#">System.Data.Linq.Binary</a> ; <a href="#">System.ComponentModel.PropertyChangingEventHandler</a> ; <a href="#">System.Delegate</a> ; <a href="#">System.ComponentModel.PropertyChangedEventHandler</a> ; <a href="#">System.ComponentModel.PropertyChangingEventArgs</a> ; <a href="#">System.Object</a> ; <a href="#">System.ComponentModel.PropertyChangedEventArgs</a> ; <a href="#">System.ComponentModel.INotifyPropertyChanging</a> ; <a href="#">System.ComponentModel.INotifyPropertyChanged</a> ; <a href="#">System.Data.Linq.Mapping.TableAttribute</a> ; <a href="#">System.Data.Linq.Mapping.ColumnAttribute</a> ;	<a href="#">RanchBuddy.Web.Controllers.AccountConti</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.TermsR</a> <a href="#">RanchBuddy.Core.Domain.RanchBuddyData</a>
RanchBuddy.Core.Domain.CompanyAccountType	<a href="#">System.Int32</a> ; <a href="#">System.Void</a> ; <a href="#">System.Boolean</a> ; <a href="#">System.String</a> ; <a href="#">System.DateTime</a> ; <a href="#">System.Nullable&lt;T&gt;</a> ; <a href="#">System.Data.Linq.Binary</a> ; <a href="#">RanchBuddy.Core.Domain.CompanyAccount</a> ; <a href="#">System.Data.Linq.EntitySet&lt;TEntity&gt;</a> ; <a href="#">System.Collections.Generic.IEnumerable&lt;T&gt;</a> ; <a href="#">System.ComponentModel.PropertyChangingEventHandler</a> ; <a href="#">System.Delegate</a> ; <a href="#">System.ComponentModel.PropertyChangedEventHandler</a> ; <a href="#">System.ComponentModel.PropertyChangingEventArgs</a> ; <a href="#">System.Object</a> ; <a href="#">System.ComponentModel.PropertyChangedEventArgs</a> ; <a href="#">System.IntPtr</a> ; <a href="#">System.Action&lt;T&gt;</a> ; <a href="#">System.ComponentModel.INotifyPropertyChanging</a> ; <a href="#">System.ComponentModel.INotifyPropertyChanged</a> ; <a href="#">System.Data.Linq.Mapping.TableAttribute</a> ; <a href="#">System.Data.Linq.Mapping.ColumnAttribute</a> ; <a href="#">System.Data.Linq.Mapping.AssociationAttribute</a> ;	<a href="#">RanchBuddy.Web.Controllers.CompanyCon</a> <a href="#">RanchBuddy.Core.Services.Impl.CompanyA</a> <a href="#">RanchBuddy.Core.Domain.RanchBuddyData</a> <a href="#">RanchBuddy.Core.Domain.CompanyAccoun</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a>
RanchBuddy.Core.Domain.CompanyAccount	<a href="#">System.Int32</a> ; <a href="#">System.Void</a> ; <a href="#">System.Boolean</a> ; <a href="#">System.String</a> ; <a href="#">RanchBuddy.Core.Domain.Company</a> ; <a href="#">System.Data.Linq.EntityRef&lt;TEntity&gt;</a> ; <a href="#">System.Data.Linq.ForeignKeyReferenceAlreadyHasValueException</a> ; <a href="#">RanchBuddy.Core.Domain.Account</a> ; <a href="#">RanchBuddy.Core.Domain.CompanyAccountType</a> ; <a href="#">System.DateTime</a> ; <a href="#">System.Data.Linq.Binary</a> ; <a href="#">System.Data.Linq.EntitySet&lt;TEntity&gt;</a> ; <a href="#">System.ComponentModel.PropertyChangingEventHandler</a> ; <a href="#">System.Delegate</a> ; <a href="#">System.ComponentModel.PropertyChangedEventHandler</a> ; <a href="#">System.ComponentModel.PropertyChangingEventArgs</a> ; <a href="#">System.Object</a> ; <a href="#">System.ComponentModel.PropertyChangedEventArgs</a> ; <a href="#">System.ComponentModel.INotifyPropertyChanging</a> ; <a href="#">System.ComponentModel.INotifyPropertyChanged</a> ; <a href="#">System.Data.Linq.Mapping.TableAttribute</a> ; <a href="#">System.Data.Linq.Mapping.ColumnAttribute</a> ; <a href="#">System.Data.Linq.Mapping.AssociationAttribute</a> ;	<a href="#">RanchBuddy.Core.Domain.Account</a> ; <a href="#">RanchBuddy.Core.Domain.RanchBuddyData</a> <a href="#">RanchBuddy.Core.Domain.Company</a> ; <a href="#">RanchBuddy.Core.Domain.CompanyAccoun</a>
RanchBuddy.Core.Domain.HelpMessage	<a href="#">System.Int32</a> ; <a href="#">System.Void</a> ; <a href="#">System.Boolean</a> ; <a href="#">System.String</a> ; <a href="#">RanchBuddy.Core.Domain.HelpMessageType</a> ; <a href="#">System.Data.Linq.EntityRef&lt;TEntity&gt;</a> ; <a href="#">System.Data.Linq.ForeignKeyReferenceAlreadyHasValueException</a> ; <a href="#">System.DateTime</a> ; <a href="#">System.Nullable&lt;T&gt;</a> ; <a href="#">System.Data.Linq.Binary</a> ; <a href="#">System.Data.Linq.EntitySet&lt;TEntity&gt;</a> ; <a href="#">System.ComponentModel.PropertyChangingEventHandler</a> ; <a href="#">System.Delegate</a> ; <a href="#">System.ComponentModel.PropertyChangedEventHandler</a> ; <a href="#">System.ComponentModel.PropertyChangingEventArgs</a> ; <a href="#">System.Object</a> ; <a href="#">System.ComponentModel.PropertyChangedEventArgs</a> ; <a href="#">System.ComponentModel.INotifyPropertyChanging</a> ; <a href="#">System.ComponentModel.INotifyPropertyChanged</a> ; <a href="#">System.Data.Linq.Mapping.TableAttribute</a> ; <a href="#">System.Data.Linq.Mapping.ColumnAttribute</a> ; <a href="#">System.Data.Linq.Mapping.AssociationAttribute</a> ;	<a href="#">RanchBuddy.Web.Controllers.HomeControl</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.HelpMe</a> <a href="#">RanchBuddy.Core.Services.Impl.HelpMessa</a> <a href="#">RanchBuddy.Core.Domain.RanchBuddyData</a> <a href="#">RanchBuddy.Core.Domain.HelpMessageType</a>
RanchBuddy.Core.Domain.HelpMessageType	<a href="#">System.Int32</a> ; <a href="#">System.Void</a> ; <a href="#">System.Boolean</a> ; <a href="#">System.String</a> ; <a href="#">System.DateTime</a> ; <a href="#">System.Nullable&lt;T&gt;</a> ; <a href="#">System.Data.Linq.Binary</a> ; <a href="#">RanchBuddy.Core.Domain.HelpMessage</a> ; <a href="#">System.Data.Linq.EntitySet&lt;TEntity&gt;</a> ;	<a href="#">RanchBuddy.Core.Domain.RanchBuddyData</a> <a href="#">RanchBuddy.Core.Domain.HelpMessage</a> ;

	<a href="#">System.Collections.Generic.IEnumerable&lt;T&gt;</a> ; <a href="#">System.ComponentModel.PropertyChangingEventHandler</a> ; <a href="#">System.Delegate</a> ; <a href="#">System.ComponentModel.PropertyChangedEventHandler</a> ; <a href="#">System.ComponentModel.PropertyChangingEventArgs</a> ; <a href="#">System.Object</a> ; <a href="#">System.ComponentModel.PropertyChangedEventArgs</a> ; <a href="#">System.IntPtr</a> ; <a href="#">System.Action&lt;T&gt;</a> ; <a href="#">System.ComponentModel.INotifyPropertyChanging</a> ; <a href="#">System.ComponentModel.INotifyPropertyChanged</a> ; <a href="#">System.Data.Linq.Mapping.TableAttribute</a> ; <a href="#">System.Data.Linq.Mapping.ColumnAttribute</a> ; <a href="#">System.Data.Linq.Mapping.AssociationAttribute</a> ;	
RanchBuddy.Core.Domain.PostalCode	<a href="#">System.String</a> ; <a href="#">System.Void</a> ; <a href="#">System.Boolean</a> ; <a href="#">System.Char</a> ; <a href="#">System.Single</a> ; <a href="#">System.DateTime</a> ; <a href="#">System.Nullable&lt;T&gt;</a> ; <a href="#">System.Data.Linq.Binary</a> ; <a href="#">System.Object</a> ; <a href="#">System.Data.Linq.Mapping.TableAttribute</a> ; <a href="#">System.Data.Linq.Mapping.ColumnAttribute</a> ;	<a href="#">RanchBuddy.Core.Domain.RanchBuddyData</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.PostalC</a>
RanchBuddy.Core.Domain.ZipCodesByRadiusResult	<a href="#">System.String</a> ; <a href="#">System.Void</a> ; <a href="#">System.Boolean</a> ; <a href="#">System.Object</a> ; <a href="#">System.Data.Linq.Mapping.ColumnAttribute</a> ;	<a href="#">RanchBuddy.Core.Domain.RanchBuddyData</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a>
RanchBuddy.Core.DataAccess.Impl.RepositoryStatus	<a href="#">System.Void</a> ; <a href="#">RanchBuddy.Core.Services.Impl.Status</a> ; <a href="#">System.Object</a> ;	<a href="#">RanchBuddy.Web.Controllers.CompanyCon</a> ; <a href="#">RanchBuddy.Web.Controllers.AccountConti</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Account</a> ; <a href="#">RanchBuddy.Core.Services.Impl.CompanyS</a> ; <a href="#">RanchBuddy.Core.Services.Impl.CompanyA</a> ; <a href="#">RanchBuddy.Core.Services.Impl.AccountSe</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> ;
RanchBuddy.Core.Domain.RuleViolation	<a href="#">System.Runtime.CompilerServices.CompilerGeneratedAttribute</a> ; <a href="#">System.String</a> ; <a href="#">System.Void</a> ; <a href="#">System.Object</a> ;	<a href="#">RanchBuddy.Web.Controllers.AccountConti</a> ; <a href="#">RanchBuddy.Core.Domain.IValidate</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Account</a> ; <a href="#">RanchBuddy.Core.Domain.Account</a> ; <a href="#">RanchBuddy.Core.Services.Impl.AccountSe</a> ; <a href="#">RanchBuddy.Core.Services.Impl.Status</a> ; <a href="#">Re</a> ; <a href="#">&lt;GetRuleViolations&gt;d__2</a> ;
RanchBuddy.Core.DataAccess.Impl.Connection	<a href="#">RanchBuddy.Core.Domain.RanchBuddyDataContext</a> ; <a href="#">System.String</a> ; <a href="#">RanchBuddy.Core.Services.Impl.ConfigurationService</a> ; <a href="#">System.Void</a> ; <a href="#">System.Int32</a> ; <a href="#">System.Data.Linq.DataContext</a> ; <a href="#">System.Object</a> ;	<a href="#">RanchBuddy.Core.DataAccess.Impl.Account</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.HelpMe</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.TermsR</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.PostalC</a>
RanchBuddy.Core.DataAccess.Impl.CompanyAccountTypeRepository	<a href="#">RanchBuddy.Core.DataAccess.Impl.RepositoryStatus</a> ; <a href="#">System.Int32</a> ; <a href="#">RanchBuddy.Core.Domain.CompanyAccountType</a> ; <a href="#">System.Collections.Generic.List&lt;T&gt;</a> ; <a href="#">RanchBuddy.Core.Domain.RanchBuddyDataContext</a> ; <a href="#">System.Exception</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.CompanyAccountTypeRepository+&lt;c__DisplayClass0&gt;</a> ; <a href="#">System.Linq.Expressions.ParameterExpression</a> ; <a href="#">System.Array</a> ; <a href="#">System.Boolean</a> ; <a href="#">System.Void</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Connection</a> ; <a href="#">System.Data.Linq.Table&lt;TEntity&gt;</a> ; <a href="#">System.RuntimeTypeHandle</a> ; <a href="#">System.Type</a> ; <a href="#">System.String</a> ; <a href="#">System.Linq.Expressions.Expression</a> ; <a href="#">System.RuntimeMethodHandle</a> ; <a href="#">System.Reflection.MethodBase</a> ; <a href="#">System.Reflection.MethodInfo</a> ; <a href="#">System.Linq.Expressions.MemberExpression</a> ; <a href="#">System.Func&lt;T,TResult&gt;</a> ; <a href="#">System.Linq.Expressions.Expression&lt;TDelegate&gt;</a> ; <a href="#">System.Linq.IQueryable&lt;T&gt;</a> ; <a href="#">System.Linq.IOrderedQueryable&lt;T&gt;</a> ; <a href="#">System.Linq.Queryable</a> ; <a href="#">System.Object</a> ; <a href="#">System.Linq.Expressions.ConstantExpression</a> ; <a href="#">System.RuntimeFieldHandle</a> ; <a href="#">System.Reflection.FieldInfo</a> ; <a href="#">System.Nullable&lt;T&gt;</a> ; <a href="#">System.Linq.Expressions.UnaryExpression</a> ; <a href="#">System.Linq.Expressions.BinaryExpression</a> ; <a href="#">System.Collections.Generic.IEnumerable&lt;T&gt;</a> ; <a href="#">System.Linq.Enumerable</a> ; <a href="#">System.IDisposable</a> ; <a href="#">RanchBuddy.Core.Services.Impl.Status+StatusTypes</a> ; <a href="#">RanchBuddy.Core.Services.Impl.Status</a> ; <a href="#">System.Runtime.CompilerServices.CompilerGeneratedAttribute</a> ;	<a href="#">RanchBuddy.Core.Services.Impl.CompanyA</a>
RanchBuddy.Core.DataAccess.Impl.CompanyRepository	<a href="#">RanchBuddy.Core.DataAccess.Impl.RepositoryStatus</a> ; <a href="#">System.Int32</a> ; <a href="#">RanchBuddy.Core.Domain.Company</a> ; <a href="#">System.Collections.Generic.List&lt;T&gt;</a> ; <a href="#">RanchBuddy.Core.Domain.RanchBuddyDataContext</a> ; <a href="#">RanchBuddy.Core.Domain.ZipCodesByRadiusResult</a> ; <a href="#">System.Exception</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.CompanyRepository+&lt;c__DisplayClass2&gt;</a> ; <a href="#">System.Linq.Expressions.ParameterExpression</a> ; <a href="#">System.Linq.Expressions.Expression</a> ; <a href="#">System.Array</a> ; <a href="#">System.Boolean</a> ; <a href="#">System.Void</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Connection</a> ; <a href="#">System.String</a> ; <a href="#">System.Nullable&lt;T&gt;</a> ; <a href="#">System.Data.Linq.Mapping.ParameterAttribute</a> ; <a href="#">System.Data.Linq.ISingleResult&lt;T&gt;</a> ; <a href="#">System.Collections.Generic.IEnumerable&lt;T&gt;</a> ; <a href="#">System.Linq.Enumerable</a> ; <a href="#">System.Func&lt;T,TResult&gt;</a> ; <a href="#">System.Object</a> ; <a href="#">System.IntPtr</a> ; <a href="#">System.Data.Linq.Table&lt;TEntity&gt;</a> ; <a href="#">System.RuntimeTypeHandle</a> ; <a href="#">System.Type</a> ; <a href="#">System.Linq.Expressions.ConstantExpression</a> ; <a href="#">System.RuntimeFieldHandle</a> ; <a href="#">System.Reflection.FieldInfo</a> ; <a href="#">System.Linq.Expressions.MemberExpression</a> ; <a href="#">System.RuntimeMethodHandle</a> ; <a href="#">System.Reflection.MethodBase</a> ; <a href="#">System.Reflection.MethodInfo</a> ; <a href="#">System.Linq.Expressions.MethodCallExpression</a> ; <a href="#">System.Linq.Expressions.Expression&lt;TDelegate&gt;</a> ; <a href="#">System.Linq.IQueryable&lt;T&gt;</a> ; <a href="#">System.Linq.Queryable</a> ; <a href="#">System.Linq.IOrderedQueryable&lt;T&gt;</a> ; <a href="#">System.IDisposable</a> ; <a href="#">RanchBuddy.Core.Services.Impl.Status+StatusTypes</a> ; <a href="#">RanchBuddy.Core.Services.Impl.Status</a> ; <a href="#">System.Environment</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.CompanyRepository+&lt;c__DisplayClass4&gt;</a> ; <a href="#">System.Linq.Expressions.BinaryExpression</a> ; <a href="#">System.DateTime</a> ; <a href="#">System.Data.Linq.DataContext</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.CompanyRepository+&lt;c__DisplayClass6&gt;</a> ;	<a href="#">RanchBuddy.Web.Controllers.CompanyCon</a> ; <a href="#">RanchBuddy.Core.Services.Impl.CompanyS</a>



	<a href="#">System.Runtime.CompilerServices.CompilerGeneratedAttribute</a> ; <a href="#">System.Convert</a> ;	
RanchBuddy.Core.Attributes.MustBeLoggedInAttribute	<a href="#">System.Void</a> ; <a href="#">System.String</a> ; <a href="#">System.Boolean</a> ; <a href="#">RanchBuddy.Core.Services.IWebContext</a> ; <a href="#">RanchBuddy.Core.Domain.Account</a> ; <a href="#">System.Web.HttpContextBase</a> ; <a href="#">System.Web.HttpResponseBase</a> ; <a href="#">StructureMap.ObjectFactory</a> ;	<a href="#">RanchBuddy.Web.Controllers.CompanyCon</a> <a href="#">RanchBuddy.Web.Controllers.AccountConti</a> <a href="#">RanchBuddy.Core.Providers.Impl.MvcSiter</a>
RanchBuddy.Core.DataAccess.Impl.PostalCodeRepository	<a href="#">RanchBuddy.Core.DataAccess.Impl.MapPoint</a> ; <a href="#">System.Int32</a> ; <a href="#">RanchBuddy.Core.Domain.RanchBuddyDataContext</a> ; <a href="#">RanchBuddy.Core.Domain.PostalCode</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.PostalCodeRepository+</a> <a href="#">&lt;&gt;c__DisplayClass0</a> ; <a href="#">System.Linq.Expressions.ParameterExpression</a> ; <a href="#">System.Array</a> ; <a href="#">System.Boolean</a> ; <a href="#">System.Void</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Connection</a> ; <a href="#">System.Data.Linq.Table&lt;TEntity&gt;</a> ; <a href="#">System.RuntimeTypeHandle</a> ; <a href="#">System.Type</a> ; <a href="#">System.String</a> ; <a href="#">System.Linq.Expressions.Expression</a> ; <a href="#">System.RuntimeMethodHandle</a> ; <a href="#">System.Reflection.MethodBase</a> ; <a href="#">System.Reflection.MethodInfo</a> ; <a href="#">System.Linq.Expressions.MemberExpression</a> ; <a href="#">System.Object</a> ; <a href="#">System.Linq.Expressions.ConstantExpression</a> ; <a href="#">System.RuntimeFieldHandle</a> ; <a href="#">System.Reflection.FieldInfo</a> ; <a href="#">System.Linq.Expressions.MethodCallExpression</a> ; <a href="#">System.Linq.Expressions.BinaryExpression</a> ; <a href="#">System.Func&lt;T,TResult&gt;</a> ; <a href="#">System.Linq.Expressions.Expression&lt;TDelegate&gt;</a> ; <a href="#">System.Linq.IQueryable&lt;T&gt;</a> ; <a href="#">System.Linq.Queryable</a> ; <a href="#">System.Single</a> ; <a href="#">System.IDisposable</a> ; <a href="#">System.Runtime.CompilerServices.CompilerGeneratedAttribute</a> ;	<a href="#">RanchBuddy.Web.Controllers.CompanyCon</a>
RanchBuddy.Core.DataAccess.Impl.MapPoint	<a href="#">System.Runtime.CompilerServices.CompilerGeneratedAttribute</a> ; <a href="#">System.Single</a> ; <a href="#">System.Void</a> ; <a href="#">System.ValueType</a> ; <a href="#">System.Object</a> ;	<a href="#">RanchBuddy.Web.Controllers.CompanyCon</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.PostalC</a>
RanchBuddy.Core.DataAccess.Impl.AccountRepository+<>c__DisplayClass0	<a href="#">System.Void</a> ; <a href="#">System.Object</a> ; <a href="#">System.Runtime.CompilerServices.CompilerGeneratedAttribute</a> ; <a href="#">System.String</a> ;	<a href="#">RanchBuddy.Core.DataAccess.Impl.Account</a>
RanchBuddy.Core.DataAccess.Impl.AccountRepository+<>c__DisplayClass2	<a href="#">System.Void</a> ; <a href="#">System.Object</a> ; <a href="#">System.Runtime.CompilerServices.CompilerGeneratedAttribute</a> ; <a href="#">System.String</a> ;	<a href="#">RanchBuddy.Core.DataAccess.Impl.Account</a>
RanchBuddy.Core.DataAccess.Impl.AccountRepository+<>c__DisplayClass4	<a href="#">System.Void</a> ; <a href="#">System.Object</a> ; <a href="#">System.Runtime.CompilerServices.CompilerGeneratedAttribute</a> ; <a href="#">RanchBuddy.Core.Domain.Account</a> ;	<a href="#">RanchBuddy.Core.DataAccess.Impl.Account</a>
RanchBuddy.Core.DataAccess.Impl.AccountRepository+<>c__DisplayClass6	<a href="#">System.Void</a> ; <a href="#">System.Object</a> ; <a href="#">System.Runtime.CompilerServices.CompilerGeneratedAttribute</a> ; <a href="#">RanchBuddy.Core.Domain.Account</a> ;	<a href="#">RanchBuddy.Core.DataAccess.Impl.Account</a>
RanchBuddy.Core.DataAccess.Impl.AccountRepository+<>c__DisplayClass8	<a href="#">System.Void</a> ; <a href="#">System.Object</a> ; <a href="#">System.Runtime.CompilerServices.CompilerGeneratedAttribute</a> ; <a href="#">System.Guid</a> ;	<a href="#">RanchBuddy.Core.DataAccess.Impl.Account</a>
RanchBuddy.Core.DataAccess.Impl.AccountRepository+<>c__DisplayClassa	<a href="#">System.Void</a> ; <a href="#">System.Object</a> ; <a href="#">System.Runtime.CompilerServices.CompilerGeneratedAttribute</a> ; <a href="#">RanchBuddy.Core.Domain.Account</a> ;	<a href="#">RanchBuddy.Core.DataAccess.Impl.Account</a>
RanchBuddy.Core.DataAccess.Impl.HelpMessageRepository+<>c__DisplayClass0	<a href="#">System.Void</a> ; <a href="#">System.Object</a> ; <a href="#">System.Runtime.CompilerServices.CompilerGeneratedAttribute</a> ; <a href="#">System.Int32</a> ;	<a href="#">RanchBuddy.Core.DataAccess.Impl.HelpMe</a>
RanchBuddy.Core.DataAccess.Impl.HelpMessageRepository+<>c__DisplayClass2	<a href="#">System.Void</a> ; <a href="#">System.Object</a> ; <a href="#">System.Runtime.CompilerServices.CompilerGeneratedAttribute</a> ; <a href="#">System.Int32</a> ;	<a href="#">RanchBuddy.Core.DataAccess.Impl.HelpMe</a>
RanchBuddy.Core.DataAccess.Impl.CompanyTypeRepository+<>c__DisplayClass0	<a href="#">System.Void</a> ; <a href="#">System.Object</a> ; <a href="#">System.Runtime.CompilerServices.CompilerGeneratedAttribute</a> ; <a href="#">System.Int32</a> ;	<a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a>
RanchBuddy.Core.Domain.Account+<GetRuleViolations>d__2	<a href="#">System.Diagnostics.DebuggerHiddenAttribute</a> ; <a href="#">RanchBuddy.Core.Domain.RuleViolation</a> ; <a href="#">System.Collections.Generic.IEnumerator&lt;T&gt;</a> ; <a href="#">System.Boolean</a> ; <a href="#">System.Threading.Thread</a> ; <a href="#">System.Int32</a> ; <a href="#">System.Void</a> ; <a href="#">RanchBuddy.Core.Domain.Account</a> ; <a href="#">System.Collections.IEnumerator</a> ; <a href="#">System.Nullable&lt;T&gt;</a> ; <a href="#">System.DateTime</a> ; <a href="#">System.String</a> ; <a href="#">RanchBuddy.Core.Services.Impl.HelpMessageService</a> ; <a href="#">System.Object</a> ; <a href="#">RanchBuddy.Core.Services.Impl.ValidationService</a> ; <a href="#">RanchBuddy.Core.Services.Impl.ConfigurationService</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.AccountRepository</a> ; <a href="#">System.NotSupportedException</a> ; <a href="#">System.Collections.Generic.IEnumerable&lt;T&gt;</a> ; <a href="#">System.Collections.IEnumerable</a> ; <a href="#">System.IDisposable</a> ; <a href="#">System.Runtime.CompilerServices.CompilerGeneratedAttribute</a> ;	<a href="#">RanchBuddy.Core.Domain.Account</a> ;
RanchBuddy.Core.DataAccess.Impl.CompanyAccountTypeRepository+<>c__DisplayClass0	<a href="#">System.Void</a> ; <a href="#">System.Object</a> ; <a href="#">System.Runtime.CompilerServices.CompilerGeneratedAttribute</a> ; <a href="#">System.Int32</a> ;	<a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a>
RanchBuddy.Core.DataAccess.Impl.CompanyRepository+<>c__DisplayClass2	<a href="#">System.Void</a> ; <a href="#">System.Object</a> ; <a href="#">System.Runtime.CompilerServices.CompilerGeneratedAttribute</a> ; <a href="#">System.Int32</a> ; <a href="#">System.Collections.Generic.List&lt;T&gt;</a> ;	<a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a>
RanchBuddy.Core.DataAccess.Impl.CompanyRepository+<>c__DisplayClass4	<a href="#">System.Void</a> ; <a href="#">System.Object</a> ; <a href="#">System.Runtime.CompilerServices.CompilerGeneratedAttribute</a> ; <a href="#">System.Int32</a> ;	<a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a>
RanchBuddy.Core.DataAccess.Impl.CompanyRepository+<>c__DisplayClass6	<a href="#">System.Void</a> ; <a href="#">System.Object</a> ; <a href="#">System.Runtime.CompilerServices.CompilerGeneratedAttribute</a> ; <a href="#">System.String</a> ;	<a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a>
RanchBuddy.Core.DataAccess.Impl.PostalCodeRepository+<>c__DisplayClass0	<a href="#">System.Void</a> ; <a href="#">System.Object</a> ; <a href="#">System.Runtime.CompilerServices.CompilerGeneratedAttribute</a> ; <a href="#">System.Int32</a> ;	<a href="#">RanchBuddy.Core.DataAccess.Impl.PostalC</a>



		<a href="#">RanchBuddy.Web.Tests.Controllers.HomeC</a> <a href="#">RanchBuddy.Web.Services.MyViewPage</a> ; <a href="#">RanchBuddy.Web.Services.MyViewPage&lt;T&gt;</a> <a href="#">RanchBuddy.Web.Services.MyViewPageHel</a> <a href="#">RanchBuddy.Web.Controllers.SmartControl</a> <a href="#">RanchBuddy.Web.Controllers.CompanyCon</a> <a href="#">RanchBuddy.Web.Controllers.AccountConti</a> <a href="#">RanchBuddy.Web.Controllers.HomeControl</a> <a href="#">RanchBuddy.Web.MvcApplication</a> ; <a href="#">RanchB</a> <a href="#">RanchBuddy.Web.Services.Extensions</a> ; <a href="#">RanchBuddy.Web.Services.Navigation</a> ; <>f _AnonymousType0<<url>j _TPar> ; <>f ; <a href="#">RanchBuddy.Web.Controllers.CompanyCo</a> <a href="#">RanchBuddy.Web.Controllers.CompanyCon</a> <>f _AnonymousType2<<controller>j _TPai <>f _AnonymousType3<<controller>j _TPai <companyName>j _TPar> ; <a href="#">PostalCodeRad</a> <a href="#">PostalCodeRadiusSearch.CompositeType</a> ; <a href="#">RanchBuddy.Core.Services.Impl.Configurat</a> <a href="#">RanchBuddy.Core.Services.Impl.CompanyT</a> <a href="#">RanchBuddy.Core.Services.Impl.Captcha</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Accoun</a> <a href="#">RanchBuddy.Core.Services.Impl.Cache</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.HelpMe</a> <a href="#">RanchBuddy.Core.Services.Impl.WebConte</a> <a href="#">RanchBuddy.Core.Services.Impl.ImageServ</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.Services.Impl.Validation</a> <a href="#">RanchBuddy.Core.Domain.Account</a> ; <a href="#">RanchBuddy.Core.Services.Impl.CompanyS</a> <a href="#">RanchBuddy.Core.Services.Impl.CompanyA</a> <a href="#">RanchBuddy.Core.Services.Impl.Cryptograj</a> <a href="#">RanchBuddy.Core.Services.Impl.WebCooki</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.TermsR</a> <a href="#">RanchBuddy.Core.Services.Impl.LoggingSei</a> <a href="#">RanchBuddy.Core.Services.Impl.HelpMessa</a> <a href="#">RanchBuddy.Core.Services.Impl.EmailServ</a> <a href="#">RanchBuddy.Core.Services.Impl.AccountSe</a> <a href="#">RanchBuddy.Core.Properties.Settings</a> ; <a href="#">RanchBuddy.Core.Services.Impl.Status</a> ; <a href="#">RanchBuddy.Core.Providers.Impl.MvcSiter</a> <a href="#">RanchBuddy.Core.Domain.RanchBuddyDate</a> <a href="#">RanchBuddy.Core.Domain.Company</a> ; <a href="#">RanchBuddy.Core.Domain.CompanyType</a> ; <a href="#">RanchBuddy.Core.Domain.CompanyAccoun</a> <a href="#">RanchBuddy.Core.Domain.CompanyAccoun</a> <a href="#">RanchBuddy.Core.Domain.HelpMessage</a> ; <a href="#">RanchBuddy.Core.Domain.HelpMessageType</a> <a href="#">RanchBuddy.Core.Domain.PostalCode</a> ; <a href="#">RanchBuddy.Core.Domain.ZipCodesByRadi</a> <a href="#">RanchBuddy.Core.Domain.RuleViolation</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Connec</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.PostalC</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Accoun</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Accoun</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Accoun</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Accoun</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Accoun</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Accoun</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.HelpMe</a> <>c _DisplayClass0 ; <a href="#">RanchBuddy.Core.DataAccess.Impl.HelpMe</a> <>c _DisplayClass2 ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <>c _DisplayClass0 ; <a href="#">RanchBuddy.Core.Don</a> <GetRuleViolations>d _2 ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <>c _DisplayClass0 ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.PostalC</a> <>c _DisplayClass0 ; <a href="#">RanchBuddy.Core.Services.Impl.Configurat</a> ; <a href="#">RanchBuddy.Core.Services.Impl.Configur</a> <a href="#">RanchBuddy.Core.Domain.ValidationExcep</a> <a href="#">RanchBuddy.Core.Services.Impl.ImageServ</a> <a href="#">RanchBuddy.Core.Services.Impl.LoggingTyj</a> <a href="#">RanchBuddy.Core.Services.Impl.Status+Sta</a> <a href="#">RanchBuddy.Core.Providers.Impl.MvcSiter</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Reposit</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.MapPoi</a>
System.Object	-	
System.Collections.IEnumerable	-	<a href="#">RanchBuddy.Core.Domain.Account+&lt;GetRu</a>
System.Collections.ICollection	-	<a href="#">RanchBuddy.Core.Providers.Impl.MvcSiter</a>
System.Array	-	<a href="#">RanchBuddy.Web.Controllers.CompanyCon</a> <a href="#">RanchBuddy.Web.Controllers.AccountConti</a> <a href="#">RanchBuddy.Web.Services.Extensions</a> ; <a href="#">RanchBuddy.Core.Services.Impl.Captcha</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Accoun</a>

		<a href="#">RanchBuddy.Core.DataAccess.Impl.HelpMe</a> <a href="#">RanchBuddy.Core.Services.Impl.ImageServ</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.Services.Impl.Cryptograj</a> <a href="#">RanchBuddy.Core.Services.Impl.WebCooki</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.TermsR</a> <a href="#">RanchBuddy.Core.Services.Impl.LoggingSei</a> <a href="#">RanchBuddy.Core.Services.Impl.EmailServ</a> <a href="#">RanchBuddy.Core.Providers.Impl.MvcSitem</a> <a href="#">RanchBuddy.Core.Domain.RanchBuddyData</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.PostalC</a>
System.ValueType	-	<a href="#">RanchBuddy.Core.Services.Impl.ImageServ</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.MapPoi</a> <a href="#">RanchBuddy.Core.Services.Impl.Configurat</a> ; <a href="#">RanchBuddy.Core.Services.Impl.Configur</a> <a href="#">RanchBuddy.Core.Services.Impl.LoggingTyj</a> <a href="#">RanchBuddy.Core.Services.Impl.Status+Sta</a>
System.Collections.IEnumerator	-	<a href="#">RanchBuddy.Web.Services.Extensions</a> ; <a href="#">RanchBuddy.Web.Services.Navigation</a> ; <a href="#">RanchBuddy.Core.Services.Impl.Cache</a> ; <a href="#">RanchBuddy.Core.Providers.Impl.MvcSitem</a> <a href="#">RanchBuddy.Core.Domain.Account+&lt;GetRu</a>
System.IDisposable	-	<a href="#">RanchBuddy.Web.Controllers.AccountConti</a> <a href="#">RanchBuddy.Web.Services.Extensions</a> ; <a href="#">RanchBuddy.Web.Services.Navigation</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Accoun</a> <a href="#">RanchBuddy.Core.Services.Impl.Cache</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.HelpMe</a> <a href="#">RanchBuddy.Core.Services.Impl.WebConte</a> <a href="#">RanchBuddy.Core.Services.Impl.ImageServ</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.TermsR</a> <a href="#">RanchBuddy.Core.Providers.Impl.MvcSitem</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.PostalC</a> <a href="#">RanchBuddy.Core.Domain.Account+&lt;GetRu</a> <a href="#">RanchBuddy.Web.MvcApplication</a> ; <a href="#">RanchBuddy.Core.Domain.RanchBuddyData</a>
System.Collections.Generic.IEnumerator<T>	-	<a href="#">RanchBuddy.Core.Providers.Impl.MvcSitem</a> <a href="#">RanchBuddy.Core.Domain.Account+&lt;GetRu</a>
System.Enum	-	<a href="#">RanchBuddy.Core.Services.Impl.Configurat</a> ; <a href="#">RanchBuddy.Core.Services.Impl.Configur</a> <a href="#">RanchBuddy.Core.Services.Impl.LoggingTyj</a> <a href="#">RanchBuddy.Core.Services.Impl.Status+Sta</a>
System.Collections.Generic.IEnumerable<T>	-	<a href="#">RanchBuddy.Core.Domain.IValidate</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Accoun</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.Domain.Account</a> ; <a href="#">Ranch</a> ; <a href="#">RanchBuddy.Core.Providers.Impl.MvcSite</a> <a href="#">RanchBuddy.Core.Domain.Company</a> ; <a href="#">RanchBuddy.Core.Domain.CompanyAccoun</a> <a href="#">RanchBuddy.Core.Domain.HelpMessageTyp</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.Domain.Account+&lt;GetRu</a>
System.String	-	<a href="#">RanchBuddy.Web.Tests.Controllers.HomeC</a> <a href="#">RanchBuddy.Web.Services.MyViewPage</a> ; <a href="#">RanchBuddy.Web.Services.MyViewPage&lt;T&gt;</a> <a href="#">RanchBuddy.Web.Services.MyViewPageHel</a> <a href="#">RanchBuddy.Web.Controllers.SmartControl</a> <a href="#">RanchBuddy.Web.Controllers.CompanyCon</a> <a href="#">RanchBuddy.Web.Controllers.AccountConti</a> <a href="#">RanchBuddy.Web.Controllers.HomeControl</a> <a href="#">RanchBuddy.Web.MvcApplication</a> ; <a href="#">RanchB</a> <a href="#">RanchBuddy.Web.Services.Extensions</a> ; <a href="#">RanchBuddy.Web.Services.Navigation</a> ; <> <a href="#">f_AnonymousType0&lt;&lt;url&gt;j_TPPar</a> > ; <> <a href="#">f</a> ; <> <a href="#">f_AnonymousType2&lt;&lt;controller&gt;j_TP</a> <> <a href="#">f_AnonymousType3&lt;&lt;controller&gt;j_TPai</a> <companyName>j_TPPar> ; <a href="#">PostalCodeRad</a> <a href="#">PostalCodeRadiusSearch.Service1</a> ; <a href="#">PostalC</a> ; <a href="#">RanchBuddy.Core.Services.Impl.Configur</a> <a href="#">RanchBuddy.Core.Services.Impl.CompanyT</a> <a href="#">RanchBuddy.Core.Services.Impl.Captcha</a> ; <a href="#">RanchBuddy.Core.Domain.ValidationExcep</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Accoun</a> <a href="#">RanchBuddy.Core.Services.Impl.Cache</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.HelpMe</a> <a href="#">RanchBuddy.Core.Services.IWebContext</a> ; <a href="#">RanchBuddy.Core.Services.Impl.WebConte</a> <a href="#">RanchBuddy.Core.Services.Impl.ImageServ</a> <a href="#">RanchBuddy.Core.Services.Impl.ImageServ</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.Services.Impl.Validation</a> <a href="#">RanchBuddy.Core.Domain.Account</a> ; <a href="#">RanchBuddy.Core.Services.Impl.CompanyS</a>

29 of 38

		<a href="#">RanchBuddy.Core.Services.Impl.Cache</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.HelpMe</a> <a href="#">RanchBuddy.Core.Services.IWebContext</a> ; <a href="#">RanchBuddy.Core.Services.Impl.WebConte</a> <a href="#">RanchBuddy.Core.Services.Impl.ImageServ</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.Services.Impl.Validation</a> <a href="#">RanchBuddy.Core.Domain.Account</a> ; <a href="#">RanchBuddy.Core.Services.Impl.CompanyS</a> <a href="#">RanchBuddy.Core.Services.Impl.CompanyA</a> <a href="#">RanchBuddy.Core.Services.Impl.Cryptograj</a> <a href="#">RanchBuddy.Core.Services.Impl.WebCookie</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.TermsR</a> <a href="#">RanchBuddy.Core.Services.Impl.LoggingSei</a> <a href="#">RanchBuddy.Core.Services.Impl.HelpMessa</a> <a href="#">RanchBuddy.Core.Services.Impl.EmailServ</a> <a href="#">RanchBuddy.Core.Services.Impl.AccountSe</a> <a href="#">RanchBuddy.Core.Providers.Impl.MvcSiter</a> <a href="#">RanchBuddy.Core.Providers.Impl.MvcSiter</a> <a href="#">RanchBuddy.Core.Domain.Company</a> ; <a href="#">RanchBuddy.Core.Domain.CompanyType</a> ; <a href="#">RanchBuddy.Core.Domain.CompanyAccoun</a> <a href="#">RanchBuddy.Core.Domain.CompanyAccoun</a> <a href="#">RanchBuddy.Core.Domain.HelpMessage</a> ; <a href="#">RanchBuddy.Core.Domain.HelpMessageTyp</a> <a href="#">RanchBuddy.Core.Domain.PostalCode</a> ; <a href="#">RanchBuddy.Core.Domain.ZipCodesByRadiu</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.Attributes.MustBeLoggec</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.PostalC</a> <a href="#">RanchBuddy.Core.Domain.Account+&lt;GetRu</a>
System.Byte	-	<a href="#">RanchBuddy.Web.Services.Extensions</a> ; <a href="#">RanchBuddy.Core.Services.Impl.Cryptograj</a>
System.Char	-	<a href="#">RanchBuddy.Web.Services.Extensions</a> ; <a href="#">RanchBuddy.Core.Domain.PostalCode</a> ;
System.Console	-	<a href="#">RanchBuddy.Core.Services.Impl.Cryptograj</a>
System.Convert	-	<a href="#">RanchBuddy.Web.Controllers.CompanyCon</a> <a href="#">RanchBuddy.Web.Controllers.AccountConti</a> <a href="#">RanchBuddy.Web.Services.Extensions</a> ; <a href="#">RanchBuddy.Core.Services.Impl.Configurat</a> <a href="#">RanchBuddy.Core.Services.Impl.WebConte</a> <a href="#">RanchBuddy.Core.Services.Impl.Cryptograj</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a>
System.Decimal	-	<a href="#">RanchBuddy.Core.Services.Impl.ImageServ</a>
System.Double	-	<a href="#">RanchBuddy.Core.Providers.Impl.MvcSiter</a> <a href="#">RanchBuddy.Core.Domain.Company</a> ;
System.Environment	-	<a href="#">RanchBuddy.Core.Services.Impl.LoggingSei</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a>
System.GC	-	<a href="#">RanchBuddy.Core.Services.Impl.Captcha</a> ;
System.Guid	-	<a href="#">RanchBuddy.Web.Controllers.AccountConti</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Accoun</a> <a href="#">RanchBuddy.Core.Domain.Account</a> ; <a href="#">RanchBuddy.Core.Services.Impl.EmailServ</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Accoun</a>
System.Int32	-	<a href="#">RanchBuddy.Web.Captcha</a> ; <a href="#">RanchBuddy.Web.Controllers.CompanyCon</a> <a href="#">RanchBuddy.Web.Controllers.AccountConti</a> <a href="#">RanchBuddy.Web.Controllers.HomeControl</a> <a href="#">RanchBuddy.Web.Services.Extensions</a> ; <a href="#">RanchBuddy.Web.Services.Navigation</a> ; <>f__AnonymousType0<<url>j__TPar> ; <>f__ ; <a href="#">RanchBuddy.Web.Controllers.CompanyCo</a> <>f__AnonymousType2<<controller>j__TPai <>f__AnonymousType3<<controller>j__TPai <companyName>j__TPar> ; <a href="#">PostalCodeRad</a> <a href="#">PostalCodeRadiusSearch.Service1</a> ; <a href="#">RanchBuddy.Core.Services.Impl.Configurat</a> <a href="#">RanchBuddy.Core.Services.Impl.Configurat</a> ; <a href="#">RanchBuddy.Core.Services.Impl.Configur</a> <a href="#">RanchBuddy.Core.Services.Impl.CompanyT</a> <a href="#">RanchBuddy.Core.Services.Impl.Captcha</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Accoun</a> <a href="#">RanchBuddy.Core.Services.Impl.Cache</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.HelpMe</a> <a href="#">RanchBuddy.Core.Services.IWebContext</a> ; <a href="#">RanchBuddy.Core.Services.Impl.WebConte</a> <a href="#">RanchBuddy.Core.Services.Impl.ImageServ</a> <a href="#">RanchBuddy.Core.Services.Impl.ImageServ</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.Domain.Account</a> ; <a href="#">RanchBuddy.Core.Services.Impl.CompanyS</a> <a href="#">RanchBuddy.Core.Services.Impl.CompanyA</a> <a href="#">RanchBuddy.Core.Services.Impl.Cryptograj</a> <a href="#">RanchBuddy.Core.Services.Impl.WebCookie</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.TermsR</a> <a href="#">RanchBuddy.Core.Services.Impl.LoggingSei</a> <a href="#">RanchBuddy.Core.Services.Impl.LoggingTy</a>

		<a href="#">RanchBuddy.Core.Services.Impl.HelpMessa</a> <a href="#">RanchBuddy.Core.Services.Impl.EmailServ</a> <a href="#">RanchBuddy.Core.Services.Impl.AccountSe</a> <a href="#">RanchBuddy.Core.Services.Impl.Status+Sta</a> <a href="#">RanchBuddy.Core.Providers.Impl.MvcSitem</a> <a href="#">RanchBuddy.Core.Domain.RanchBuddyData</a> <a href="#">RanchBuddy.Core.Domain.Company</a> ; <a href="#">RanchBuddy.Core.Domain.CompanyType</a> ; <a href="#">RanchBuddy.Core.Domain.CompanyAccoun</a> <a href="#">RanchBuddy.Core.Domain.CompanyAccoun</a> <a href="#">RanchBuddy.Core.Domain.HelpMessage</a> ; <a href="#">RanchBuddy.Core.Domain.HelpMessageTyp</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Connec</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.PostalC</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.HelpMe</a> <a href="#">&lt;&gt;c__DisplayClass0</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.HelpMe</a> <a href="#">&lt;&gt;c__DisplayClass2</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">&lt;&gt;c__DisplayClass0</a> ; RanchBuddy.Core.Don <a href="#">&lt;GetRuleViolations&gt;d__2</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">&lt;&gt;c__DisplayClass0</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.PostalC</a> <a href="#">&lt;&gt;c__DisplayClass0</a> ;
System.Int64	-	<a href="#">RanchBuddy.Core.Services.IWebContext</a> ; <a href="#">RanchBuddy.Core.Services.Impl.WebConte</a>
System.IntPtr	-	<a href="#">RanchBuddy.Core.Domain.Account</a> ; Ranch <a href="#">RanchBuddy.Core.Domain.CompanyAccoun</a> <a href="#">RanchBuddy.Core.Domain.HelpMessageTyp</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a>
System.NotSupportedException	-	<a href="#">RanchBuddy.Core.Domain.Account+&lt;GetRu</a>
System.Random	-	<a href="#">RanchBuddy.Web.Captcha</a> ; RanchBuddy.C
System.Reflection.MemberInfo	-	<a href="#">RanchBuddy.Web.Services.Extensions</a> ; <a href="#">RanchBuddy.Core.Providers.Impl.MvcSitem</a>
System.Type	-	<a href="#">RanchBuddy.Web.Controllers.SmartControl</a> <a href="#">RanchBuddy.Web.Controllers.CompanyCon</a> <a href="#">RanchBuddy.Web.Controllers.AccountConti</a> <a href="#">RanchBuddy.Web.Services.Extensions</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Account</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.HelpMe</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.TermsR</a> <a href="#">RanchBuddy.Core.Providers.Impl.MvcSitem</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.PostalC</a>
System.RuntimeTypeHandle	-	<a href="#">RanchBuddy.Web.Controllers.SmartControl</a> <a href="#">RanchBuddy.Web.Controllers.CompanyCon</a> <a href="#">RanchBuddy.Web.Controllers.AccountConti</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Account</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.HelpMe</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.TermsR</a> <a href="#">RanchBuddy.Core.Providers.Impl.MvcSitem</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.PostalC</a>
System.RuntimeMethodHandle	-	<a href="#">RanchBuddy.Web.Controllers.CompanyCon</a> <a href="#">RanchBuddy.Web.Controllers.AccountConti</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Account</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.HelpMe</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.TermsR</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.PostalC</a>
System.RuntimeFieldHandle	-	<a href="#">RanchBuddy.Web.Controllers.CompanyCon</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Account</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.HelpMe</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.Services.Impl.Cryptograj</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.PostalC</a>
System.SerializableAttribute	-	-
System.Single	-	<a href="#">RanchBuddy.Core.Services.Impl.Captcha</a> ; <a href="#">RanchBuddy.Core.Domain.PostalCode</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.PostalC</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.MapPoi</a>
System.TimeSpan	-	<a href="#">RanchBuddy.Core.Services.Impl.Cache</a> ; <a href="#">RanchBuddy.Core.Services.Impl.WebCooki</a> <a href="#">RanchBuddy.Core.Providers.Impl.MvcSitem</a>

System.Void	-	<a href="#">RanchBuddy.Web.Tests.Controllers.HomeC</a> <a href="#">RanchBuddy.Web.Services.MyViewPage ;</a> <a href="#">RanchBuddy.Web.Services.MyViewPage&lt;T&gt;</a> <a href="#">RanchBuddy.Web.Services.MyViewPageHel</a> <a href="#">RanchBuddy.Web.Controllers.SmartControl</a> <a href="#">RanchBuddy.Web.Controllers.CompanyCon</a> <a href="#">RanchBuddy.Web.Controllers.AccountConti</a> <a href="#">RanchBuddy.Web.Controllers.HomeControl</a> <a href="#">RanchBuddy.Web.MvcApplication ; RanchB</a> <a href="#">RanchBuddy.Web.Services.Extensions ;</a> <a href="#">RanchBuddy.Web.Services.Navigation ;</a> <a href="#">&lt;&gt;f _AnonymousType0&lt;&lt;url&gt;j _TPar&gt; ; &lt;&gt;f</a> <a href="#">; RanchBuddy.Web.Controllers.CompanyCo</a> <a href="#">RanchBuddy.Web.Controllers.CompanyCon</a> <a href="#">&lt;&gt;f _AnonymousType2&lt;&lt;controller&gt;j _TPai</a> <a href="#">&lt;&gt;f _AnonymousType3&lt;&lt;controller&gt;j _TPai</a> <a href="#">&lt;companyName&gt;j _TPar&gt; ; PostalCodeRad</a> <a href="#">PostalCodeRadiusSearch.CompositeType ;</a> <a href="#">RanchBuddy.Core.Services.Impl.Configurat</a> <a href="#">RanchBuddy.Core.Services.Impl.CompanyT</a> <a href="#">RanchBuddy.Core.Services.Impl.Captcha ;</a> <a href="#">RanchBuddy.Core.Domain.IValidate ;</a> <a href="#">RanchBuddy.Core.Domain.ValidationExcep</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Accoun</a> <a href="#">RanchBuddy.Core.Services.Impl.Cache ;</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.HelpMe</a> <a href="#">RanchBuddy.Core.Services.IWebContext ;</a> <a href="#">RanchBuddy.Core.Services.Impl.WebConte</a> <a href="#">RanchBuddy.Core.Services.Impl.ImageServ</a> <a href="#">RanchBuddy.Core.Services.Impl.ImageServ</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.Services.Impl.Validation</a> <a href="#">RanchBuddy.Core.Domain.Account ;</a> <a href="#">RanchBuddy.Core.Services.Impl.CompanyS</a> <a href="#">RanchBuddy.Core.Services.Impl.CompanyA</a> <a href="#">RanchBuddy.Core.Services.Impl.Cryptograj</a> <a href="#">RanchBuddy.Core.Services.Impl.WebCooki</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.TermsR</a> <a href="#">RanchBuddy.Core.Services.Impl.LoggingSei</a> <a href="#">RanchBuddy.Core.Services.Impl.HelpMessa</a> <a href="#">RanchBuddy.Core.Services.Impl.EmailServ</a> <a href="#">RanchBuddy.Core.Services.Impl.AccountSe</a> <a href="#">RanchBuddy.Core.Properties.Settings ;</a> <a href="#">RanchBuddy.Core.Services.Impl.Status ;</a> <a href="#">RanchBuddy.Core.Providers.Impl.MvcSiter</a> <a href="#">RanchBuddy.Core.Providers.Impl.MvcSiter</a> <a href="#">RanchBuddy.Core.Domain.RanchBuddyDate</a> <a href="#">RanchBuddy.Core.Domain.Company ;</a> <a href="#">RanchBuddy.Core.Domain.CompanyType ;</a> <a href="#">RanchBuddy.Core.Domain.CompanyAccoun</a> <a href="#">RanchBuddy.Core.Domain.CompanyAccoun</a> <a href="#">RanchBuddy.Core.Domain.HelpMessage ;</a> <a href="#">RanchBuddy.Core.Domain.HelpMessageTyp</a> <a href="#">RanchBuddy.Core.Domain.PostalCode ;</a> <a href="#">RanchBuddy.Core.Domain.ZipCodesByRadiu</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Reposit</a> <a href="#">RanchBuddy.Core.Domain.RuleViolation ;</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Connec</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.Attributes.MustBeLogge</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.PostalC</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.MapPoi</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Accoun</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Accoun</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Accoun</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Accoun</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Accoun</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.HelpMe</a> <a href="#">&lt;&gt;c _DisplayClass0 ;</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.HelpMe</a> <a href="#">&lt;&gt;c _DisplayClass2 ;</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">&lt;&gt;c _DisplayClass0 ; RanchBuddy.Core.Don</a> <a href="#">&lt;GetRuleViolations&gt;d _2 ;</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">&lt;&gt;c _DisplayClass0 ;</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.PostalC</a> <a href="#">&lt;&gt;c _DisplayClass0 ;</a>
System.Threading.Monitor	-	<a href="#">RanchBuddy.Core.Providers.Impl.MvcSiter</a>
System.Threading.Thread	-	<a href="#">RanchBuddy.Core.Domain.Account+&lt;GetRu</a>
System.Collections.ArrayList	-	<a href="#">RanchBuddy.Core.Providers.Impl.MvcSiter</a>
System.Collections.IDictionaryEnumerator	-	<a href="#">RanchBuddy.Core.Services.Impl.Cache ;</a>
System.Nullable<T>	-	<a href="#">RanchBuddy.Web.Controllers.CompanyCon</a> <a href="#">RanchBuddy.Web.Controllers.AccountConti</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Accoun</a>

		<a href="#">RanchBuddy.Core.Domain.Account</a> ; <a href="#">RanchBuddy.Core.Domain.RanchBuddyData</a> <a href="#">RanchBuddy.Core.Domain.Company</a> ; <a href="#">RanchBuddy.Core.Domain.CompanyType</a> ; <a href="#">RanchBuddy.Core.Domain.CompanyAccount</a> <a href="#">RanchBuddy.Core.Domain.HelpMessage</a> ; <a href="#">RanchBuddy.Core.Domain.HelpMessageType</a> <a href="#">RanchBuddy.Core.Domain.PostalCode</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.Domain.Account+&lt;GetRu</a>
<a href="#">System.Collections.Generic.IDictionary&lt;TKey,TValue&gt;</a>	-	<a href="#">RanchBuddy.Web.Controllers.SmartControl</a> <a href="#">RanchBuddy.Core.Providers.Impl.MvcSiter</a>
<a href="#">System.Collections.Generic.Dictionary&lt;TKey,TValue&gt;</a>	-	<a href="#">RanchBuddy.Core.Services.IWebContext</a> ; <a href="#">RanchBuddy.Core.Services.Impl.WebConte</a> <a href="#">RanchBuddy.Core.Providers.Impl.MvcSiter</a>
<a href="#">System.Collections.Generic.Dictionary&lt;TKey,TValue&gt;+Enumerator</a>	-	<a href="#">RanchBuddy.Core.Services.Impl.WebConte</a>
<a href="#">System.Collections.Generic.EqualityComparer&lt;T&gt;</a>	-	<a href="#">&lt;&gt;f__AnonymousType0&lt;&lt;url&gt;j__TPar&gt;</a> ; <a href="#">&lt;&gt;f__AnonymousType2&lt;&lt;controller&gt;j__TP</a> <a href="#">&lt;&gt;f__AnonymousType3&lt;&lt;controller&gt;j__TPai</a> <a href="#">&lt;companyName&gt;j__TPar&gt;</a> ;
<a href="#">System.Action&lt;T&gt;</a>	-	<a href="#">RanchBuddy.Core.Domain.Account</a> ; <a href="#">RanchBuddy.Core.Domain.CompanyAccount</a> <a href="#">RanchBuddy.Core.Domain.HelpMessageType</a>
<a href="#">System.Collections.Generic.KeyValuePair&lt;TKey,TValue&gt;</a>	-	<a href="#">RanchBuddy.Core.Services.Impl.WebConte</a>
<a href="#">System.Collections.Generic.List&lt;T&gt;</a>	-	<a href="#">RanchBuddy.Web.Controllers.CompanyCon</a> <a href="#">RanchBuddy.Web.Controllers.AccountConti</a> <a href="#">RanchBuddy.Web.Services.Extensions</a> ; <a href="#">RanchBuddy.Web.Services.Navigation</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Account</a> <a href="#">RanchBuddy.Core.Services.Impl.Cache</a> ; <a href="#">RanchBuddy.Core.Services.Impl.ImageServ</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.Services.Impl.CompanyS</a> <a href="#">RanchBuddy.Core.Services.Impl.CompanyA</a> <a href="#">RanchBuddy.Core.Services.Impl.AccountSe</a> <a href="#">RanchBuddy.Core.Services.Impl.Status</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a>
<a href="#">System.Collections.Generic.List&lt;T&gt;+Enumerator</a>	-	<a href="#">RanchBuddy.Web.Controllers.AccountConti</a> <a href="#">RanchBuddy.Web.Services.Navigation</a> ; <a href="#">RanchBuddy.Core.Services.Impl.Cache</a> ; <a href="#">RanchBuddy.Core.Services.Impl.ImageServ</a>
<a href="#">System.Diagnostics.DebuggerHiddenAttribute</a>	-	<a href="#">&lt;&gt;f__AnonymousType0&lt;&lt;url&gt;j__TPar&gt;</a> ; <a href="#">&lt;&gt;f__AnonymousType2&lt;&lt;controller&gt;j__TP</a> <a href="#">&lt;&gt;f__AnonymousType3&lt;&lt;controller&gt;j__TPai</a> <a href="#">&lt;companyName&gt;j__TPar&gt;</a> ; <a href="#">RanchBuddy.Cc</a> <a href="#">&lt;GetRuleViolations&gt;d__2</a> ;
<a href="#">System.Diagnostics.DebuggerNonUserCodeAttribute</a>	-	<a href="#">RanchBuddy.Core.Properties.Settings</a> ;
<a href="#">System.Diagnostics.DebuggableAttribute</a>	-	-
<a href="#">System.Diagnostics.DebuggerBrowsableAttribute</a>	-	<a href="#">&lt;&gt;f__AnonymousType0&lt;&lt;url&gt;j__TPar&gt;</a> ; <a href="#">&lt;&gt;f__AnonymousType2&lt;&lt;controller&gt;j__TP</a> <a href="#">&lt;&gt;f__AnonymousType3&lt;&lt;controller&gt;j__TPai</a> <a href="#">&lt;companyName&gt;j__TPar&gt;</a> ;
<a href="#">System.Diagnostics.DebuggerDisplayAttribute</a>	-	<a href="#">&lt;&gt;f__AnonymousType0&lt;&lt;url&gt;j__TPar&gt;</a> ; <a href="#">&lt;&gt;f__AnonymousType2&lt;&lt;controller&gt;j__TP</a> <a href="#">&lt;&gt;f__AnonymousType3&lt;&lt;controller&gt;j__TPai</a> <a href="#">&lt;companyName&gt;j__TPar&gt;</a> ;
<a href="#">System.Reflection.AssemblyCopyrightAttribute</a>	-	-
<a href="#">System.Reflection.AssemblyTrademarkAttribute</a>	-	-
<a href="#">System.Reflection.AssemblyProductAttribute</a>	-	-
<a href="#">System.Reflection.AssemblyCompanyAttribute</a>	-	-
<a href="#">System.Reflection.AssemblyDescriptionAttribute</a>	-	-
<a href="#">System.Reflection.AssemblyTitleAttribute</a>	-	-
<a href="#">System.Reflection.AssemblyConfigurationAttribute</a>	-	-
<a href="#">System.Reflection.AssemblyFileVersionAttribute</a>	-	-
<a href="#">System.Reflection.AssemblyVersionAttribute</a>	-	-
<a href="#">System.Reflection.MethodBase</a>	-	<a href="#">RanchBuddy.Web.Controllers.CompanyCon</a> <a href="#">RanchBuddy.Web.Controllers.AccountConti</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Account</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.HelpMe</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.TermsR</a> <a href="#">RanchBuddy.Core.Domain.RanchBuddyData</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.PostalC</a>
<a href="#">System.Reflection.MethodInfo</a>	-	<a href="#">RanchBuddy.Web.Controllers.CompanyCon</a> <a href="#">RanchBuddy.Web.Controllers.AccountConti</a> <a href="#">RanchBuddy.Web.Services.Extensions</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Account</a>



		<a href="#">RanchBuddy.Core.DataAccess.Impl.HelpMe</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.TermsR</a> <a href="#">RanchBuddy.Core.Providers.Impl.MvcSiter</a> <a href="#">RanchBuddy.Core.Domain.RanchBuddyData</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.PostalC</a>
System.Reflection.FieldInfo	-	<a href="#">RanchBuddy.Web.Controllers.CompanyCon</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Accoun</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.HelpMe</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.PostalC</a>
System.Text.Encoding	-	<a href="#">RanchBuddy.Core.Services.Impl.Cryptograj</a>
System.Runtime.InteropServices.ComVisibleAttribute	-	-
System.Runtime.InteropServices.GuidAttribute	-	-
System.Runtime.InteropServices.DllImportAttribute	-	-
System.IO.Stream	-	<a href="#">RanchBuddy.Web.Captcha</a> ; <a href="#">RanchBuddy.Ci</a> <a href="#">RanchBuddy.Core.Services.Impl.Cryptograj</a>
System.IO.Directory	-	<a href="#">RanchBuddy.Core.Services.Impl.ImageServ</a> <a href="#">RanchBuddy.Core.Services.Impl.LoggingSei</a>
System.IO.FileSystemInfo	-	<a href="#">RanchBuddy.Core.Services.Impl.ImageServ</a>
System.IO.DirectoryInfo	-	<a href="#">RanchBuddy.Core.Services.Impl.ImageServ</a> <a href="#">RanchBuddy.Core.Services.Impl.LoggingSei</a>
System.IO.File	-	<a href="#">RanchBuddy.Core.Services.Impl.LoggingSei</a>
System.IO.FileAccess	-	<a href="#">RanchBuddy.Core.Services.Impl.Cryptograj</a>
System.IO.FileInfo	-	<a href="#">RanchBuddy.Core.Services.Impl.ImageServ</a>
System.IO.FileMode	-	<a href="#">RanchBuddy.Core.Services.Impl.Cryptograj</a>
System.IO.FileStream	-	<a href="#">RanchBuddy.Core.Services.Impl.Cryptograj</a>
System.IO.MemoryStream	-	<a href="#">RanchBuddy.Core.Services.Impl.Cryptograj</a>
System.Runtime.CompilerServices.RuntimeHelpers	-	<a href="#">RanchBuddy.Core.Services.Impl.Cryptograj</a>
System.Runtime.CompilerServices.CompilerGeneratedAttribute	-	<a href="#">RanchBuddy.Web.Controllers.CompanyCon</a> <>f__AnonymousType0<<url>j__TPar> ; <>f__ ; <a href="#">RanchBuddy.Web.Controllers.CompanyCo</a> <a href="#">RanchBuddy.Web.Controllers.CompanyCon</a> <>f__AnonymousType2<<controller>j__TPai <>f__AnonymousType3<<controller>j__TPai <companyName>j__TPar> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Accoun</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.HelpMe</a> <a href="#">RanchBuddy.Core.Services.Impl.ImageServ</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.Domain.Account</a> ; <a href="#">Ranch</a> <a href="#">RanchBuddy.Core.Services.Impl.Status</a> ; <a href="#">RanchBuddy.Core.Providers.Impl.MvcSiter</a> <a href="#">RanchBuddy.Core.Domain.RuleViolation</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.PostalC</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.MapPoi</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Accoun</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Accoun</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Accoun</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Accoun</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Accoun</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.HelpMe</a> <>c__DisplayClass0 ; <a href="#">RanchBuddy.Core.DataAccess.Impl.HelpMe</a> <>c__DisplayClass2 ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <>c__DisplayClass0 ; <a href="#">RanchBuddy.Core.Don</a> <GetRuleViolations>d__2 ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <>c__DisplayClass0 ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.PostalC</a> <>c__DisplayClass0 ;
System.Runtime.CompilerServices.CompilationRelaxationsAttribute	-	-
System.Runtime.CompilerServices.RuntimeCompatibilityAttribute	-	-
System.Security.Cryptography.ICryptoTransform	-	<a href="#">RanchBuddy.Core.Services.Impl.Cryptograj</a>
System.Security.Cryptography.CryptoStreamMode	-	<a href="#">RanchBuddy.Core.Services.Impl.Cryptograj</a>
System.Security.Cryptography.CryptoStream	-	<a href="#">RanchBuddy.Core.Services.Impl.Cryptograj</a>
System.Security.Cryptography.SymmetricAlgorithm	-	<a href="#">RanchBuddy.Core.Services.Impl.Cryptograj</a>
System.Security.Cryptography.DeriveBytes	-	<a href="#">RanchBuddy.Core.Services.Impl.Cryptograj</a>
System.Security.Cryptography.HashAlgorithm	-	<a href="#">RanchBuddy.Core.Services.Impl.Cryptograj</a>
System.Security.Cryptography.MD5	-	<a href="#">RanchBuddy.Core.Services.Impl.Cryptograj</a>

System.Security.Cryptography.PasswordDeriveBytes	-	<a href="#">RanchBuddy.Core.Services.Impl.Cryptogra</a>
System.Security.Cryptography.Rijndael	-	<a href="#">RanchBuddy.Core.Services.Impl.Cryptogra</a>
System.Web.IHttpHandler	-	<a href="#">RanchBuddy.Web.Default</a> ; <a href="#">RanchBuddy.Core.Providers.Impl.MvcSiter</a> <a href="#">RanchBuddy.Web.Captcha</a> ; <a href="#">RanchBuddy.W</a>
System.Web.HttpApplication	-	<a href="#">RanchBuddy.Web.MvcApplication</a> ;
System.Web.HttpContext	-	<a href="#">RanchBuddy.Web.Default</a> ; <a href="#">RanchBuddy.C</a> <a href="#">RanchBuddy.Core.Services.Impl.Cache</a> ; <a href="#">RanchBuddy.Core.Services.Impl.WebConte</a> <a href="#">RanchBuddy.Core.Services.Impl.WebCooki</a> <a href="#">RanchBuddy.Core.Providers.Impl.MvcSiter</a>
System.Web.HttpCookie	-	<a href="#">RanchBuddy.Core.Services.Impl.WebCooki</a>
System.Web.HttpCookieCollection	-	<a href="#">RanchBuddy.Core.Services.Impl.WebCooki</a>
System.Web.HttpFileCollection	-	<a href="#">RanchBuddy.Core.Services.IWebContext</a> ; <a href="#">RanchBuddy.Core.Services.Impl.WebConte</a>
System.Web.HttpRequest	-	<a href="#">RanchBuddy.Web.Default</a> ; <a href="#">RanchBuddy.C</a> <a href="#">RanchBuddy.Core.Services.Impl.WebCooki</a>
System.Web.HttpResponse	-	<a href="#">RanchBuddy.Web.Captcha</a> ; <a href="#">RanchBuddy.Ci</a>
System.Web.HttpServerUtility	-	<a href="#">RanchBuddy.Core.Services.Impl.Captcha</a> ; <a href="#">RanchBuddy.Core.Providers.Impl.MvcSiter</a>
System.Web.SiteMap	-	<a href="#">RanchBuddy.Web.Services.Extensions</a> ; <a href="#">RanchBuddy.Web.Services.Navigation</a> ;
System.Web.SiteMapNode	-	<a href="#">RanchBuddy.Web.Services.Extensions</a> ; <a href="#">RanchBuddy.Web.Services.Navigation</a> ; <a href="#">RanchBuddy.Core.Providers.Impl.MvcSiter</a> <a href="#">RanchBuddy.Core.Providers.Impl.MvcSiter</a>
System.Web.SiteMapNodeCollection	-	<a href="#">RanchBuddy.Web.Services.Extensions</a> ; <a href="#">RanchBuddy.Web.Services.Navigation</a> ; <a href="#">RanchBuddy.Core.Providers.Impl.MvcSiter</a>
System.Web.SiteMapProvider	-	<a href="#">RanchBuddy.Core.Providers.Impl.MvcSiter</a> <a href="#">RanchBuddy.Core.Providers.Impl.MvcSiter</a>
System.Web.StaticSiteMapProvider	-	<a href="#">RanchBuddy.Core.Providers.Impl.MvcSiter</a>
System.Web.Caching.CacheItemRemovedCallback	-	<a href="#">RanchBuddy.Core.Services.Impl.Cache</a> ;
System.Web.Caching.CacheItemPriority	-	<a href="#">RanchBuddy.Core.Services.Impl.Cache</a> ;
System.Web.Caching.Cache	-	<a href="#">RanchBuddy.Core.Services.Impl.Cache</a> ; <a href="#">RanchBuddy.Core.Providers.Impl.MvcSiter</a>
System.Web.Caching.CacheDependency	-	<a href="#">RanchBuddy.Core.Services.Impl.Cache</a> ; <a href="#">RanchBuddy.Core.Providers.Impl.MvcSiter</a>
System.Web.SessionState.HttpSessionState	-	<a href="#">RanchBuddy.Core.Services.Impl.WebConte</a>
System.Web.UI.Page	-	<a href="#">RanchBuddy.Web.Services.MyViewPage</a> ; <a href="#">RanchBuddy.Web.Services.MyViewPage&lt;T&gt;</a> <a href="#">RanchBuddy.Web.Default</a> ; <a href="#">RanchBuddy.W</a>
System.Web.UI.HtmlControls.HtmlForm	-	<a href="#">RanchBuddy.Web.Captcha</a> ;
System.Web.Routing.RequestContext	-	<a href="#">RanchBuddy.Web.Services.Extensions</a> ; <a href="#">RanchBuddy.Core.Providers.Impl.MvcSiter</a>
System.Web.Routing.RouteBase	-	<a href="#">RanchBuddy.Core.Providers.Impl.MvcSiter</a>
System.Web.Routing.Route	-	<a href="#">RanchBuddy.Web.MvcApplication</a> ;
System.Web.Routing.RouteCollection	-	<a href="#">RanchBuddy.Web.MvcApplication</a> ; <a href="#">RanchBuddy.Core.Providers.Impl.MvcSiter</a>
System.Web.Routing.RouteData	-	<a href="#">RanchBuddy.Core.Providers.Impl.MvcSiter</a>
System.Web.Routing.RouteTable	-	<a href="#">RanchBuddy.Web.MvcApplication</a> ; <a href="#">RanchBuddy.Core.Providers.Impl.MvcSiter</a>
System.Web.Routing.RouteValueDictionary	-	<a href="#">RanchBuddy.Web.Controllers.SmartControl</a> <a href="#">RanchBuddy.Core.Providers.Impl.MvcSiter</a>
System.Web.Routing.VirtualPathData	-	<a href="#">RanchBuddy.Core.Providers.Impl.MvcSiter</a>
System.Data.Linq.IExecuteResult	-	<a href="#">RanchBuddy.Core.Domain.RanchBuddyData</a>
System.Data.Linq.ISingleResult<T>	-	<a href="#">RanchBuddy.Core.Domain.RanchBuddyData</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a>
System.Data.Linq.DataContext	-	<a href="#">RanchBuddy.Core.DataAccess.Impl.Account</a> <a href="#">RanchBuddy.Core.Domain.RanchBuddyData</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Connec</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a>
System.Data.Linq.Table<TEntity>	-	<a href="#">RanchBuddy.Core.DataAccess.Impl.Account</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.HelpMe</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.TermsR</a> <a href="#">RanchBuddy.Core.Domain.RanchBuddyData</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.PostalC</a>
System.Data.Linq.ForeignKeyReferenceAlreadyHasValueException	-	<a href="#">RanchBuddy.Core.Domain.CompanyAccount</a> <a href="#">RanchBuddy.Core.Domain.HelpMessage</a> ;
System.Data.Linq.Mapping.FunctionAttribute	-	<a href="#">RanchBuddy.Core.Domain.RanchBuddyData</a>
System.Data.Linq.Mapping.ParameterAttribute	-	<a href="#">RanchBuddy.Core.Domain.RanchBuddyData</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a>
System.Data.Linq.Mapping.DatabaseAttribute	-	<a href="#">RanchBuddy.Core.Domain.RanchBuddyData</a>

System.Data.Linq.Mapping.TableAttribute	-	<a href="#">RanchBuddy.Core.Domain.Account</a> ; <a href="#">RanchBuddy.Core.Domain.CompanyType</a> ; <a href="#">RanchBuddy.Core.Domain.CompanyAccount</a> ; <a href="#">RanchBuddy.Core.Domain.HelpMessage</a> ; <a href="#">RanchBuddy.Core.Domain.HelpMessageTyp</a> ; <a href="#">RanchBuddy.Core.Domain.PostalCode</a> ;
System.Data.Linq.Mapping.ColumnAttribute	-	<a href="#">RanchBuddy.Core.Domain.Account</a> ; <a href="#">RanchBuddy.Core.Domain.CompanyType</a> ; <a href="#">RanchBuddy.Core.Domain.CompanyAccount</a> ; <a href="#">RanchBuddy.Core.Domain.HelpMessage</a> ; <a href="#">RanchBuddy.Core.Domain.HelpMessageTyp</a> ; <a href="#">RanchBuddy.Core.Domain.PostalCode</a> ; <a href="#">RanchBuddy.Core.Domain.ZipCodesByRadiu</a>
System.Data.Linq.Mapping.AssociationAttribute	-	<a href="#">RanchBuddy.Core.Domain.Account</a> ; <a href="#">RanchBuddy.Core.Domain.CompanyAccount</a> ; <a href="#">RanchBuddy.Core.Domain.HelpMessage</a> ; <a href="#">RanchBuddy.Core.Domain.HelpMessageTyp</a>
System.Data.Linq.Mapping.MappingSource	-	<a href="#">RanchBuddy.Core.Domain.RanchBuddyDate</a>
System.Data.Linq.Mapping.AttributeMappingSource	-	<a href="#">RanchBuddy.Core.Domain.RanchBuddyDate</a>
System.Data.Linq.EntityRef<TEntity>	-	<a href="#">RanchBuddy.Core.Domain.CompanyAccount</a> ; <a href="#">RanchBuddy.Core.Domain.HelpMessage</a> ;
System.Data.Linq.EntitySet<TEntity>	-	<a href="#">RanchBuddy.Core.Domain.Account</a> ; <a href="#">RanchBuddy.Core.Domain.CompanyAccount</a> ; <a href="#">RanchBuddy.Core.Domain.HelpMessage</a> ; <a href="#">RanchBuddy.Core.Domain.HelpMessageTyp</a>
System.Data.Linq.Binary	-	<a href="#">RanchBuddy.Web.Controllers.CompanyCon</a> ; <a href="#">RanchBuddy.Web.Services.Extensions</a> ; <a href="#">RanchBuddy.Core.Domain.Company</a> ; <a href="#">RanchBuddy.Core.Domain.CompanyType</a> ; <a href="#">RanchBuddy.Core.Domain.CompanyAccount</a> ; <a href="#">RanchBuddy.Core.Domain.HelpMessage</a> ; <a href="#">RanchBuddy.Core.Domain.HelpMessageTyp</a> ; <a href="#">RanchBuddy.Core.Domain.PostalCode</a> ;
System.Func<T,TResult>	-	<a href="#">RanchBuddy.Web.Controllers.SmartControl</a> ; <a href="#">RanchBuddy.Web.Controllers.CompanyCon</a> ; <a href="#">RanchBuddy.Web.Controllers.AccountConti</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Account</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.HelpMe</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.TermsR</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.PostalC</a>
System.Linq.Expressions.Expression	-	<a href="#">RanchBuddy.Web.Controllers.CompanyCon</a> ; <a href="#">RanchBuddy.Web.Controllers.AccountConti</a> ; <a href="#">RanchBuddy.Web.Services.Extensions</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Account</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.HelpMe</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.TermsR</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.PostalC</a>
System.Linq.Expressions.BinaryExpression	-	<a href="#">RanchBuddy.Core.DataAccess.Impl.Account</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.HelpMe</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.PostalC</a>
System.Linq.Expressions.ConstantExpression	-	<a href="#">RanchBuddy.Web.Controllers.CompanyCon</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Account</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.HelpMe</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.PostalC</a>
System.Linq.Expressions.LambdaExpression	-	<a href="#">RanchBuddy.Web.Controllers.SmartControl</a> ; <a href="#">RanchBuddy.Web.Services.Extensions</a> ;
System.Linq.Expressions.Expression<TDelegate>	-	<a href="#">RanchBuddy.Web.Controllers.SmartControl</a> ; <a href="#">RanchBuddy.Web.Controllers.CompanyCon</a> ; <a href="#">RanchBuddy.Web.Controllers.AccountConti</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Account</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.HelpMe</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.TermsR</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.PostalC</a>
System.Linq.Expressions.MemberExpression	-	<a href="#">RanchBuddy.Web.Controllers.CompanyCon</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.Account</a> ; <a href="#">RanchBuddy.Core.DataAccess.Impl.HelpMe</a>

		<a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.TermsR</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.PostalC</a>
System.Linq.Expressions.MethodCallExpression	-	<a href="#">RanchBuddy.Web.Controllers.CompanyCon</a> <a href="#">RanchBuddy.Web.Controllers.AccountConti</a> <a href="#">RanchBuddy.Web.Services.Extensions ;</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.PostalC</a>
System.Linq.Expressions.ParameterExpression	-	<a href="#">RanchBuddy.Web.Controllers.CompanyCon</a> <a href="#">RanchBuddy.Web.Controllers.AccountConti</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Accoun</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.HelpMe</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.TermsR</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.PostalC</a>
System.Linq.Expressions.UnaryExpression	-	<a href="#">RanchBuddy.Core.DataAccess.Impl.Accoun</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a>
System.Linq.IQueryable<T>	-	<a href="#">RanchBuddy.Core.DataAccess.Impl.Accoun</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.HelpMe</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.TermsR</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.PostalC</a>
System.Linq.IOrderedQueryable<T>	-	<a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.TermsR</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a>
System.Linq.Queryable	-	<a href="#">RanchBuddy.Core.DataAccess.Impl.Accoun</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.HelpMe</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.TermsR</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.PostalC</a>
System.Linq.Enumerable	-	<a href="#">RanchBuddy.Core.DataAccess.Impl.Accoun</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.Domain.Account ;</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a> <a href="#">RanchBuddy.Core.DataAccess.Impl.Compar</a>
System.Runtime.CompilerServices.ExtensionAttribute	-	<a href="#">RanchBuddy.Web.Services.Extensions ;</a>
System.Web.HttpContextBase	-	<a href="#">RanchBuddy.Core.Providers.Impl.MvcSiter</a> <a href="#">RanchBuddy.Core.Attributes.MustBeLoggec</a>
System.Web.HttpContextWrapper	-	<a href="#">RanchBuddy.Core.Providers.Impl.MvcSiter</a>
System.Web.HttpPostedFileBase	-	<a href="#">RanchBuddy.Core.Services.Impl.ImageServ</a>
System.Web.HttpResponseBase	-	<a href="#">RanchBuddy.Web.Controllers.HomeControl</a> <a href="#">RanchBuddy.Core.Attributes.MustBeLoggec</a>
System.Drawing.Image	-	<a href="#">RanchBuddy.Web.Captcha ; RanchBuddy.Ci</a> <a href="#">RanchBuddy.Core.Services.Impl.ImageServ</a>
System.Drawing.Bitmap	-	<a href="#">RanchBuddy.Web.Captcha ; RanchBuddy.Ci</a> <a href="#">RanchBuddy.Core.Services.Impl.ImageServ</a>
System.Drawing.Brush	-	<a href="#">RanchBuddy.Core.Services.Impl.Captcha ;</a>
System.Drawing.Color	-	<a href="#">RanchBuddy.Core.Services.Impl.Captcha ;</a>
System.Drawing.Graphics	-	<a href="#">RanchBuddy.Core.Services.Impl.Captcha ;</a>
System.Drawing.Rectangle	-	<a href="#">RanchBuddy.Core.Services.Impl.Captcha ;</a>
System.Drawing.ColorTranslator	-	<a href="#">RanchBuddy.Core.Services.Impl.Captcha ;</a>
System.Drawing.Font	-	<a href="#">RanchBuddy.Core.Services.Impl.Captcha ;</a>
System.Drawing.FontFamily	-	<a href="#">RanchBuddy.Core.Services.Impl.Captcha ;</a>
System.Drawing.FontStyle	-	<a href="#">RanchBuddy.Core.Services.Impl.Captcha ;</a>
System.Drawing.Drawing2D.GraphicsPath	-	<a href="#">RanchBuddy.Core.Services.Impl.Captcha ;</a>
System.Drawing.Drawing2D.HatchBrush	-	<a href="#">RanchBuddy.Core.Services.Impl.Captcha ;</a>
System.Drawing.Drawing2D.HatchStyle	-	<a href="#">RanchBuddy.Core.Services.Impl.Captcha ;</a>
System.Drawing.Imaging.ImageFormat	-	<a href="#">RanchBuddy.Web.Captcha ; RanchBuddy.Ci</a>
System.Drawing.Drawing2D.Matrix	-	<a href="#">RanchBuddy.Core.Services.Impl.Captcha ;</a>
System.Drawing.PointF	-	<a href="#">RanchBuddy.Core.Services.Impl.Captcha ;</a>
System.Drawing.RectangleF	-	<a href="#">RanchBuddy.Core.Services.Impl.Captcha ;</a>
System.Drawing.SizeF	-	<a href="#">RanchBuddy.Core.Services.Impl.Captcha ;</a>
System.Drawing.Drawing2D.SmoothingMode	-	<a href="#">RanchBuddy.Core.Services.Impl.Captcha ;</a>
System.Drawing.StringAlignment	-	<a href="#">RanchBuddy.Core.Services.Impl.Captcha ;</a>
System.Drawing.StringFormat	-	<a href="#">RanchBuddy.Core.Services.Impl.Captcha ;</a>
System.Drawing.Drawing2D.WarpMode	-	<a href="#">RanchBuddy.Core.Services.Impl.Captcha ;</a>
System.Xml.Linq.XName	-	<a href="#">RanchBuddy.Core.Providers.Impl.MvcSiter</a>
System.Xml.Linq.XNamespace	-	<a href="#">RanchBuddy.Core.Providers.Impl.MvcSiter</a>

System.Xml.Linq.XContainer	-	<a href="#">RanchBuddy.Core.Providers.Impl.MvcSiter</a>
System.Xml.Linq.XElement	-	<a href="#">RanchBuddy.Core.Providers.Impl.MvcSiter</a>
System.Xml.Linq.XDocument	-	<a href="#">RanchBuddy.Core.Providers.Impl.MvcSiter</a>
System.Xml.Linq.XAttribute	-	<a href="#">RanchBuddy.Core.Providers.Impl.MvcSiter</a>
System.Data.IDbConnection	-	<a href="#">RanchBuddy.Core.Domain.RanchBuddyData</a>
System.Text.RegularExpressions.Regex	-	<a href="#">RanchBuddy.Core.Services.Impl.Validation</a>
System.ComponentModel.INotifyPropertyChanged	-	<a href="#">RanchBuddy.Core.Domain.Account</a> ; <a href="#">RanchBuddy.Core.Domain.CompanyType</a> ; <a href="#">RanchBuddy.Core.Domain.CompanyAccount</a> ; <a href="#">RanchBuddy.Core.Domain.HelpMessage</a> ; <a href="#">RanchBuddy.Core.Domain.HelpMessageType</a> ; <a href="#">RanchBuddy.Core.Properties.Settings</a> ;
System.ComponentModel.INotifyPropertyChanging	-	<a href="#">RanchBuddy.Core.Domain.Account</a> ; <a href="#">RanchBuddy.Core.Domain.CompanyType</a> ; <a href="#">RanchBuddy.Core.Domain.CompanyAccount</a> ; <a href="#">RanchBuddy.Core.Domain.HelpMessage</a> ; <a href="#">RanchBuddy.Core.Domain.HelpMessageType</a> ;
System.ComponentModel.PropertyChangedEventArgs	-	<a href="#">RanchBuddy.Core.Domain.Account</a> ; <a href="#">RanchBuddy.Core.Domain.CompanyType</a> ; <a href="#">RanchBuddy.Core.Domain.CompanyAccount</a> ; <a href="#">RanchBuddy.Core.Domain.HelpMessage</a> ; <a href="#">RanchBuddy.Core.Domain.HelpMessageType</a> ;
System.ComponentModel.PropertyChangedEventHandler	-	<a href="#">RanchBuddy.Core.Domain.Account</a> ; <a href="#">RanchBuddy.Core.Domain.CompanyType</a> ; <a href="#">RanchBuddy.Core.Domain.CompanyAccount</a> ; <a href="#">RanchBuddy.Core.Domain.HelpMessage</a> ; <a href="#">RanchBuddy.Core.Domain.HelpMessageType</a> ;
System.ComponentModel.PropertyChangingEventArgs	-	<a href="#">RanchBuddy.Core.Domain.Account</a> ; <a href="#">RanchBuddy.Core.Domain.CompanyType</a> ; <a href="#">RanchBuddy.Core.Domain.CompanyAccount</a> ; <a href="#">RanchBuddy.Core.Domain.HelpMessage</a> ; <a href="#">RanchBuddy.Core.Domain.HelpMessageType</a> ;
System.ComponentModel.PropertyChangingEventHandler	-	<a href="#">RanchBuddy.Core.Domain.Account</a> ; <a href="#">RanchBuddy.Core.Domain.CompanyType</a> ; <a href="#">RanchBuddy.Core.Domain.CompanyAccount</a> ; <a href="#">RanchBuddy.Core.Domain.HelpMessage</a> ; <a href="#">RanchBuddy.Core.Domain.HelpMessageType</a> ;
System.CodeDom.Compiler.GeneratedCodeAttribute	-	<a href="#">RanchBuddy.Core.Properties.Settings</a> ;
System.Collections.Specialized.NameValueCollection	-	<a href="#">RanchBuddy.Core.Services.Impl.Configuration</a> ; <a href="#">RanchBuddy.Core.Services.Impl.WebContent</a> ; <a href="#">RanchBuddy.Core.Providers.Impl.MvcSiter</a>
System.Net.Mail.MailAddressCollection	-	<a href="#">RanchBuddy.Core.Services.Impl.EmailService</a>
System.Net.Mail.MailMessage	-	<a href="#">RanchBuddy.Core.Services.Impl.EmailService</a>
System.Net.Mail.SmtpClient	-	<a href="#">RanchBuddy.Core.Services.Impl.EmailService</a>
System.Configuration.SettingsBase	-	<a href="#">RanchBuddy.Core.Properties.Settings</a> ;
System.Configuration.ApplicationSettingsBase	-	<a href="#">RanchBuddy.Core.Properties.Settings</a> ;
System.Configuration.ApplicationScopedSettingAttribute	-	<a href="#">RanchBuddy.Core.Properties.Settings</a> ;
System.Configuration.DefaultSettingValueAttribute	-	<a href="#">RanchBuddy.Core.Properties.Settings</a> ;
System.Configuration.SpecialSettingAttribute	-	<a href="#">RanchBuddy.Core.Properties.Settings</a> ;
System.Configuration.ConfigurationManager	-	<a href="#">RanchBuddy.Core.Services.Impl.Configuration</a>
System.Configuration.ConnectionStringSettings	-	<a href="#">RanchBuddy.Core.Services.Impl.Configuration</a>
System.Configuration.ConnectionStringSettingsCollection	-	<a href="#">RanchBuddy.Core.Services.Impl.Configuration</a>
StructureMap.PluggableAttribute	-	<a href="#">RanchBuddy.Core.Services.Impl.Cache</a> ; <a href="#">RanchBuddy.Core.Services.Impl.WebContent</a>
StructureMap.PluginFamilyAttribute	-	<a href="#">RanchBuddy.Core.Services.IWebContext</a> ; <a href="#">RanchBuddy.Core.Services.Impl.WebContent</a>
StructureMap.ObjectFactory	-	<a href="#">RanchBuddy.Core.Attributes.MustBeLogged</a>
System.Runtime.Serialization.DataContractAttribute	-	<a href="#">PostalCodeRadiusSearch.CompositeType</a> ;
System.Runtime.Serialization.DataMemberAttribute	-	<a href="#">PostalCodeRadiusSearch.CompositeType</a> ;
System.ServiceModel.OperationContractAttribute	-	<a href="#">PostalCodeRadiusSearch.IService1</a> ;
System.ServiceModel.ServiceContractAttribute	-	<a href="#">PostalCodeRadiusSearch.IService1</a> ; <a href="#">PostalCodeRadiusSearch.IService2</a> ;