



Mobile Application Analytics

Windows Phone 7 SDK Instructions

SDK version 2.0

Updated: 12/21/2010

Welcome to Flurry Analytics!

This file contains:

1. Introduction
2. Integration Instructions
3. Optional Features
4. FAQ

1. Introduction

The Flurry Windows Phone 7 Analytics Agent allows you to track the usage and behavior of your Windows Phone application on users' phones for viewing in the Flurry Analytics system. It is designed to be as easy as possible with a basic setup complete in under 5 minutes.

This archive should contain these files:

- **FlurryWP7SDK.dll**: The library containing Flurry's collection and reporting code.
- **ProjectApiKey.txt**: This file contains the name of your project and your project's API key.
- **Analytics-README.pdf**: This PDF file containing instructions.
- **RELEASE_NOTES.txt**: A text file containing information about this release.

2. Integration

To integrate Flurry Analytics into your Windows Phone 7 application:

1. Reference **FlurryWP7SDK.dll** in your application project.

2. Configure WMApManifest.xml:

Required Capability:

`ID_CAP_NETWORKING`

Required to send analytics data back to the flurry servers

`ID_CAP_IDENTITY_USER`

Required for unique user reporting (by accessing the ANID).

Specify the Version attribute in the manifest to have data reported under that version.

3. Add lifecycle calls

- Insert a call to `FlurryWP7SDK.Api.StartSession(string apiKey)` to begin a session, passing it your project's API key. It is recommended to insert this call after the application is launched or reactivated. If you don't intend to explicitly end the session before application closes, this is all you need to do.
- `FlurryWP7SDK.Api.EndSession()` is already associated with the Closing function, and `FlurryWP7SDK.Api.PauseSession()` is already associated with the Deactivated function, so there is no need to make explicit calls to these functions in your application unless you need to call `EndSession` explicitly before the application terminates.
- If you have an active session, make sure `StartSession` is called when the application is reactivated to resume the current session. Session length, usage frequency, events and errors will continue to be tracked as part of the same session. If the application is reactivated after more than 10 seconds of deactivation, the current session will be ended and a new one will be started. If you wish to change the window during which a session can be resumed, call `FlurryWP7SDK.Api.SetSessionContinueSeconds(int seconds)` after the session has started.
- If you want to track Activity usage, we recommend using LogEvent, described below.

4. Build your application normally.

You're done! That's all you need to do to begin receiving basic metric data.

3. Optional Features

- `FlurryWP7SDK.Api.LogEvent(string eventId, bool timed, List<Parameter> parameters)`
Use `LogEvent` to track user events that happen during a session. You can track how many times each event occurs, what order events happen in, as well as what the most common parameters are for each event. This can be useful for measuring how often users take various actions, or what sequences of actions they usually perform. Each project supports a maximum of 100 events. The `timed` argument and the `parameters` argument are both optional. Each event id, parameter key, and parameter value must be no more than 255 characters in length. Each event can have no more than 10 parameters. If the `timed` argument is true, that means you are logging a timed event, which can be ended by calling the `FlurryWP7SDK.Api.EndTimedEvent(string eventId, List<Parameter> parameters)` function using the same eventid used to start the timed event.
- `FlurryWP7SDK.Api.LogError(String message, Exception exception)`
Use `LogError` to report application errors. Flurry will report the last 10 errors to occur in each session. (max length 255 chars)

Optional configuration methods

Call these methods after calling `StartSession` to change the configuration:

- `FlurryWP7SDK.Api.SetVersion(string versionName)`
To change the version name your analytic data is reported under. If this is not specified, the version name is retrieved from the application descriptor.
- `FlurryWP7SDK.Api.SetUserId(string userId)`
`FlurryWP7SDK.Api.SetAge(int age)`

```
FlurryWP7SDK.Api.SetGender(Gender gender)
FlurryWP7SDK.Api.SetLocation(double latitude, double longitude,
                             float accuracy)
```

To record demographic data about the user.

- `FlurryWP7SDK.Api.SetSessionContinueSeconds(int seconds)`
Pass a value to change the number of seconds for which paused sessions will be continued. After this amount of time has passed with no activity, a new session is assumed to have started.
- `FlurryWP7SDK.Api.SetReportDelay(int seconds)`
If you want to delay the reporting of data from the beginning of a session, you can use this method to have the agent delay its report for this long.

Please let us know if you have any questions. If you need any help, just email winmosupport@flurry.com!

Cheers,
The Flurry Team
<http://www.flurry.com>
winmosupport@flurry.com